

Bibliography

- [1] P.C.Jain, Monica Jain, Engineering Chemistry, Dhanpat Rai Publishing Company Ltd.,15th Edition, New Delhi (**2005**)
- [2] P.N.Rajankar, S.R.Gulhane, D.H. Tambekar, D.S.Ramteke, A study on the physico-chemical characteristics of the municipal solid waste of Amravati city. *Waste Elec.j.Chem.*,6(3) 905 (**2009**)
- [3] “The World’s Water 2006-2007 Tables, Pacific Institute” World Water.Org (**2009**)
- [4] Kanamadi R.D.Ahalya, N.Ramachandra, Biosorption of Heavy metals by Low cost adsorbents. *Technical Report*: 112 (**2006**)
- [5] “Scientific facts on water; State of the Resource”, *Green facts website* (**2008**)
- [6] S.A.Abbasi, Environmental Pollution and its control, 1st Edition, Cogent International, Pondicherry, India (**1993**).
- [7] USEPA “Illness related to Sewage Water” (**2009**)
- [8] Maheshwari, Geetha Parmar, A Textbook of Energy Ecology Environment and Society, 1st Edition, Anmol Publications Private Ltd, New Delhi, India (**2002**)
- [9] USGS Reston, V.A. “ A primer on water quality” (**2001**)
- [10] Anil Kumar De, Environmental Chemistry, 2nd Edition, 3rd Reprint, Wiley Eastern Limited, New Delhi, India (**1992**)
- [11] World Resource Institute, New York, Oxford University Press (**1993**)
- [12] Sandra Postel, “Saving water for Agriculture” World Watch Institute, New York (**1996**)
- [13] Sandra Postel, “Managing Fresh Water Supplies” World Watch Institute, New York (**1985**)
- [14] N.Manivasakam, Physico Chemical Examination of Water, Sewage and Industrial Effluents, Pragati Prakashan Publications, Meerut, India (**1985**)
- [15] V.P.Kudesia, Ritu Kudesia, Water Pollution, 4th Edition, Pragati Prakashan Publications, Meerut, India (**2000**)

- [16] “The cost of meeting the Johannesburg targets for Drinking Water” *Water Academy Org.*, (2004)
- [17] Abidia Begam, M.Ramiah, Harikrishna, Irfanulla Khan, K.Veena, *E.J.Chem.*, 6(1), (2009) 47-52
- [18] C.S. Rao, Environmental Pollution Control Engineering, Wiley Eastern Ltd. (1994)
- [19] O.D.Tyagi, M.Mehra, A Text Book of Environmental Chemistry, 1stEdition, 3rd Reprint, Anmol Publications Private Ltd, New Delhi, India (2000)
- [20] Siafuddin M.Nomanbhay, Kumaran Palanisamy, Removal of Heavy metal from industrial wastewater using chitosan coated palm shell charcoal, *Chem.Dept.Eng.Sci.*, 8(1) (2005) 9
- [21] M.Madhava Rao, G.P.Chandra Rao, K.Seshaiah, N.V.Choudary, M.C.Wang, Activated carbon from Ceiba pentandra hulls, an agricultural waste, as an adsorbent in the removal of lead and zinc from aqueous solutions, *Waste Manage.*, 28(2008) 849-858
- [22] N.Suguna, N.Sivakumar, M.Venkata Subbiah, A.Krishnaiah., Removal of manganese from aqueous solution using *Tamarindus indicus* fruit nut shell, *J.Chem & Pharma res.*, 2(1) (2010) 7-20
- [23] G.S.Agarwal, Hitendra Kumar Bhuptawat, Sanjeev Chaudari, Removal of Aqueous Cr(VI) by *Tamarindus indicus* seeds, *Int.Inst.Tech.*, 97(7) (2006) 949-956
- [24] K.O.Olayinka, B.I. Alo, T.Adu, Sorption of Heavy metals from electroplating effluents by low-cost adsorbents. II Use of Waste tea, Coconut shell and coconut husk, *J.Appl.Sci.*, 7(16) (2007) 2307-2313
- [25] Olayinka Kehinde, T.Adetunde Oluwtoyin, O.Oyeyiola Aderonke, Comparative Analysis of the efficiencies of two low-cost adsorbents in the removal of Cr(VI) and Ni (II) from aqueous solution, *African J.Environ Sci&Tech.*, 3(11),(2009) 360-369
- [26] Karen Arms, Environmental Science, Saunders College Publishing (1990)
- [27] B.M.P.K .Amarasinge, R.A.Williams, Tea waste as a low cost adsorbent for Cu and Pb removal from waste water, *Chem.Eng.J.*, 132,(2007) 299-309

- [28] M.Calero, F.Illerniaz, G.Blaquez, M.A.Martin Lara, G.Tenorio., Biosorption Kinetics of Cd(II),Cr(III) and Pb(II) in aqueous solutions by olive stone, *Braz.J.Chem.Eng.*, 26(2)., Sao Paulo (2009)
- [29] Beri.J.Mohan, S.S.Goutham, P.B.Paul, M.R.Rajput, *Int.J.Env.Pro.*, (1996) 353-363
- [30] Kannan, Fundamentals of Environmental Pollution, S.Chand & Company Ltd, New Delhi, India (1998)
- [31] Upendra Kumar & Manas Bandhopadhyay, Removal of Copper(II) using Synthesised 5-Amino-2 Hydroxy Benzene Sulphonic Acid derivative of Wood Flour, *Res.J.Chem & Env.*, 9(4) (2005) 81-86
- [32] J.P.Thyssen, A.Linneberg, T.Menne, J.D.Johansen, The epidemiology of contact allergy in the general population prevalence and main findings, *Contact Dermatitis.*, 57 (2007) 287-299
- [33] K.Periasamy, C.Namasivayam, Removal of Nickel (II) from aqueous solution and Nickel plating industry wastewater using an agricultural waste: Peanut hulls, *Waste. Manage.*, 15 (1995) 63-68
- [34] S.S.Dara, A Text Book of Environmental Chemistry and Pollution control, 1st Edition, S.Chand and Company Ltd, New Delhi, India (2000)
- [35] Kenneth L.Dorris, S.Shyam, S.Shukla, *Res.J.chem & Env.*, 9(4)(2005) 42-45
- [36] Indian Standard Drinking Water- Specification (BIS 10500:1991)
- [37] Pollution Control Acts, Central Pollution Control Board, Ministry of Environment and Forests, New Delhi, India (1998)
- [38] Dhiraj Sud, Garima Mahajan, M.P.Kaur, Review: Agricultural waste material as potential adsorbent for sequestering heavy metal ions from aqueous solutions, *Bioresour.Technol.*, 99 (2008) 6017-6027
- [39] Agency of Toxic substances and Diseases Registry (ATSDR). Toxicological profile for Cobalt. Pure health service, U.S.Dept of Health and Human Services, Atlanta, G.A (1992)

- [40] Registry of toxic effects of chemical Substances. National toxicology information Program, National Library of Medicine, Bethesda, MD (**1993**)
- [41] Frank R.K.Ishida and P.Suda, Metals in “Agricultural Soils of Ontario”, *J.soil.sci.*56 (**1976**) 181-196
- [42] MOE (Ontario ministry of the Environment) 1979, Air Quality Monitoring and Vegetation Sampling Studies – Cobalt Area (**1976-1978**)
- [43] EPA ‘National Management Measure to Control Nonpoint Source Pollution from Agriculture’ (**2003**)
- [44] Ananda Gopal Mukherjee, Environmental Pollution and Health Hazards- Causes and Control, Galgotia Publications Pvt Ltd., New Delhi (**1986**)
- [45] N.Muthulakshmi Andal, Studies on the adsorption of Iron(III), Copper(II), Zinc(II) and Chromium(VI) using naturally occurring polymers, Ph.D.,thesis, Gandhigram Rural Institute-Deemed University, Tamil Nadu, India (**2003**)
- [46] N.C.Andrews, Disorders of iron metabolism, *New England J. Med.*, 341 (**1999**) 1986-1995
- [47] Thomas F.Emery, Iron and Your Health: Facts and Fallacies, CRC Press, Inc. Boca Raton, Florida, USA (**1991**)
- [48] Dietary Reference Intakes (DRI table): Recommended intakes for individuals, Food and Nutrition Board, Institute of Medicine, National Academies (**2004**)
- [49] R.Naseem, S.S.Tahir, Removal of Pb(II) from aqueous / acidic solutions by using bentonite as an adsorbent, *Water Res.*, 35 (**2001**) 3982-3986
- [50] Bibesh Kumar Singh, Deonanada Kumar, Bhagwan S.Garg, Solid phase extraction of lead using modified cellulose in natural, wastewater and egg samples, *Int.J.Chem.Tech.*, 12 (**2005**) 413-418
- [51] N.D.Lyn Patrick, Lead Toxicity, A Review of the Literature - Part I: Exposure, Evaluation and Treatment, *Alt. Med. Rev.*, 11 (**2006**) 1-22
- [52] John Emsley, Nature's Building Blocks: An A-Z Guide to the Elements, Oxford University Press, UK (**2001**)

- [53] Vikrant Sarin, K.K. Pant, Removal of chromium from industrial waste by using eucalyptus bark, *Bioresour. Technol.*, 97 (2006) 15-20
- [54] M.Jamaluddin Ahamed, A new method for the determination of Chromium in Environmental research 14(1&2) (2005)
- [55] Donald G. Barceloux , Zinc,*Clin. Toxicol.* 37(2)(1999) 279-292
- [56] K.Kogawa, Itai-Itai Disease and follow up studies in cadmium in the environment, part II, edited by J.O.Naragu, NewYork, Wiley (1981)
- [57] IUCN – The World Conservation Union, Environmental Encyclopedia, 2nd Edition, 565
- [58] Narsi R.Bishop, Anjupan & Garima, Biosorption of Copper from aqueous solution using algal biomass, *J.Sci.&Int.Res.*63, (2004) 813-816
- [59] Bibudhendra Sarkar, Heavy metals in the Environment, Taylor & Francis e-Library, (2005) 56-85
- [60] Dines Mohan, V.K. Gupta, S.K. Srivastava, S.Chander, Kinetics of mercury adsorption from wastewater using activated carbon derived from fertilizer waste, A: Physicochem. Eng. Aspects, *Coll. Surf.* 177 (2001) 169-181
- [61] D.M.Manohar, K.Anoop Krishnan, T.S.Anirudhan, Removal of mercury(II) from aqueous solutions and chlor-alkali industry waste water using 2-mercaptopbenzimidazole - clay Water Res., 36 (2002) 1609-1619
- [62] K.C.Pillai, Bioaccumulation of Pb in the Cauvery river ecosystem, India, *Water Pollution and Management*, Wiley Eastern Ltd (1983)
- [63] Minamata Disease: The History and Measures, Ministry of the Environment of Japan (2002)
- [64] O.Tunay, Developments in the application of chemical technologies to wastewater treatment, *Water Sci. Technol.* 48 (2003) 43-52
- [65] L.Charerntanyarak, Heavy metals removal by chemical coagulation and precipitation, *Water Sci. Technol.* 39 (1999) 135-138

- [66] A.Papadopoulos, D.Fatta, K.Parperis, A.Mentzis, K.J.Harambous, M.Loizidou, Nickel uptake from a wastewater stream produced in a metal finishing industry by combination of ion-exchange and precipitation methods, *Sep. Purif. Technol.* 39 (2004) 181-188
- [67] P.Bose, M.A. Bose, S. Kumar, Critical evaluation of treatment strategies involving adsorption and chelation for wastewater containing copper, zinc, and cyanide, *Adv. Environ. Res.* 7 (2002) 179-195
- [68] Liesk'ó, Realistic coagulation mechanisms in the use of aluminium and iron(III) salts, *Water Sci. Technol.* 36 (1997) 103-110
- [69] Y.J.Li, X.P.Zeng, Y.F.Liu, S.S.Yan, Z.H.Hu, Ya-Ming, Study on the treatment of copper-electroplating wastewater by chemical trapping and flocculation, *Sep. Purif. Technol.* 31 (2003) 91-95
- [70] R.C.Cheng, S.Liang, H.C.Wang, M.D.Beheler, Enhanced coagulation for arsenic removal, *J. AWWA.* 86 (1994) 79-90
- [71] G.M.Ayoub, L.Semerjian, A.Acra, M.El Fadel, B.Koopman, Heavy metal removal by coagulation with seawater liquid bittern, *J. Environ. Eng.* 127 (2001) 196-202
- [72] S.S.Sablani, M.F.A.Goosen, R.Al-Belushi, M.Wilf, Concentration polarization in ultrafiltration and reverse osmosis: a critical review, *Desalination.* 141 (2001) 269-289
- [73] L.Yurlova, A.Kryvoruchko, B.Kornilovich, Removal of Ni(II) ions from wastewater by micellar-enhanced ultrafiltration, *Desalination.* 144 (2002) 255-260
- [74] H.Choi, K. Zhang, D.D. Dionysiou, D.B. Oerther, G.A. Sorial, Effect of permeate flux and tangential flow on membrane fouling for wastewater treatment, *Sep. Purif. Technol.* 45 (2005) 68-78
- [75] B.Bruggen, C.Vandecasteele, Removal of pollutants from surface water and groundwater by nanofiltration: overview of possible applications in the drinking water industry, *Environ. Pollut.* 122 (2003) 435-445
- [76] K.H.Ahn, K.G.Song, H.Y.Cha, I.T.Yeom, Removal of ions in nickel electroplating rinse water using low-pressure nanofiltration, *Desalination.* 122 (1999) 77-84

- [77] H.Ozaki, K.Sharma, W.Saktaywin, Performance of an ultra-low-pressure reverse osmosis membrane (ULPROM) for separating heavy metal: effects of interference parameters, *Desalination*. 144 (2002) 287-294
- [78] J.J.Qin, M.N.Wai, M.H.Oo, F.S.Wong, A feasibility study on the treatment and recycling of a wastewater from metal plating, *J. Membr. Sci.* 208 (2002) 213-221
- [79] R.Y.Ning, Arsenic removal by reverse osmosis, *Desalination*. 143 (2002) 237-241
- [80] S. Rengaraj, Kyeong-Ho Yeon, Seung-Hyeon Moon, Removal of chromium from water and wastewater by ion exchange resins, *J. Hazard. Mater.* 87 (2001) 273-287
- [81] S.Rengaraj, Cheol KyunJoo, Younghun Kim, Jongheop Yi, Kinetics of removal of chromium from water and electronic process wastewater by ion exchange resins: 1200H, 1500H, and IRN97H, *J.Hazard. Mater.*, 102 (2003) 257-275
- [82] S.Chiarle, M.Ratto, M. Rovatti, Mercury removal from water by ion exchange resins adsorption, *Water Res.*, 34 (2000) 2971-2978
- [83] S.Ahmed, S.Chughtai, M.A. Keane, The removal of cadmium and lead from aqueous solution by ion exchange with Na-Y zeolite, *Sep. Purif. Technol.* 13 (1998) 57-64
- [84] N. Kongsricharoern, C.Polprasert, Electrochemical precipitation of chromium (Cr^{6+}) from an electroplating wastewater, *Water Sci. Technol.*, 31 (1995) 109-117
- [85] V.D.Grebenyuk, G.V.Sorokin, S.V.Verbich, L.H.Zhiginas, V.M.Linkov, N.A.Linkov, J.J.Smit, Combined sorption technology of heavy metal regeneration from electroplating rinse waters, *Water SA*, 22 (1996) 381-384
- [86] B.Bruggen, C.Vandecasteele, Distillation vs membrane filtration: Overview of process evolution in sea water desalination, *Desalination*. 143 (2002) 207-218
- [87] N.Tzanetakis, W.M.Taama, K.Scott, R.J.J.Jachuck, R.S.Slade, J.Varcoe, Comparative performance of ion exchange membrane for electrodialysis of nickel and cobalt, *Sep. Purif. Technol.* 30 (2003) 113-127
- [88] Guohua Chen, Electrochemical technologies in wastewater treatment, *Sep. Purif. Technol.* 38 (2004) 11-41

- [89] L.J.J.Janssen, L.Koene, The role of electrochemistry and electrochemical technology in environmental protection, *Chem. Eng. J.* 85 (2002) 137-146
- [90] P.Rana, N.Mohan, C.Rajagopal, Electrochemical removal of chromium from wastewater by using carbon aerogel electrodes, *Water Res.* 38 (2004) 2811-2820
- [91] Ira N.Levine, Physical Chemistry, 5th edition, Tata McGraw Hill Publishing Company Ltd, New Delhi, India.
- [92] E.Erdem, N.Karapinar, R.Donat, The removal of heavy metal cations by natural zeolites, *J. Coll. Interf. Sci.* 280(2004) 309-314
- [93] U.Wingenfelder, B.Nowack, G.Furrer, R.Schulin, Adsorption of Pb and Cd by amine-modified zeolite, *Water Res.* 39 (2005) 3287-3297
- [94] Surinder Singh, Lokesh Kumar Verma, S.S.Sambi, S.K.Sharma, Adsorption behavior of Ni(II) from water onto zeolite X; Equilibrium and kinetic studies, *Proceedings of the world conf on Engg & Comp.Sci* (2008)
- [95] Neha Gupta, Atul K. Kushwaha and M.C. Chattopadhyaya, Adsorption of Co (II) from aqueous solution onto hydroxyapatite/zeolite composite, *Adv. Mat. Lett.*,2(4)(2011)309-312
- [96] Stella Triyantafylou, Eirini Christoudolou, Paraskevi Neou-Singouna, Removal of Nickel and Cobalt from Aqueous solution by Na activated Bentonite, *Clay and Clay Minerals* 47(1999) 567-572
- [97] Sandra Maria Dal Bosco, Ricardosarti Jimemenez,Wagner Alves Carvalho, Removal of toxic heavy metals from waste water by Brazilian natural scocelite, *J. Coll. Interf. Sci.* 281(2005)424-431
- [98] Al Dwairi, Aiman E. Al-Rawajfeh, Removal of cobalt and nickel from wastewater using jordan low-cost zeolite and bentonite, *J.Univ.Chem Tech &Metallurgy* 47(2012) 69-76
- [99] Reyad A.Shawabkeh, Omar A.Al-Khashman, Hamzeh S.Al-Omari, Ali F.Shawabkeh Cobalt and zinc removal from aqueous solution by chemically treated bentonite, *Environmentalist.*,27 (2007) 357-363

- [100] M. Abdel Geleel, Fixation of cesium, cobalt, lead and copper onto different cationic forms of a natural Zeolite: activated bentonite, *Proceedings of the 4th Environmental Physics Conference*, (2010) 105-121
- [101] Omer Yavuz, Yalcin Altunkayanak, Fuat Guzel, Removal of Copper, nickel, cobalt and Manganese from aqueous solution by kaolinite, *Water Res.* 37(2003) 948-952.
- [102] Krishna G.Bhattacharrya, Sushmita Sen Gupta, Kaolinite and Montmorillonite as adsorbents for Fe(III), Co(II) and Ni(II) in aqueous medium, *App Clay Science* 41(2008) 1-9
- [103] Islem Chaari, Mounir Medhiouband Fakher Jamoussi, Use of clay to remove heavy metals from jebelchakir landfillLeachate, *J.AppSci in Env Sanitation.*, 6(2) (2011) 143-148
- [104] S. Rengaraj, Kyeong-Ho Yeon, So-Young Kang, Jong-Un Lee, Kyung-Woong Kim, Seung- Hyeon Moon, Studies on adsorptive removal of Co(II), Cr(III) andNi(II) by IRN77 cation-exchange resin, *J. Hazard. Mater.*, 92 (2002) 185–198
- [105] P.Senthil Kumar, K.Ramakrishnan, R.Gayathri, Removal of Ni(II) from aqueous solutions by Ceralite IR 120 cationic exchange resins, *J.EnggSci.Tech* 5(2) 2010 232-243
- [106] V.Tharanitharan & K.Srinivasan Removal of Ni(II) from water and waste water using modified Duolite XAD-761 resin, *Ind.J.Chem Tech* 16 (2009) 245-253
- [107] J.H.Potgieter, S.S.Potgieter-Vermaak, P.D.Kalibantonga, Heavy metal removal from solution byPalygorskite clay, *Minerals Engg.* 19(2006) 463-470
- [108] A.I.Zouboulis, K.A.Kydros, K.A.Matis, Removal of hexavalent chromium anions from solutions by pyrite fines, *Water Res.* 29 (1995) 1755-1760
- [109] E.Alvarez-Ayuso, A.Garcia-Sanchez, Removal of heavy metals from waste waters by vermiculites, *Environ. Technol.* 24 (2003) 615-625
- [110] M.H.S.Ismail, X.T.Zhang and S.N.Adnan, Application of Clinoptilolite in Removal of nickel (II) in Plating Wastewater, *World App Sci Journal* 18 (5)(2012) 659-664

- [111] Eva Polakova, Nina Strnadova and Pavel Michal, Removal of metals from water using slovakite adsorbent, *Ion Ex Lett* 4 (2011) 21-24
- [112] T.Y.Lee, H.J.Lim, Y.H.Lee, J.W.Park, Use of waste iron metal for removal of Cr(VI) from water, *Chemosphere*. 53 (2003) 479-485
- [113] U.C.Ghosh, M.Dasgupta, S.Debnath, S.C.Bhat, Studies of management of Cr(VI)-contaminated industrial waste effluent using hydrous titanium oxide (HTO), *Water Air Soil Pollut.* 43 (2003) 245-256
- [114] R.Rajalakshmi, S.Subashini, P.Lalitha, Usefulness of activated carbon prepared from industrial wastes innthe removal of nickel from aqueous solutions, *E.J.chem* 6(2) (2009) 361-370
- [115] A.I. Zouboulis, K.A. Kydros, Use of red mud for toxic metals removal: the case of nickel, *J. Chem. Technol. Biotechnol.*, 58 (1993) 95-101
- [116] B.Bayat, Comparative study of adsorption properties of Turkish fly ashes II. The case of nickel(II), copper (II), and zinc (II), *J. Hazard. Mater.* 95 (2002) 251-273
- [117] Evans T.Musapatika. Maurice S.Onyango, Ochieng Aoyi, Cobalt(II) removal from synthetic wastewater by adsorption on South African coal fly ash, *S Afr J Sci.*, 106(9/10) (2010)1-7
- [118] V.K.Gupta, Imran Ali, Removal of lead and chromium from wastewater using bagasse fly ash- a sugar industry waste, *J. Coll. Interf. Sci.*, 271 (2004) 321-328
- [119] Vimal Chandra Srivastava, Indra Deo Mall, Indra Mani Mishra, Equilibrium modelling of single and binary adsorption of cadmium and nickel onto bagasse fly ash, *chemengg journal.*, 117 (2006) 79-91
- [120] Zouhair Elouear , J.Bouzidand N.Boujelben, Removal of nickel and cadmium from aqueous solutions by sewage sludge ash: study in single and binary systems, *Worldwide workshop for young Environmentalists.*,(2010)
- [121] Manjeet Bansal, Dewan Singh, V.K.Garg and Pawan Rose, Use of Agricultural wastes for the removal of Nickel ions from aqueous solution, *Intnl.J.Civ.EnvEngg.*,(2009) 108-114

- [122] G O El-Sayed, H A Dessouki, S.S.Ibrahim, Biosorption of Ni (II) And Cd (II) Ions From Aqueous Solutions Onto Rice Straw, *CSJ.*, 9(2010) 1-11.
- [123] N.Ahalya, R.D.Kanamadi and T.V.Ramachandra, Cr (VI) and Fe (III) removal using *Cajanus cajan* husk, *J. Environ .Bio.*, 28(4) (2007) 765-769.
- [124] F.N.Acar, E.Malkoc, The removal of chromium (VI) from aqueous solutions by *Fagus Orientalis L*, *Bioresour.Technol.*, 94(2004)13-15.
- [125] Shyam S. Shukla, LiJiaYu, Kenneth L.Dorris, AlkaShukla, Removal of Nickel from aqueous solutions by maple sawdust, *J. Hazard. Mater.*121(2005) 243-246
- [126] M.Nameni, M.R.Alavi Moghadam, M.Arami, Adsorption of hexavalent chromium from aqueous solutions by wheat bran, *Int. J.Environ. Sci. Tech.*, 5 (2008) 161-168
- [127] S.H.Hasan, K.K.Singh, O.Prakash, M.Talat, Y.S.Ho, Removal of Cr(VI) from aqueous solutions using agricultural waste maize bran, *J.Hazard.Mater.*,152 (2008) 356-365
- [128] Xue Song Wang, Li Fang Chen, Fei Yan Li, Kuan Liang Chen, Wen Ya Wan, Yu Jun Tang, Removal of Cr(VI) with wheat-residue derived black carbon: Reaction mechanism and adsorption performance, *J. Hazard. Mater.*, 175 (2010) 816-822
- [129] M.Kobya, E.Demirbas, M.S.Oncel, S.Sencan, Adsorption kinetic model applied to nickel ion on Hazelnut shell activated carbons, *Adsorp. Sci. Technol.*, 20 (2002) 179-188
- [130] M.Kobya, Removal of Cr(VI) from aqueous solutions by adsorption onto hazelnut shell activated carbon: kinetic and equilibrium studies, *Bioresour. Technol.*, 91 (2004) 317-321
- [131] Yasemin Bulut, Zeki Tez, Adsorption studies on ground shells of hazelnut and almond, *J.Hazard.Mater.*, 149 (2007) 35-41
- [132] Xue Song Wang, Zhi Zhong Li, Sheng Rong Tao, Removal of Chromium(VI) from aqueous solution using walnut hull, *J. Environ. Manage.*, 90 (2009)721-729
- [133] M.Zabihi, A.Ahmadpour, A.Haghghi Asl, Removal of mercury from water by carbonaceous sorbents derived from walnut shell, *J.Hazard. Mater.*,167 (2009) 230-236
- [134] A.Ahmadpour, M.Tahmasbic, T.Rohani Bastamic, J.Amel Besharati, Rapid removal of cobalt ion from aqueous solutions by almond green hull, *J. Hazard.Mater.*, 95 (166) (2009) 925–930

- [135] I.O.Oboh, E.O.Aluyor and T.O.K.Audu, Use of *Chrysophyllum albidum* for the removal of metal ions from aqueous solution, *Sci Res & Essay.*, 4(6) (2009) 632-635
- [136] Khazaei, M.Aliabadi, H.T.Hamed Mosavian, Use of Agricultural Waste for Removal of Cr(VI)from Aqueous Solution, *Iran J. Chem Eng* 8(4) (2011)11-23
- [137] Kaustubha Mohanty, Mousam Jha, B.C.Meikap, M.N.Biswas, Removal of chromium (VI) from dilute aqueous solutions by activated carbon developed from *Terminalia arjuna* nuts activated with zinc chloride, *Chem. Eng. Sci.*, 60 (2005) 3049-3059
- [138] A.Verma, S.Chakraborty, J.K.Basu, Adsorption study of hexavalent chromium using tamarind hull-based adsorbents, *Sep. Purif. Technol.*, 50 (2006) 336-341
- [139] Shashi Prabha Dubey, Krishna Gopal, Adsorption of Chromium(VI) on low cost adsorbents derived from agricultural waste material: A comparative study, *J. Hazard. Mater.* 145 (2007) 465-470
- [140] Ahmed El Nemr, Azza Khaled, Ola Abdelwahab, Amany El-Sikaily, Treatment of wastewater containing toxic chromium using new activated carbon developed from date palm seed, *J. Hazard. Mater.*, 152 (2008) 263-275
- [141] Suresh Gupta, B.V. Babu, Utilization of waste product (tamarind seeds) for the removal of Cr(VI) from aqueous solutions: Equilibrium, kinetics, and regeneration studies, *J. Environ. Manage.*, 90 (2009) 3013-3022
- [142] O.S.Amuda, F.E.Adelowo, M.O.Ologunde, Kinetics and equilibrium studies of adsorption of chromium(VI) ion from industrial wastewater using *Chrysophyllum albidum* (Sapotaceae) seed shells, *Colloids and Surfaces B: Biointerfaces.*, 68 (2009) 184-192
- [143] P.E.Aikpokpodian, R.R.Ipinmoroti,S.M.Omotoso, Amer-Euro, Removal of Ni(II) from aqueous solution using Tea waste powder *J.Toxic Sci.*,2(2) (2010) 72-82
- [144] Umesh K.Garg, Removal of Nickel by Sugarcane bagasse, *E.J.Chem.* (2009)
- [145] S.Dhanakumar, G.Solaraj, R.Mohanraj, S.Pattabhi, Removal of Cr(VI) from aqueous solution by adsorption using cooked tea dust, *Ind.J.Sci & Tech.* 1(2) (2007) 1-6

- [146] Jamil Anwar, UmerShafique, Waheed-uz-Zaman, Zaib un Nisa, Munawar Ali Munawar, Nadia Jamil, Muhammad Salman, Amara Dar, Rabia Rehman, Jawwad Saif, Humaira Gul& Tanzeel Iqbal, Removal of Chromium on *Polyalthia longifolia* Leaves Biomass, *Int.J.Phytoremediation.*, 13(2011) 410-420.
- [147] Piyush Kant Pandey, Shweta Choubey, Yashu Verma, Madhurima Pandey, S. S.Kalyan Kamaland K.Chandrashekhar, Biosorptive Removal of Ni(II) from Wastewater and Industrial Effluent *Int. J. Environ. Res. Public Health.*, 4(4) (2007) 332-339
- [148] B.Dhirand R. Kumar, Adsorption of Heavy Metals by *Salvinia* Biomass and Agricultural Residues *Int. J. Environ. Res.*, 4(3) (2010)427-432.
- [149] Mohammaed Iqbal and Saeed Iqbal Zafar, Uptake of Ni(II), Pb(II) and Zn(II) from aqueous solution by adsorption using petiolar –felt sheath of palm, *Pak.J.Bot.*,33(2001) 767-772
- [150] Suleman Qaiser, Anwar R.Saleemi, Muhammad Mahmood Ahmad, Heavy metal uptake by agro based waste materials, *Elec J. Biotech.*,10(3) (2007) 409-416
- [151] O.O.Kehinde, T.M.Oluwatoyin, O.O.Aderonke, Comparitive analysis of the efficiencies of two low-cost adsorbents in the removal of Cr(VI) and Ni (II) from aqueous solution, *Afr.J.Environ.Sci .Tech.*,3(2009)
- [152] Zhi-hui Yang, Bing Wang, Li-yuan Chai, Yun-yan Wang, Hai-ying Wang and Chang-qing Su, Removal of Cr(III) and Cr(VI) from aqueous solution by adsorption on sugarcane pulp residue, *J.Cent South Univ.Tech.*,16(2009) 101-107
- [153] B.V.Babu and S. Gupta, Adsorption of Cr(VI) using activated neem leaves: kinetic studies *Adsorption*,14 (2008) 85-92
- [154] Innocent Obob, Emmanuel Aluyor and Thomas Audu, Biosorption of Heavy Metal ions from aqueous Solutions using a biomaterial, *Leo J.Sci.*, 14(2009) 58-65
- [155] P.Venkateswarlu, M.Venkata Ratnam, D.Subba Rao and M.Venkateswara Rao, removal of Cr(VI) from an aqueous solution using *Azadirachta indica* (neem) leaf powder as an adsorbent, *Int J. Phy.Sci.*,2(8) (2007)188-195

- [156] Mohammad Reza Hadjmohammadi, Mina Salary and Pourya Biparva, Removal of Cr(VI) from aqueous solution using pine needles powder as a biosorbent, *J.App.Sci in Env Sanitation.*, 6 (2011) 1-13
- [157] Rudre Gowda, A.G.Nataraj and N.Manamohan Rao, Coconut leaves as a low cost adsorbent for the removal of Nickel from Electroplating effluents, *Int.J.Sci &Engg.Res.*, 2, (12) (2012)1-5
- [158] P.Senthil Kumar and K.Kirthika, Equilibrium and kinetic study of adsorption of Ni(II) from aqueous solution onto bael tree leaf powder, *J.Engg.Sci.Tech.*, 4(4)(2009) 351-363
- [159] B.Krishna & P.Venkateswaralu, Influence of *Ficus religiosa* leaf powder on biosorption of Co(II) *Ind.J.Chem. Tech.*, 18 (2011)381-390
- [160] V.Krishna Veni and K.Ravindhranath, Removal of chromium (VI) from polluted waters using powders of leaves or their ashes of some herbal plants, *J.Exp. Sci.*,3(4) (2012)1-9
- [161] N.M.Rane, R.S.Sapkal, V.S.Sapkal, M. B. Patil1 and S.P.Shewale, Use of naturally available low cost adsorbents for removal of Cr (VI) from waste water, *Int. J.Che Sci & App.* 1 (2010)65-69
- [162] Sahare A.B, Removal of Copper (II) and Nickel (II) using *Mangifera indica* (Mango) bark, *Res.J. Chem. Environ.*, 16 (1) (2012) 28-32
- [163] A.Manjusha, N.Gandhi and D.Sirisha, Adsorption of Chromium (VI) from Aqueous Solution by Using *Mangiferaindica* Bark Dust,*Univ. J. Env. Res& Tech.*, 2(1) (2012)108-111
- [164] A.K.Patil and V. S. Shrivastava Adsorption of Ni (II) from aqueous solution on *Delonix regia* (Gulmohar) tree bark, *Arch. App Sci. Res*, 2 (2) (2010)404-413
- [165] Biswajit Singha, Tarun Kumar Naiya, Ashim Kumar Bhattacharya, Sudip Kumar Das,Cr(VI) Ions Removal from Aqueous Solutions Using Natural Adsorbents—FTIR Studies, *J.Env.Pro.* 2 (2011) 729-735
- [166] Emine Malkoc, Yasar Nuhoglu, Investigations of Ni(II) removal from aqueous solutions using tea factory waste, *J. Hazard.Mater.*, 127 (2005) 120-128

- [167] Emine Malkoc, Yasar Nuhoglu, Potential of tea factory waste for Chromium(VI) removal from aqueous solutions: Thermodynamic and kinetic studies, *Sep.Purif.Technol.*, 54 (2007) 291-298
- [168] C.Namasivayam, D.Sangeetha, Recycling of agricultural solid waste, coir pith: removal of anions, heavy metals, organics and dyes from water by adsorption onto ZnCl₂ activated coir pith carbon, *J. Hazard.Mater.*, 135 (2006) 449-452.
- [169] D.Nityanandi, C.V.Subbhuraam, Kinetics and thermodynamic of adsorption of chromium(VI) from aqueous solution using puresorbe. *J.Hazard. Mater.*, 170 (2009) 876-882
- [170] Syed Moosa Hasany, Rashid Ahmad, The potential of cost-effective coconut husk for the removal of toxic metal ions for environmental protection, *J.Environ.Manage.*, 81 (2006) 286-295
- [171] H.T.Hamed Mosavian , Khazaei, M.Aliabadi, Use of sawdust of Aspen tree for the removal of Chromium(VI) from aqueous solution, *The 1st International Applied Geological Congress*, (2010) 2151-2158
- [172] Krishnie Moodley, Ruella Singh, Evans T Musapatika, Maurice S Onyango and Aoyi Ochieng, Removal of nickel from wastewater using an agricultural adsorbent, *Water SA.*, 37(1) (2011) 41-46.
- [173] M.Malakootian, A.Almasi, H.Hossaini, Pb and Co removal from paint industries effluent using wood ash, *Int. J. Environ. Sci. Technol.*, 5(2)(2008) 217-222
- [174] Rais Ahmad, Rifaqat Ali Khan Rao ,Mir Mohammad Masood, Removal and Recovery of Cr(VI) from Synthetic and Industrial Wastewater using Bark of *Pinus roxburghii* as an adsorbent, *Water Qual. Res. J. Canada.*, 40(4) (2005) 462–468
- [175] P.Shekinah, K.Kadirvelu, P.Kanmani, P.Senthilkumar, V. Subburam, Adsorption of Lead(II) from aqueous solution by activated carbon prepared from *Eichhornia*, *J.Chem. Technol. Biotechnol.*, 77 (2002) 458-464.
- [176] S.A.Shama,, M.E.Moustafa, M.A.Gad, Removal of heavy metal ions such as Fe³⁺, Cu²⁺,Zn²⁺,Pb²⁺,Cr³⁺andCd²⁺ from aqueous solutions by using *Eichhornia Crassipes*, *Port Electrochimica Acta.*, 28(2)(2010)125-133.

- [177] R.Elangovan, Ligy Philip, K. Chandraraj, Biosorption of chromium species by aquatic weeds: Kinetics and mechanism studies, *J. Hazard. Mater.*, 152 (2008) 100-112
- [178] Donghee Park, Yeoung-Sang Yun, Jong Moon Park, Studies on hexavalent chromium biosorption by chemically-treated biomass of *Ecklonia* sp, *Chemosphere.*, 60 (2005) 1356-1364
- [179] Patricia Miretzky, Andrea Saralegui, Alicia Fernández Cirelli, Simultaneous heavy metal removal mechanism by dead macrophytes, *Chemosphere* 62 (2006) 247–254
- [180] Suman Das, Biosorption of chromium and nickel by dried biomass of cyanobacterium *Oscillatoria laete-virens* *Int J.Env.Sci* 3(1) (2012) 341-352
- [181] Ahmet Sari, Mustafa Tuzen, Biosorption of Pb(II) and Cd(II) from aqueous solution using green alga (*Ulva lactuca*) biomass, *J. Hazard. Mater.*, 152 (2008) 302-308
- [182] Smita Samdani, S.J.Attar, Chetan Kadam and Saroj S.Baral, Treatment of Cr(VI) contaminated wastewater using biosorbent, *Hydrilla verticillata*, *Int.J.Engg. Res& Ind. App.* 1(4) (2008) 271-282
- [183] Manjeet Bansal, Umesh Garg, Diwan Singh, V.K.Garg, Removal of Cr(VI) from aqueous solutions using pre-consumer processing agricultural waste: A case study of rice husk, *J. Hazard. Mater.*, 162 (2009) 312-320.
- [184] Hui Gao, Yunguo Liu, Guangming Zeng, Weihua Xu, Ting Li, Wenbin Xia, Characterization of Cr(VI) removal from aqueous solutions by a surplus agricultural waste-Rice straw, *J. Hazard. Mater.*, 150 (2008) 446-452.
- [185] V.K. Garg, Renuka Gupta, Rakesh Kumar, R.K. Gupta, Adsorption of chromium from aqueous solution on treated sawdust, *Bioresour. Technol.*, 92 (2004) 79-81.
- [186] Jamil R.Memon, Saima Q.Memon, Muhammad I.Bhanger, Adel El-Turki, Keith R.Hallam, Geoffrey C.Allen, Banana peel: A green and economical sorbent for the selective removal of Cr(VI) from industrial wastewater, *Colloids and Surfaces B: Biointerfaces.*, 70 (2009) 232-237.
- [187] J.Anand Kumar, B.Mandal, Removal of Cr(VI) from aqueous solution using Babel fruit (*Aegle mar meloscorrea*) shell as an adsorbent, *J.Hazard.Mater.*, 168 (2009) 633-640.

- [188] Mehmet Emin Argun, Sukru Dursun, Celalettin Ozdemir, Mustafa Karatas, Heavy metal adsorption by modified oak sawdust: Thermodynamics and kinetics, *J. Hazard. Mater.*, 141 (2007) 77-85.
- [189] Sandhya Babel, Tonni Agustiono Kurniawan, Cr(VI) removal from synthetic wastewater using coconut shell charcoal and commercial activated carbon modified with oxidizing agents and/or chitosan, *Chemosphere*. 54 (2004) 951-967.
- [190] O.S.Amuda, A.A.Giwa, I.A.Bello, Removal of heavy metal from industrial wastewater using modified activated coconut shell carbon, *Biochem. Eng. J.* 36 (2007) 174-181.
- [191] C.Namasivayam, M.V.Sureshkumar, Removal of chromium(VI) from water and wastewater using surfactant modified coconut coir pith as a biosorbent, *Bio resource. Technol.* 99 (2008) 2218-2222.
- [192] S.R.Shukla, Roshan S.Pai, Adsorption of Cu(II), Ni(II) and Zn(II) on modified jute fibres, *Bioresource Technol.*, 96(13) (2005) 1430-1438
- [193] J.C.Igwe, J.C. and A.A.Abia, Adsorption kinetics and intraparticulate diffusivities for bioremediation of Co (II), Fe (II) and Cu (II) ions from wastewater using modified and unmodified maize cob *Int.J.Phys.Sci.*, 5 (2007) 119-127.
- [194] Feng Ning-chuan, Guo Xue-yi, Liang Sha, Enhanced Cu (II) adsorption by orange peel modified with sodium hydroxide, *Trans.Non-ferrous Met.Soc.China.*, 20 (2010) 146-152.
- [195] S.J.Patil, A.G.Bhole and G.S.Natarajan, Scavenging of Ni(II) Metal Ions by Adsorption on PAC and Babhul Bark, *J.Env Sci & Engg*, 48(3) (2006) 203-208.
- [196] S.B.Chen,Y.B.Chen and K.Xian, Adsorption of aqueous Cd²⁺, Pb²⁺, Cu²⁺ ions by nano-hydroxyapatite: Single and multi-metal competitive adsorption study, *Geochem.J.* 44(2010) 233 – 239
- [197] I.Mobasherpour, E.Salahi and M.Pazouki, Potential of Nano crystalline hydroxyapatite for lead (II) removal from aqueous solutions: Thermodynamic and Adsorption isotherm study, *Afr.J. Pure.Appl. Chem.*, 5(11) (2011) 383-392
- [198] Wang Meng and Chen Shibao, Removal of Cd,Pb and Cu from water using thiol and humic acid functionalized Fe₂O₃ nanoparticles, *Adv.mater.res.*518-523(2012) 1956-1963

- [199] Maria Ignat, Maria Alexandroaei, NeculaiCatalinLungu, The Removal of Zn²⁺Ions from Groundwater using Hydroxyapatite Nanoparticles, *Rev.Chim.(Bucharest)*62(5) (2011) 518-521
- [200] S.Bailliez, Nzihou, E.Bèche,G.Flamant, Removal of Lead (Pb) by Hydroxyapatite Sorbent, *Pro.Saf.Env.Pro.*82 (2) (2004) 175-180
- [201] Species Profiles for Pacific Island Agroforestry (2006)
- [202] Neem- A Users Manual by K Vijayalaxmi, K S Radha & Vandana Shiva (1995)
- [203] Saadet Saygidger, osman Gulnaz, Erman Salih Istifli, Nabil Yucel, Adsorption of Cd(II), Cu(II) and Ni(II) ions by Lemma minor L, *J.Haz.Mater.*,(2005) 96-104
- [204] Isabel Villaescusa, Nuria Fiol, Maria Mortinez, Naria Miralles, Jordi Poch and Joan Serarols, Removal of Cu(II) and Ni(II) ions from aqueous solution by grape stalk wastes, *Wat Res.*, 38 (2004) 992-1002
- [205] A.L.Ahmad, S.Sumathi, B.H.Hameed, Adsorption of residue oil from palm oil effluent using powder and flake chitosan: Equilibrium and kinetic studies, *Wat Res.*, 39 (2005) 2483-2494
- [206] Zhang Li,Li Yubao, Yang Yiping, Preparation and Invitro investigation of chitosan/Nanohydroxyapatite composite used as bone substitute materials, *J.Mat Sci: Materials in Medicine.*,16(2005) 213-219
- [207] Methods of sampling and tests for activated carbon used for decolourising vegetable oils and sugar solutions, ISI, Indian standard Institute (1977)
- [208] S.A.Wilde, G.K.Voigt, J.J.Iyer, Soil and plant analysis for tree culture, Ed: G. Chesters, 4th edition, Oxford and IBH Publishing Co., New Delhi, India (1972)
- [209] D.G.Kinniburg, J.K.Syres, M.L. Jackson, Specific adsorption of trace amounts of calcium and strontium by hydrous oxides of iron and aluminium, *Soil Sci. Soc. Am. Proc.* 39 (1975) 464-490
- [210] Tarun Kumar Naiya, Ashim Kumar Bhattacharya, Sailendranath Mandal, Sudip Kumar Das, The sorption of lead(II) ions on rice husk ash, *J. Hazard. Mater.* 163 (2009) 1254-1264

- [211] H.P.Boehm, Some aspects of the surface chemistry of carbon blacks and other carbons, *Carbon.* 32 (1994) 759-769
- [212] S.H.Hasan, K.K.Singh, O.Prakash, M.Talat, Y.S.Ho, Removal of Cr(VI) from aqueous solutions using agricultural waste maize bran, *J. Hazard. Mater.* 152 (2008) 356-365
- [213] IUPAC Manual of Symbols and Terminology of Colloid Surface, Butterworths, London, 1982.p.1.
- [214] V.C.Srivastava, B.Prasad, I.D. Mall, M.Mahadevswamy, I.M.Mishra, Adsorptive removal of phenol by bagasse fly ash and activated carbon:Equilibrium, kinetics and thermodynamics, *Colloid Surface A: Physicochem. Eng. Aspects* 272 (2006) 89–104
- [215] Manjeet Bansal, Diwan Singh, V.K.Garg and Pawan, Use of Agricultural Waste for the Removal of Nickel Ions from Aqueous Solutions: Equilibrium and Kinetics Studies World Academy of Science, *Engineering and Technology* (2009)(27)
- [216] Sheng P. X., Ting, Y.-P., Chen J. P. and Hong L, Sorption of lead, cadmium, copper, zinc and nickel by marine algal biomass: characterization of biosorptive capacity and investigation of mechanisms, *J.Coll.interface.*, 275 (2004) 131-141.
- [217] K.Anoop Krishnan, T.S.Anirudhan, A preliminary examination of the adsorbent characteristics of Pb(II) ions using sulphurised treated carbon prepared from bagasse pith, *Ind.journal of che.Technol.*,9(2002) 32-40
- [218] The 1st International Applied Geological Congress, Department of Geology, Islamic Azad University - Mashad Branch, Iran, 26-28 April (2010) Use of sawdust of Aspen tree for the removal of Chromium(VI) from aqueous solution
- [219] Kunquan Li, Xiaohua Wang, Adsorptive removal of Pb(II) by activated carbon prepared from *Spartina alterniflora*: Equilibrium, kinetics and thermodynamics, *Bioresour. Technol.* 100 (2009) 2810-2815.
- [220] Emine Malkoe, Ni(II) removal from aqueous solutions using cone biomass of *Thuja orientalis*, *J.Hazard. Mater.*, B 137(2006) 899-908

- [221] S.Rengaraj, Kyeong-Ho Yeon, Seung-Hyeon Moon, Removal of chromium from water and wastewater by ion exchange resins, *J. Hazard. Mater.*, 87 (2001) 273-287.
- [222] P.R.Puranik and K.M.Paknikar, Biosorption of lead, cadmium and zinc by *Cytobacter* strain MCMB 181 characterisation studies. *Biotechnology proc.*, 15(2) (1999) 228-237
- [223] Z.R.Holan, B.Volesky, Accumulation of cadmium, lead and nickel by fungal and wood adsorbents, *Appl.Biochem.Biotechnol.*, 53(1995) 133-146
- [224] Y.Nahaglu, E.Oguz, Removal of Copper (II) from Aqueous solution by adsorption on the cone biomass of *Thuja Orientalis*, *Process Biochem.*, 38(2008) 1627-1631
- [225] Y.S.Ho, G.Mckay, Sorption of dyes and copper ions onto adsorbents. *Process Biochem.*, 38 (2003) 1047-1061
- [226] N.T.Abdel-Ghani, M.Hefny, G.A.F.Ei-Chaghaby, removal of lead from aqueous solution using low cost abundantly available adsorbents, *Int.J.Env.Sci.Tech.*, 4(1) (2007) 67-72
- [227] B.M.W.P.K. Amarasinghe, R.A. Williams, Tea waste as a low cost adsorbent for the removal of Cu and Pb from wastewater, *Chem. Eng. J.*, 132 (2007) 299-309.
- [228] Shaik Basha, Z.V.P. Murthy, B. Jha, Sorption of Hg(II) onto *Carica papaya*: Experimental studies and design of batch sorbent, *Chem.Eng.J.*, 147 (2009) 226-234.
- [229] Suresh Gupta, B.V. Babu, Utilization of waste product (tamarind seeds) for the removal of Cr(VI) from aqueous solutions: Equilibrium, kinetics, and regeneration studies, *J. Environ. Manage.*, 90 (2009) 3013-3022
- [230] Mohammed Ajmal, Rifaquat Ali Khan Rao, Rais Ahmad, Jameel Ahmad, Adsorption studies on citrus reticulate removal and recovery of Ni(II) from electroplating waste water, *J.Hazard. Mater.*, B 79 (2005) 117-131
- [231] Madhava Rao, G.P.Chandra Rao, K.Seshaiah, N.V.Choudary, M.C.Wang, Activated carbon from *Ceiba pentandra* hulls, an agricultural waste, as an adsorbent in the removal of lead and zinc from aqueous solutions, *Waste Manage.*, 28 (2008) 849-858

- [232] S.A.Bhale Rao, Biosorption of Chromium(VI) from an aqueous solution using *Azadirachta indica*. A. Juss. (Neem) and activated charcoal: A comparative study, *Biological Forum — An International Journal*, 2(2) (2010) 4-10
- [233] P.L. Soni, Mohan Katyal, Text Book of Inorganic Chemistry (Modern Approach), Sultan Chand & Sons, 20th Revised edition, Educational Publishers, New Delhi, India (2001)
- [234] K.P.Shubha, C.Raji, T.S.Anirudhan, Immobilization of heavy metals from aqueous solutions using polyacrylamide grafted hydrous Tin(IV) oxide gel having carboxylate functional groups, *Water Res.*, 35 (2001) 300-310
- [235] Roberto Herrero, Taplo Lodeiro, Carlos Rey-Castro, Teresa Vilarino, Manuel E. Sastre de Vicente, Removal of inorganic mercury from aqueous solutions by biomass of the marine macroalga *Cystoseira baccata*, *Water Res.*, 39(2005)3199-3210
- [236] Dinesh Mohan, Charles U.Pittman Jr, Review: Activated carbons and low-cost adsorbents for remediation of tri and hexavalent chromium from water, *J. Hazard. Mater.*, 137 (2006) 762-811
- [237] P.Venkateswarlu, M.Venkata Ratnam, D.Subba Rao and M.Venkateswara Rao, Removal of chromium from an aqueous solution using *Azadirachta indica* (neem) leaf powder as an adsorbent, *Int J of Phy Sci.*, Vol. 2 (8) (2007)188-195
- [238] V.K.Gupta and A.Rastogi, Sorption and Desorption studies of chromium(VI) from nonviable cyanobacterium *Nostoc muscorum* biomass, *J. Hazard Mater.* 154 (2008) 347-354
- [239] G.S.Agarwal, Hitendra Kumar Bhuptawat, Sanjeev Chaudhari, Biosorption of aqueous chromium(VI) by *Tamarindus indica* seeds, *Bioresou.Technol.*, 97 (2006) 949-956
- [240] M.Madhava Rao, D.H.K.Kumar Reddy, Padala Venkateswarlu, K.Seshaiah, Removal of mercury from aqueous solutions using activated carbon prepared from agricultural by-product/waste, *J. Environ. Manage.* 90 (2009) 634-643

- [241] Vandana Singh, Stuti Tiwari, Ajit Kumar Sharma, Rashmi Sanghi, Removal of lead from aqueous solutions using *Cassia grandis* seed gum-graft-poly(methyl methacrylate), *J.Coll. Interf. Sci.*, 316 (2007) 224-232
- [242] Ahmet Sari, Mustafa Tuzen, Biosorption of Pb(II) and Cd(II) from aqueous solution using green alga (*Ulva lactuca*) biomass, *J. Hazard. Mater.*, 152 (2008) 302-308
- [243] Muhammad Riaz, Razia Nadeem, Muhammad Asif Hanif, Tariq Mehmood Ansari, Khalil-ur-Rehman, Pb(II) biosorption from hazardous aqueous streams using *Gossypium hirsutum* (Cotton) waste biomass, *J.Hazard. Mater.*, 161 (2008) 88-94
- [244] Silke Schiewer, Ankit Balaria, Biosorption of Pb²⁺ by original and protonated citrus peels: Equilibrium, kinetics and mechanisms, *Chem. Eng. J.*, 146 (2009) 211-219
- [245] Asma Saeed, Muhammed Iqbal, M. Waheed Akhtar, Removal and recovery of lead(II) from single and multi-metal (Cd, Cu, Ni, Zn) solutions by crop milling waste (black gram husk), *J. Hazard. Mater.*, 117 (2005) 65-73
- [246] Ahmet Sari, Mustafa Tuzen, Demirhan Citak, Mustafa Soylak, Equilibrium, kinetic and thermodynamic studies of adsorption of Pb(II) from aqueous solution onto Turkish kaolinite clay, *J.Hazard. Mater.* 148 (2007) 283-291
- [247] C.K. Singh, J.N. Sahu, K.K. Mahalik, C.R. Mohanty, B. Raj Mohan, B.C. Meikap, Studies on the removal of Pb(II) from wastewater by activated carbon developed from Tamarind wood activated with sulphuric acid, *J. Hazard. Mater.* 153 (2008) 221-228
- [248] G.Vazquez, J.Gonzalez-Alvarez, S.Freire, M.Lopez-Lorenzo, G.Antorrena, Removal of cadmium and mercury ions from aqueous solution by sorption on treated *Pinus pinaster* bark: kinetics and isotherms. *Bioresour. Technol.* 82 (2002) 247-251
- [249] John U. Kennedy Oubagaranadin, N. Sathyamurthy, Z.V.P. Murthy, Evaluation of Fuller's earth for the adsorption of mercury from aqueous solutions: A comparative study with activated carbon, *J. Hazard. Mater.*, 142 (2007) 165-174
- [250] G.C.Panda, S.K.Das, T.S Bandopadhyay, A.K.Guha, Adsorption of nickel on husk of *Lathyrus sativus*: Behaviour and Binding mechanism, *Colloids and Surfaces B; Biointerfaces* 57(2007) 135-142

- [251] Hakan Demiral, Ilknur Demiral, Fatma Tumsek, Belgin Karabacakoglu, Adsorption of Chromium(VI) from aqueous solution by activated carbon derived from olive bagasse and applicability of different adsorption models, *Chem. Eng. J.* 144 (2008) 188-196.
- [252] E.Demirbas, M. Koby, A.E.S. Konukman, Error analysis of equilibrium studies for the almond shell activated carbon adsorption of Cr(VI) from aqueous solutions, *J. Hazard. Mater.*, 154 (2008) 787-794
- [253] P.Senthil Kumar and K.Kirthika , Equilibrium and kinetic study of adsorption of nickel from aqueous solution onto bael tree leaf powder, *J.Engg.Sci and Technol.*, 4, (4) (2009) 351 – 363
- [254] Manjeet Bansal, Umesh Garg, Diwan Singh, V.K.Garg, Removal of Cr(VI) from aqueous solutions using pre-consumer processing agricultural waste: A case study of rice husk, *J. Hazard. Mater.* 162 (2009) 312-320.
- [255] Ozgur Dogan Uluozlu, Ahmet Sari, Mustafa Tuzen, Mustafa Soylak, Biosorption of Pb(II) and Cr(III) from aqueous solution by lichen (*Parmelinatiliaceae*) biomass, *Bioresour. Technol.* 99 (2008) 2972-2980
- [256] Ting Fan, Yunguo Liu, Baoying Feng, Guangming Zeng, Chunping Yang, Ming Zhou, Haizhou Zhou, Zhenfeng Tan, Xin Wang, Biosorption of cadmium(II), zinc(II)and lead(II) by *Penicillium simplicissimum*: Isotherms, kinetics and thermodynamics, *J. Hazard. Mater.*, 160 (2008) 655-661
- [257] V.Sakthi, N.Muthulakshmi Andal, S.Rengaraj, Mika Sillanpaa, Removal of Pb(II) from aqueous solution using *Bombax ceiba* sawdust activated carbon, *Des.wat. Tmt.*, 16 (2010) 1-9
- [258] Maria X.Loukidou, Anastasios I.Zouboulis, Thodoris D.Karapantsios, Kostas A. Matis, Equilibrium and Kinetic modeling of chromium(VI) biosorption by *Aeromonascaviae*, *Colloid. Surf. A: Physicochem. Eng.Aspects.*, 242 (2004) 93-104
- [259] Ali Gundogdu, Duygu Ozdes, Celal Duran, Volkan Numan Bulut, Mustafa Soylak, Hasan BasriSenturk, Biosorption of Pb(II) ions from aqueous solution by pine bark (*Pinus brutia.*), *Chem. Eng. J.*, 153 (2009) 62-69

- [260] Yuh-Shan Ho, Review of second-order models for adsorption systems, *J. Hazard.Mater.*, 136 (2006) 681-689
- [261] Ru-Ling T Seng, Feng-Chin Wu, Ruey-Shin Juang, Liquid-phase adsorption of dyes and phenols using pinewood-based activated carbons, *Carbon.*, 41 (2003) 487-495
- [262] K. Anoop Krishnan, T.S. Anirudhan, Removal of mercury(II) from aqueous solution and chlor-alkali industry effluent by steam activated and sulphurised activated carbons prepared from bagasse pith: kinetics and equilibrium studies, *J. Hazard. Mater.*, 92 (2002) 161-183
- [263] C.W.Cheung, J.F.Porter, G.McKay, Sorption kinetic analysis for the removal of cadmium ions from effluents using bone char, *Water Res.*, 35 (2001) 605-612
- [264] P.E.Aikpokpodian, R.R.Ipinmoroti and S.M.Omotoso, Evaluation of Camellia sinensis (Tea) biomass in nickel contaminated waste water treatment, *J.Soil Nature.*, 4(1) (2010) 7-16
- [265] Ozgul Gercel, H. Ferdi Gercel, Adsorption of lead(II) ions from aqueous solutions by activated carbon prepared from biomass plant material of *Euphorbia rigida*, *Chem. Eng. J.*, 132 (2007) 289-297
- [266] Masood alam, Mohd.Aslam, Sumbul rais, Adsorption of Zn(II) and Ni(II) from aqueous solution using *Syzygium aromaticum*; Equilibrium and isotherm studies, *RASAYAN.J.Chem.*,2(4) (2009)791-806
- [267] Ilhem Ghodbane, Oualid Hamdaoui, Removal of mercury(II) from aqueous media using eucalyptus bark: Kinetic and equilibrium studies, *J.Hazard. Mater.*,160 (2008) 301-309
- [268] Gulay Bayramoglu, M.Yakup Arica, Removal of heavy mercury(II), cadmium(II) and zinc(II) metal ions by live and heat inactivated *Lentinuse dodes* pellets, *Chem. Eng. J.*,143 (2008) 133-140
- [269] Duygu Ozdes, Ali Gundogdu, Baris Kemer, Celal Duran, Hasan Basri Senturk, Mustafa Soylak, Removal of Pb(II) ions from aqueous solution by a waste mud from copper mine industry: Equilibrium, kinetic and thermodynamic study, *J.Hazard.Mater.*, 166 (2009) 1480-1487

- [270] V.K.Gupta, A.Rastogi, Biosorption of lead from aqueous solutions by green algae *Spirogyra* species: Kinetics and equilibrium studies, *J.Hazard.Mater.*, 152 (2008) 407-414
- [271] S.F.Montanher, E.A.Oliveira, M.C.Rollemburg, Removal of metal ions from aqueous solutions by sorption onto rice bran, *J.Hazard.Mater.* 117 (2005) 207-211
- [272] B.Stephen Inbaraj, N.Sulochana, Mercury adsorption on a carbon sorbent derived from fruit shell of *Terminalia catappa*, *J. Hazard. Mater.*, 133 (2006) 283-290
- [273] Monika Jain, V.K.Garg, K.Kadirvelu, Chromium(VI) removal from aqueous system using *Helianthus annuus* (sunflower) stem waste, *J.Hazard.Mater.*, 162 (2009) 365-372
- [274] Harsha Parab, Shreeram Joshi, Niyoti Shenoy, Arvind Lali, US Sarma and M Suderson, Esterified coir pith as an adsorbent for the removal of Co(II) from aqueous solution, *Boiresource Technol.*, 99(6) (2008) 2083-2086
- [275] Alka Shukla, Yu-Hui Zhang, P. Dubey, J.L. Margrave, Shyam S.Shukla, The role of sawdust in the removal of unwanted materials from water, *J.Hazard.Mater.*, 95 (2002) 137-152
- [276] I.B.Rao and S W Gibbs, Removal of metals from aqueous solutions using natural chitinous materials, *Water Sci.Technol.*, 47(2003) 189-196
- [277] Minaxi B.Lohani, Amarika Singh, D.C.Rupainwar, D.N.Dhar, Studies on efficiency of guava (*Psidium guajava*) bark as bioadsorbent for removal of Hg (II) from aqueous solutions, *J. Hazard. Mater.*, 159 (2008) 626-629
- [278] K.Kadirvelu, M.Kavipriya, C.Karthika, N.Vennilamani, S.Pattabhi, Mercury(II) adsorption by activated carbon made from sago waste, *Carbon.*, 42 (2004) 745-752
- [279] Emine Malkoc, Yasar Nuhoglu, Determination of kinetic and equilibrium parameters of the batch adsorption of Cr(VI) onto waste acorn of *Quercus ithaburensis*, *Chem. Eng. Process.*, 46 (2007) 1020-1029

- [280] E-S.Z.El-Ashtoukhy, N.K.Amin, O.Abdelwahab, Removal of lead(II) and copper(II) from aqueous solutions using pomegranate peel as a new adsorbent, *Desalination.*, 223 (2008) 162-173
- [281] Bulut Yasemin, Tez Zeki, Removal of heavy metals from aqueous solution by sawdust adsorption, *J. Environ. Sci.*, 19 (2007) 160-166
- [282] T.S.Anirudhan, L.Divya, M.Ramachandran, Mercury(II) Removal from aqueous solutions and wastewaters using a novel cation exchanger derived from coconut coir pith and its recovery, *J. Hazard. Mater.*, 157 (2008) 620-627
- [283] T.Karthikeyan, S.Rajagopal, Lima Rose Miranda, Chromium (VI) adsorption from aqueous solution by *Hevea Brasilinesis* sawdust activated carbon, *J.Hazard.Mater.*, 124 (2005) 192-199
- [284] Carlos Green- Ruiz, Mercury(II) removal from aqueous solutions by nonviable *Bacillus* sp. from a topical estuary, *Bioresour.Technol.*, 97 (2006) 1907-1911
- [285] B.H.Hameed, M.I.El-Khaiary, Malachite green adsorption by rattan sawdust: Isotherm, kinetic and mechanism modeling, *J. Hazard.Mater.*, 159 (2008) 574-579
- [286] Aysegul Seker, Talal Shahwan, Ahmet E. Eroglu, Sinan Yilmaz, Zeliha Demirel, Meltem Conk Dalay, Equilibrium, thermodynamic and kinetic studies for the biosorption of aqueous lead(II), cadmium(II) and nickel(II) ions on *Spirulina platensis*, *J. Hazard. Mater.*, 154 (2008) 973-980
- [287] M.Ajmal, R.A.K Rao and B.A.Siddiqui, Studies on removal and recovery of Cr(VI) from electroplating wastewater, *Water Res.*, 30(6) (1996) 1478-1482
- [288] B.A.Siddiqui, P.P.Sharma and Mohammed Sultan, Adsorption studies on phosphate treated saw-dust; Separation of Cr(VI) from Zn^{2+} , Ni^{2+} and Cu^{2+} and their removal and recovery from electroplating waste. *Ind.J.Env Prot.*, 19(11) (1999) 846-852
- [289] K.O.Adebawale I.E.Unuabonah, B.I.Olu-Owolabi, Adsorption of some heavy metal ions on sulfate- and phosphate-modified kaolin, *Appl. Clay Sci.*, 29(2) (2005) 145–148

- [290] M.Moufliha, A.Aklila, S.Sebtib, Removal of lead from aqueous solutions by activated phosphate, *J. Hazard.Mater.*, 119(1–3) (2005) 183–188
- [291] Fangzhi Huang, Shikuo Li, Anjian Xie, Hui Zhang, Sorption Mechanisms of Cadmium onto Nano-hydroxyapatite; Comparative Uptake studies and Correlative Solubility Analysis, *Russian J.Phy Chem.*, 85(9) (2011) 1635-1640
- [292] Shukla, S.R.Pai, R.S, Adsorption of Cu(II) on dye loaded groundnut shells and sawdust. *Sep.Purif. Technol.*, 96, (2005)1430-1438
- [293] Prasad and Abdullah, Biosorption of Cr(VI) from synthetic waste water using the fruit shell of Gulmohar (*Delonix regia*): Application to Electroplating wastewater, *Bio.res.*, 5(2) (2010) 838-853
- [294] Shaik Parvin Rajjak and Bhosle Arjun Bapu Rao, Biosorptive behavior of Neem (*Azadirachta indica*) bark for iron removal from Aqueous solutions, *Journal.App. Phyto technol. Environ Sanitation.*, 2 (1) (2013) 31-36
- [295] Ingmar Persson, Hydrated metal ions in aqueous solution: How regular are their structures? *Pure Appl. Chem.*, 82 (10) (2010) 1901–1917
- [296] Ismail Kiran, Tamer Akar, Sibel Tunali, Biosorption of Pb(II) and Cu(II) from aqueous solutions by pretreated biomass of *Neurospora crassa*, *Process. Biochem.* 40 (2005) 3550-3558
- [297] B.R. Puri, L.R. Sharma, K.C. Kalia, Principles of Inorganic Chemistry, 30th Edition, Milestone Publishers, New Delhi, India (2008)