

# *References*

## References

---

- Abubacker, M.N., and Vasantha, S., 2010. **Antibacterial activity of Ethanolic leaf extract of *Andrographis paniculata* Nees. (Acanthaceae) and its bioactive compound Andrographolide.** Drug invention today, 2(10): 440-442.
- Agung Endro Nugroho, Mohemad Andrie, Ni keadek Warditiani, Eka Siswanto, Suwidjiyo Pramono and Endang Lukitaningsih, 2012. **Antidiabetic and antihyperlipidemic effect of *Andrographis paniculata* (Burm. F.) Nees and Andrographolide in high fructose fat fed rats.** Indian Journal of Pharmacol., 44(3): 377-381.
- Agarwal, V.S., 1997. **Drugs plants of India.** Ludhiana: Kalyani publishers, 1: 182-183.
- Agarwal, P., Shasi Alok and Amita Verma, 2014. **An update of Ayurvedic herb henna (*Lawsonia inermis*): A review.** International journal Pharmaceutical science and research, 5(2): 332-339.
- Aghel, N., Ameri, A., Ebrahimi, P., 2005. **Essential oil of *Lawsonia inermis* growing in Iran: chemical composition and antifungal activity.** First Seminar of Medicinal & Natural Products Chemistry Shiraz, Iran. 10-11.
- Aguwa, C.N., 1987. **Toxic Effects of the Methanolic Extract of *Lawsonia inermis* Roots.** International J Crude Drug Res., 25:241-245.
- Ahmed, S., Rahman, A., Alam, A., Saleem, M., Athar, M., Sultana, S., 2000. **Evaluation of the efficacy of *Lawsonia alba* in the alleviation of carbontetrachloride induced oxidative stress.** J Ethnopharmacol., 69:157-164.
- Aiello SE, Mays A, 1998. **The Merck veterinary manual.** 8th ed. Whitehouse Station, NJ: Merck and Co. Dermatophytosis, 626-629.

- Akabarsha, M.A., Manivannan, B., Shahulamind, K., Vijayan, B., 1990. **Antifertility effect of *Andrographis paniculata*, (Nees) in male albino rat.** Indian J. Expt. Bio., 28:421-426.
- Ali, M., Grever, MR., 1998. **A cytotoxic naphthoquinone from *Lawsonia inermis*.** Fitoterapia, 69(2):181-183.
- Ali, N.A.A., Julich, W.D., Kusnick, C., and Lindequist, U., 2001. **Screening of Yemeni medicinal plants for antibacterial and cytotoxic activities.** J. Ethnopharmacol., 74:173-179.
- Ali, Z., Hapuarachci, S.D., Abe, N., Sugandhika, S.T., Sandun, S.T.P., Khan, I.A., 2013. **Phytochemical investigation of *Andrographis paniculata*.** International Journal of Bio.med.research, 79:30.
- Ali Haydar Kirmizigul, Erhan Gokce, Mitat Sahin, Semistan, Fatih Buyuk, Ekin Emre Erkilic, 2012. **Clinical effectiveness of Ivermectin on Bovine Dermatophytosis.** Kafkas Univ Vet Fak Derg., 18 (3): 523-526.
- Alia, B.H., Bashir, A.K., Tanira, M.O.M., 1995. **Antiinflammatory, antipyretic and analgesic effects of *Lawsonia inermis* L. (henna) in rats.** Pharmacol., 51:356-363.
- Aly, M.M., Bafiel S., 2008. **Screening for antimicrobial activity of some medicinal plants in Saudi Arabia.** World conference on medical and aromatic plants.
- Amit S. Borade, Babasahe, B.N., Kale and Raj Kumar, V. Shete, 2011. **A phytopharmacological review on *Lawsonia inermis* (Linn).** International Journal of Pharmacy of Life sciences, 2(1): 536-541.
- Amroyan, E., Gabrielian, E., Panossian, A., Wikman, G., and Wagner, H., 1999. **Inhibitory effect of andrographolide from *Andrographis paniculata* on PAF induced platelet aggregation.** Phytomedicine, 6: 27-31.
- Anand, K.K., Singh, B., Chand, D., Chandan, B.K., 1992. **An evaluation of *Lawsonia alba* extract as hepatoprotective agents.** Planta Med., 58:22-25.

- Aniel Kumar, O., Mutyala Naidu, L., and Raja Rao, K.G., 2010. ***In vitro* antibacterial activity in the extracts of *Andrographis paniculata* Burm.** F. International Journal of Pharm tech Research, 2(2): 1383-1385
- Anil Kumar, Jyotsna Dora, Anup Singh and Rishikant Tripathi, 2012. **A review on King of Bitter (Kalmegh)**, International Journal of Research in Pharmacy and Chemistry, 2(1): 116-124.
- Anjana Sharma, Rani Verma and Padmini Ramteke, 2009. **Antibacterial activity of some medicinal plants used by tribals against UTI causing pathogens.** World Applied Sciences Journal, 7(3):332-339.
- Anonymous, 1992. **The Use of Traditional Medicine in Primary Health Care.** World Health Organisation South East Asia, I edition, AITBS, Publishers, New Delhi.
- Anu Chaudhary, Anil Bhandari, Pandurangan, A., 2011. **Anti-Diabetic activity of the methanolic extract of *Madhuca indica* on normal and Streptozotocin induced diabetics rats.** International Journal of Pharmaceutical research and development, 3(4):13-18.
- Anwar, M.N., Begum, J., Yusuf, M., Chowdhury, J.U., Khan, S., Nural, M., 2007. **Antifungal activity of forty higher plants against phytopathogenic fungi.** Bangladesh J Microbiol. 24(1):76-78.
- Araujo C.R., Miranda, K.C., Fernandes O.F.L., Soares A.J., Silva M.R.R., 2009. ***Invitro* susceptibility testing of dermatophytes isolated in Goiania, Brazil, against five antifungal agents by broth microdilution method.** Rev. Inst. Med. trop. S. Paulo., 51: 9-12.
- Arayne, M.S., Sultana, M., Mizra, A.Z., Zuberi, M.H., and Siddiqui, F.A., 2007, ***In vitro* hypoglycemic activity of methanolic extract of some indigenous plants.** Pak.J.Pharm. Sci., 20:268-273.
- Archana Gautam, Shiv Jee Kashyap, Pramod Kumar Sharma, Vipin Kumar Garg, Sharad Visht, Nitin Kumar, 2010. **Identification, evaluation and standardization of herbal drugs: A review.** Der Pharmacia Lettre., 2(6): 302-315.

- Ariamuthu saraswathy, 1994. **Standardisation of Siddha drugs**, Ancient science of Life, XIV(1&2):53-60.
- Arul priya, P., and Lalitha, P., 2012. **Assessment of the antioxidant activity of acetone, ethylalcohol and aqueous extracts of the aerial roots of *Pothas aurea* (Linden ex Andre) climbed over *L. inermis* and *Archea catechu***. Journal of chemical and pharmaceutical research, 4(2):1042-1047.
- Avci, H., Monticello, R., Kotek, R., 2013. **Preparation of antibacterial PVA and PEO nanofibers containing *Lawsonia inermis* (Henna) leaf extracts**. J. Biomater Sci Polym Ed., 24(16):1815-30.
- Ayyanar, M., Ignacimuthu, S., 2005. **Traditional knowledge of kani tribals in kouthmalai of tirunelveli hills, Tamil Nadu**. Indian J.Ethnopharmacol., 102(2):246-255.
- Azhar Ali Farooqi and Sree Ramu, B.S., 2001. **Cultivation of Medicinal and Aromatic crops**. University press, 151-156.
- Baba - Moussa, F., Nacoulma, O., Ouattara, A., Nguyen, H.P., Akpagana, K., Bouchet, P., 1997. **Antibacterial activity of total aqueous extracts of *Combretum micranthum*, *Lawsonia inermis* and *Waltheria indica*, plants from west African pharmacopoeia**. Revue de Medecines et Pharmacopees Africaines, 11-12:197-203.
- Badri, B.M., and Burkinshaw, S.M., 1993. **Dyeing of wool and nylon, 6.6 with henna and Lawsone. Dyes and pigments**, 22(1):15-25.
- Bagi, M.K., Kakrani, H.K., Kalyani, G.A., Dennis, T.J., Jagdale, M.H., 1988. **Experimental evaluation of pharmacological activity of *Lawsonia alba* seed oil**. Fitoterapia, 59(1):39-42.
- Bajpai V., Sharma D., Kumar B., Madhusudanan, K.P., 2010. **Profiling of *Piper betle* Linn. Cultivars by direct analysis in real time mass spectrometric technique**. Biomedical Chromatography, 24:1283-1286.
- Blanka Havlickova, Viktor A. Czaika and Markus Friedrich, 2008. **Epidemiological trends in skin mycoses worldwide**. Mycoses, 51 (4), 2–15.

- Batkhu, J., *et al.*, 2002. **Suppression of NO production in activated macrophages *in vitro* and *ex vivo* by neoandrographolide isolated from *Andrographis paniculata*.** Biol.Pharma Bull, 25(9):1169-74.
- Beena Gidwani, Alaspure, R.N., Duragkar, N.J., Vijay Singh, Prakash Rao, S., Shukla, S.S., 2010. **Evaluation of a Novel Herbal Formulation in the treatment of eczema with *Psoralea corylifolia*.** Iran J. Dermatol., 13: 122-127.
- Bhandarkar, M., Khan, A., 2003. **Protective effect of *Lawsonia alba* Lam. against carbontetrachloride induced hepatic damage in albino rats.** Indian J Exp Biol., 41(1):85-87.
- Bhuvanewari, K., Gnana Poongathai, S., Kuruvilla, A., and Appala Raju, A., 2002. **Inhibitory concentrations of *Lawsonia inermis* dry powder for urinary pathogens.** Indian J. Pharmacol., 34:260-263.
- Bonjar, G.H.S., Nik, A.K., Aghighi, S., 2004. **Antibacterial and antifungal survey in plants used in indigenous herbal medicine of south east regions of Iran.** J. Biol Sci., 4:405-412.
- Bonet, M.A., and Valles, J., 2007. **Ethnobotany of Monteseny biosphere reserve (Catalonia, Iberian Peninsula): Plants used in veterinary medicine.** J.Ethnopharmacol., 110:130.
- Borhanuddin, M., Shamsuzzoha, M. and Hussain, A.H., 1994. **Hypoglycaemic effects of *Andrographis paniculata* Nees on non-diabetic rabbits.** Bangladesh Med Res Counc Bull., 20 (1):24-26.
- Calabrese, C., Berman, S.H., and Babish, J.G., 2000. **A phase I trial of andrographolide in HIV positive patients and normal volunteers.** Phytotherapy Research, 14:333-338.
- Calderone, R.A., 1989. **Immunoregulation of dermatophytosis.** Crit. Rev. Microbiol., 16: 339-368.
- Caceres, A., Lopez, B., Giron, M., Logemann, H., 1991. **Plants used in Guatemala for the treatment of dermatophytic infections.** Journal of Ethnopharmacology, 31 (3): 263 – 276.

- Chang, H., Suzuka, S.E., 1982. **Lawson, (2-OH-1, 4- naphthoquinone) derived from the henna plant increases the oxygen affinity of sickle cell blood.** Bio-Chem. Biophys. Res. Commun., 107:602-608.
- Chase, C.R., and Pratt, R.J., 1949. **Fluorescence of powdered vegetable drugs with particular reference to development of a system of identification.** Journal American pharmacology association, 38:32.
- Chatterjee Asima and Pakrashi Satyesh Chandra. 2000. **The Treatise on Indian medicinal plants**, 4: 56-58.
- Cheesbrough, M., 1992. **Medical Laboratory Manual for Tropical Countries.** Tropical Health Technology, Butterworth-Heinemann, Great Britain. 2: 371-385.
- Chetty, K.M., 2008. **Flowering plants of Chittoor.** Edn 1, Andrapradesh. 132.
- Chirantan S. Chakma, 2011. **Antimicrobial activity of the fruit - seeds *Madhuca longifolia* (Koenig).** International Research Journal of Pharmacy, 2(9):192-193.
- Chopra, R.N., Chopra, I.C., Handa, K.L., and Kapur, L.D., 1982. **Indigenous Drugs of India, Calcutta, New Delhi, India.** Academic Publishers. 238.
- Chopra, I.C., Chopra and Verma, B.S., 1969. **Supplement to glossary of Indian medicinal plants.** CSIR, New Delhi.
- Choudhary, B., Podder, M.F., 1984. **Andrographolide and Kalmegh extract effect on rat liver and serum transaminase.** IRCS, J.Med.Sci., 12:466-467.
- Coon, J.T., Ernst E., 2004. ***Andrographis paniculata* in the treatment of upper respiratory tract infections: a systematic review of safety and efficacy.** Planta Medica, 70:293-298.
- Dama, L.B., Poul, B.N., Jadhav, B.V., 1999. **Antimicrobial activity of Naphthoquinonic compounds.** Journal of Ecotoxicology and Environmental Monitoring, 8:213-215.
- Daniel, R., and Knie, U., 2007. **Galenics of dermal products vehicles, properties and drug release.** J.Dtsch. Dermatol. Ges., 5:324-328.

- Daryush Talei, Allreza Valdlani, Mohd Yusop Rafii, Mahmood Maziah, 2014. **Proteomics analysis of the salt-responsive leaf and root proteins in the anticancer plant *Andrographis paniculata* Nees.** 9(11): e112907. doi:10.1371/journal.pone.0112907.
- De, M., Krishna De, A., and Banerjee, A.B., 1999. **Antimicrobial screening of some Indian spices.** *Phytother. Res.*, 1: 616-618.
- De-Lucca A., Cleveland T., Rajasekaran K., Boue S. and Brown Brown, 2005. **Fungal properties of CAY-1, a plant saponin, for emerging fungal pathogens.** 45th Interscience Conference in Antimicrobial agents and Chemotherapy. Abstract. F-490,180.
- Deborah Evangeline, D., Bhavani Shankar, R., Ramesh Kumar Reddy, Y., and Bharath Kumar, A., 2011. **Formulation and Evaluation of *Lawsonia inermis* Paste.** *International Journal of Research in Pharmaceutical and Biomedical Sciences*, 2(2): 687-690.
- Deng, W.L., Nie, R.J., Liu, J.Y., 1982. **Comparison of pharmacological effect of four andrographolides.** *Chinese Pharm. Bull.*,17:195–198.
- Devendrakumar, D., and Anbazhagan, M., 2012. **Ethnoveterinary medicinal plants used in Perambalur District. Tamil Nadu.** *Research in Plant Biology*, 2(3): 24-30.
- Dhiman Anju, Goyal Jugnu, Sharma kavita, Nanda Arun, Dhiman Sandeep, 2012. **A review on medicinal properties of *Andrographis paniculata* Nees.** *Journal of Pharmaceutical and Scientific innovations*, 1(1): 1-4.
- Dibakar Mishra, 2011. **Ethnoveterinary Practices and use of herbal medicines for treatment of skin diseases in cattle: A study in Polsara Block, Ganjam District, Orissa, India.** *Veterinary World*, 4(6): 250-253.
- Dikshit, V., Dikshit, J., Saraf, M., Thakur, V., Sainis, K., 2000. **Immunomodulatory activity of naphthoquinone fraction of *Lawsonia inermis* Linn.** *Phytomedicine (Jena)*, 7:102-103.
- Dinesh Babu, P., and Subhasree, R.S., 2009. **Antimicrobial activities of *Lawsonia inermis* – A review.** *Academic Journal of Plant sciences*, 2(4):231-232.



- Divya, N., Mythili, S., and Sathivelu, A., 2011. **Phytochemical analysis and *In vitro* antimicrobial activity of *Andrographis paniculata* (Acanthaceae).** Journal of Pharmacy research, 4(7): 2140-2142.
- Dixit, S.N., Srivastava, H.S., Tripathi, R.D., 1980. **Lawson, the antifungal antibiotic from the leaves of *Lawsonia inermis* and some aspects of its mode of action.** Indian Phytopathol., 31:131-133.
- Dwivedi, S., Diwedi, A., Dwivedi, S.N., 2008. **Folklore uses of some plants by the tribes of Madhya Pradesh with special reference to their conservation.** Ethnobotanical leaflets, 12: 763-771.
- Egharevba, R.K.A., and Ikhatua, 2008. **Ethno-medicinal uses of plants in the Treatment of various skin diseases in ovia North East, Edo state, Nigeria.** Research Journal of Agriculture and Biological sciences, 4(1):58-64.
- Endrini, S., Rahmat, A., Ismail, P., Taufiq-Yap, Y.H., 2007. **Comparing of the cytotoxicity properties and mechanism of *Lawsonia inermis* and *Strobilanthes crispus* extract against several cancer cell lines.** J. Med. Sci., 7(7):1098-1102.
- Fardos M. Bokhari, 2009. **Antifungal activity of some medicinal plants used in Jeddah, Saudi Arabia.** Mycopath., 7(1): 51-57.
- Fort Dodge, 2004, Animal Health, [http://home.earthlink.net/~akira\\_s/Meds/Fel-O-Vax\\_MC-K.pdf](http://home.earthlink.net/~akira_s/Meds/Fel-O-Vax_MC-K.pdf).
- Gagandeep chaudhary, Sandeep Goyal and Priyanka Poonia, 2010. ***Lawsonia inermis* L. A Phytopharmacological review.** International Journal of Pharmaceutical sciences and drug research, 2(2): 91-98.
- Ganesan, S., Chandhirasekaran, M., and Selvaraju, A., 2008. **Ethno-veterinary health care practices in Southern districts of Tamil Nadu.** Indian J. Trad. Knowled., 7: 347-354.
- Gaur, R.D., Bhatt, K.C., and Tiwari, J.K., 1992. **An ethnobotanical study of Uttarpradesh Himalaya in relation to veterinary medicines.** J. Indian Bot. Soc., 72: 139-144.

- Gaurav Nigam, and Narendra Kumar Sharma, 2010. **Ethnoveterinary plants of Jhansi district, Uttarpradesh.** Indian Journal of Traditional Knowledge, 9(4):664-667.
- Geetha, S., Lakshmi, G., and Ranjithakani, P., 2006. **Ethnoveterinary medicinal plants of Kollihills, Tamil Nadu.** J. Econ. Taxon. Bot., 12: 284-291.
- Ghaleb Mhammad Adwan, Bassam Ali Abu-Shanab, Kamel Mohammad Adwan, 2008. **In vitro activity of certain drugs in combination with plant extracts against *Staphylococcus aureus* infections.** Pak. J. Med. Sci., 24(4):541-544.
- Giguere S. Antifungal chemotherapy. In: Giguere S, Prescott JF, Baggot JD, 2006. Walker RD, Dowling PM, eds. **Antimicrobial Therapy in Veterinary Medicine.** 4th ed. Ames, Iowa: Blackwell Publishing, 301-322.
- Goodman and Gilman, 1995. **The Pharmacological basic of therapeutics,** 9<sup>th</sup> edition, Mc Graw-Hill, Newyork.
- Gorter, M.K., 1911. **The Bitter Constituent of *Andrographis paniculata* Nees,** Rec. Trav. Chim., 30: 151-160.
- Gudding, R., Lund, A., 1995. **Immunoprophylaxis of bovine dermatophytosis,** Can. Vet. J. 36:302-306.
- Guest P.J., Sam, W.M., 1998. **Dermatophyte and superficial fungi In:Sam, Principle and practice Dermatology,** New York, 3-4.
- Gupta, S., Ahmad, M.C., Yadava, J.N.S., Srivastava, V., and Tandon, J.S., 1990. **Antidiarrhoeal activity of diterpenes of *Andrographis paniculata* (Kal-Megh) against *Escherichia coli* enterotoxin in vivo, Models.** Journal of Pharmaceutical Biology, 28:273-283.
- Gupta, S., Ali, M., Pillai, K.K., Alam, M.S., 1993. **Evaluation of anti-Inflammatory activity of some constituents of *Lawsonia inermis*.** Fitoterapia, 64:365-366.
- Gupta, A.K., Sauder, D.N., Shear, N.H., 1994. **Antifungal agents: An overview.** Part I. J American Academy Dermatol., 30(5):677-698.

- Habbal, O.A., Ai-Jabri, A.A., El-Hag, A.H., Al-Mahrooqi, Z.H., Al-Hashmi, N.A., 2005. ***In-vitro* antimicrobial activity of *Lawsonia inermis* Linn (henna) - A pilot study on the Omani henna.** Saudi Medical Journal, 26:69-72.
- Hainer, B.L., 2003. **Dermatophyte infections.** Am Fam Physician, 67:101-8.2003.
- Hamdi, Y.P., Benazzouz, M., Belkhiri, H., Chari, Z., Serakta, M., Bensgni, L., 1997. **Healing effect of *Lawsonia inermis* L. (henna) as exemplified by the third degree burns.** Revue de Medecines et Pharmacopees Africaines, 11-12:151-156.
- Handa, S.S., Sharma, A., 1990. **Hepatoprotective activity of andrographolide against galactosamine and paracetamol intoxication in rats.** Ind. J. Med. Res., 928:284-292.
- Hector R.F., 2005. **An overview of antifungal drugs and their use for treatment of deep and superficial mycoses in animals.** Clinical Techniques in Small Animal Practice, 20:240-249.
- Hemalatha, K., Natraj, H.N., and Kiran, A.S., 2004. **Hepatoprotective activity of leaves of *Lawsonia inermis*.** Indian J.Nat. Product, 20:14-17.
- Hoareau, L., DaSilva, E.J., 1999. **Medicinal plants: a re-emerging health aid.** Electronic Journal of Biotechnology, 2(2):56-70.
- Hosamani, P.A., Lakshman, H.C., Sandeep Kumar, K., and Rashmi, C., Hosamani, 2011. **Antimicrobial activity of leaf extracts of *Andrographis paniculata* Wall.** Science research reporter, 1(2):92-95.
- Iqbal Hussain, Lajber Khan, 2010. **Comparitive study of heavy metals in *Taraxicum officinale*.** International Journal of Pharmacognosy and phytochemical research, 2(1): 15-18.
- Iran Gull, Maria sohali, Muhammed shahbaz Aslam, and Muhammad Amin Athar, 2013. **Phytochemical, toxicological and antimicrobial evaluation of *Lawsonia inermis* extracts against clinical isolates of pathogenic bacteria.** Annals of clinical microbiology and antimicrobials, 12:36.
- Irfan alikhan and Atiya khanum, 2005. **Medicinal and aromatic plants of India.** Ukaaz Publication, Hyderabad, first edition,101.

- Iruretagoyena, M.I., Tobar, J.A., and Gonzalez, P.A., 2005. **Andrographolide interferes with T-cell activation and reduces experimental autoimmune encephalomyelitis in the mouse.** Journal of pharmacology and experimental therapeutics, 312:366-372.
- Iyer, M.R., Pal, S.C., Kasture, V.S., Kasture, S.B., 1998. **Effect of *Lawsonia inermis* on memory and behavior mediated via monoamine neurotransmitters.** Indian Journal of Pharmacology, 30(3):181-185.
- Jain, 1999. **Dictionary of ethnoveterinary plants of India.** Deep Publications, New delhi.
- Jaiswal, S., Singh, S.V., Bhoopendra Singh, and Singh, H.N., 2004. **Plants used for tissue healing of animals.** Natural Product radiance, 3(4): 284-292.
- Jiny Varghese, Silvipriya, K.S., Resmi, S., Jolly, C.I., 2010. ***Lawsonia inermis* (Henna): A Natural dye of various therapeutic uses- A review.** Inventi Rapid: Cosmeceuticals, 1(1).
- Katta Vijayakumar, Papolu, B.S., Murthy, Sukalak kannababu, Syamasundar, B., and Gottamukkala V. Subbaraju, 2007. **Estimation of Andrographolide in *Andrographis paniculata* Herb, Extracts and Dosage forms.** International Journal of Applied Science and Engineering, 5,1:27-39.
- Kapil, A, Koul, I. B, Banerjee, S. K, & Gupta, B. D., 1993. **Antihepatotoxic effects of major diterpenoid constituents of *Andrographis paniculata*.** Biochem Pharmacol., 46(1):182-185.
- Kawo, A.H., and Kwa, A.H., 2011. **Phytochemical screening and antibacterial activity of the aqueous extracts and fractions of ethanolic extracts of *Lawsonia inermis* leaf.** International research journal of microbiology, 2(12): 510-516.
- Kayser, O., Kiderlen, A.F., Laatsch, H., and Croft, S.L., 2000. ***In vitro* leishmancidal activity of monomeric and dimeric naphthoquinones.** Acta Tropica, 77(3):307-314.
- Kayser, O., Mansihi, K.N., and Kiderlen, A.F., 2003. **Natural products and synthetic compounds as immunomodulators.** Exp Rev Anti-infective Ther., 1(2): 319-35.

- Khan, M.M., Ali, A., Jain, D.C., Bhakkuni, R.S., Zaim, M., and Thakur, R.S., 1991. **Occurance of some anti-viral sterols in *Artemisia annua***. Plant Sci., 75:161-165.
- Khandelwal, S.K., Gupta, N.K., Sahu, M.P., 2002. **Effect of plant growth regulators on growth, yield and essential oil production of henna (*Lawsonia inermis* L.)**. The Journal of Horticultural science and Biotechnology, 77: (1) 67-72
- Kishore kumar, D.V., Ashok kumar, C.K., Dhanapal, R., 2007. **Antimicrobial, Wound Healing and Antioxidant Activities of *Anthocephalus cadamba***. Afr. J. Traditional, Complementary and Alternative Medicines, 4 (4): 481 – 487.
- Kingston, C., Jeeva, G.M., Kiruba, S., Mishra, B.P and Kannan, D., 2009. **Indigenous knowledge of using medicinal plants in treating skin diseases in Kanyakumari district, Southern India**. Indian Journal of Traditional knowledge, NISCAIR. CSIR. New Delhi, India. 8 (2):196-198.
- Kirkland, D., Marzin, D., 2003. **An assessment of the genotoxicity of 2-hydroxy-1, 4-naphthoquinone, the natural dye ingredient of Henna**. Mutat. Res., 537(2):183-199.
- Kiruba, S., Jeeva, S., and Dhas, S.S.M., 2006. **Enumeration of ethnoveterinary plants of Cope Comorin, Tamil Nadu**. Indian J. Trad. Knowled., 7: 576-578.
- Kokate, C.K., Purohit, A., Gokhale, S.B., 2002. **Pharmacognosy**, 8<sup>th</sup> ed. Pune: Nirali Prakashan. 106-12.
- Kokate, C.K., Purohit, A.P., and Gokhale, S.B., 2005. **Pharmacognosy**. Narali prakashnan.
- Kokate, C.K., Purohit, A.P., and Gokhale, S.B., 2009. **Pharmacognosy**, Narali prakashnan.
- Kone, W.M., and Atindehou, K.K., 2008. **Ethnobotanical inventory of medicinal plants used in traditional veterinary medicine in Northern Cote d'Ivoire (West Africa)**. South Afr. J. Bot., 74: 76-84.

- Korayem, A.M., Osman, H.A., 1992. **Nematicidal potential of the henna plant *Lawsonia inermis* against the root knot nematode *meloidogyneincognita*.** Anzeiger fuer Schaedlingskunde Pflanzenschutz Umweltschutz, 65:14-16.
- Kulyal, P., Tiwari, U.K., Shukla, A., Gaur, A.K., 2010. **Chemical constituents isolated from *Andrographis paniculata*.** Indian J.of chem., 49B: 356-359.
- Kumar, R.A., Kokate, C.K., Rambhau, D., Rao, Y.M., 1985. **Studies in *Lawsonia inermis* lawsone and its oxazine derivatives as potential anticoagulant agents.** Indian Journal of Pharmaceutical Sciences, 47.
- Kumar, R.A., Sridevi, K., Kumar, N.V., Nadhuri, S., and Rajagopal, S., 2004. **Anticancer and immunostimulatory compounds from *Andrographis paniculata*.** J.Ethnopharama., 92(2-3): 291-295.
- Kursat Korkmaz, Metin kara, S., Faruk Qzkutlu, Volkan Gul, 2010. **Monitoring of heavy metals and selected micronutrients in hempseeds from North-Western Turkey.** African Journal of Agriculture research, 5(6):463-467.
- Lal, J., Tripathi, H.C., and Tandon, S.K., 1986. **Antidiabetic activity of Andrographolide.** Indian J.Pharmacol., 18: 58-61.
- Lalit Tiwari, and Pande, P.C., 2010. **Ethnoveterinary medicines in Indian perspective: Reference to Uttarkhand, Himalaya.** Indian Journal of Traditional Knowledge, 9(3): 611-617.
- Latha, P.G., Suja, S.R., Shyamal, S., Rajasekharan, S., 2005. **Some hepatoprotective garden plants.** Natural Product Radiance, 4(4):278-279.
- Logothetidis, S., 2012. **Nanostructured materials and their applications.** Nanoscience and technology, 978(3)642: 1-20.
- Madav, S., Tripathi, H.C., Tandon, Mishra, S.K., 1995. **Analgesic, ntipyretic and antiulcerogenic effect of andrographolide.** Indian J. of Pharma. Sci., 57:121-125.
- Mahmoudabadi A.A., Zarrin M., 2008. **Isolation of dermatophytes and related keratinophilic fungi from the two public parks in Ahvaz, Jundishapur.** J. Microbiol., 1: 20-23 20.

- Malekzadeh, 1968. **Antimicrobial activity of *Lawsonia inermis* L.** Applied Microbiology, 16(4):663-664.
- Mamtha, A., 2011. **Quantitative HPTLC analysis of andrographolide in *Andrographis paniculata* obtained from different geographical sources (India).** International Journal of Pharm. Sci., 3(2): 42-44.
- Mandeep Singh, Shalini Sharma, Sukhbir Lal Khokra, Ram Kumar Sahu, Rajendra Jangde, 2011. **Preparation and evaluation of herbal cosmetic cream.** Pharmacology online, 2: 1258-1264.
- Mangesh Khond, Bhosale, J.D., Bhosale, Tasleem Arif, Mandal, T.K., Padhi, M.M., Rajesh Dabur, 2009. **Screening of some selected medicinal plants extracts for *In vitro* antimicrobial activity.** Middle-East Journal of Scientific Research, 4(4):271-278.
- Manoj Kumar Pandey, 2011. **Physicochemical standardization of *Andrographis paniculata* (Nees): An Ayurvedic Drug.** International Journal of Pharmaceutical research and development, 3(6): 81-89.
- Masika, P.J., and Afolayan, A.J., 2003. **An ethnobotanical study of plants used for the treatment of livestock diseases in the Eastern Cape Province, South Africa.** Pharm. Biol., 41: 16-21.
- Masika, P.J., Van Averbekke, W., and Sonandi, A., 2000. **Use of herbal remedies by small scale farmers to treat livestock diseases in central eastern Cape Province, South Africa.** J South Afr. Vet. Assoc., 71: 87-91.
- Matsuda, T., Kuroyanagi, M., Sugiyama, S., Umehara, K., Ueno, A., and Nishi, K., 1994. **Cell differentiation-inducing diterpenes from *Andrographis paniculata* Nees.** Chem Pharm Bull (Tokyo), 42(6): 1216-25.
- McCorkle, C.M, 1986. **An introduction to ethnoveterinary research and development.** J.Ethnobiol., 6:129-149.
- McGaw, L.J., and Eloff, J.N., 2008. **Ethnoveterinary use of southern African plants and scientific evaluation of their medicinal properties.** Journal of Ethnopharmacology, 119: 559-574.

- Meenu Sharma, Aakansha Sharma and Sandeep Tyagi, 2011. **Quantitative HPLC analysis of Andrographolide in *Andrographis paniculata* at two different stages of life cycle of plant.** Acta Chimica & Pharmaceutica Indica, 2(1):1-7.
- Melchior, J., Spasov, A.A., and Ostrovskij, O.V., 2000. **Double blind placebo controlled pilot and phase III study of activity of standardized *Andrographis paniculata* Nees. Herbal extract fixed combination (Kan jang) in the treatment of uncomplicated upper respiratory tract infection.** Phytomedicine, 7:341-350.
- Mikhaeil, B.R., Badria, F.A., Maatooq, G.T., Amer, M.M.A., 2004. **Antioxidant and immunomodulatory constituents of henna leaves.** Journal of Biosciences, 59:468-476.
- Mishra, P., Pal, N.L., Guru, P.Y., Katiyar, J.C., Srivastava, V., Tandon, J.S., 1992. **Antimalarial activity of *Andrographis paniculata* (Kalmegh) against *Plasmodium berghei* NK 65 in *Mastomys natalensis*.** Ind J. Pharmacog., 30:263-274.
- Mishra, U.S., Mishra, A., Kumari, R., Murthy, P.N., Naik, B.S., 2009. **Antibacterial activity of ethanol extract of *Andrographis paniculata*.** Ind. J. Phara. Sci., 71(4):436-438.
- Mohammed Fayaz, A., Girilal, M., Venkatesanb, A.R., Kalaichelvan, P.T., 2011. **Biosynthesis of anisotropic gold nanoparticles using *Maduca longifolia* extract and their potential in infrared absorption.** Colloids and Surfaces B: Biointerfaces, 88 ; 287– 291.
- Mohammed Rahmatullah, Md. Ariful Haque Mollik, Md. Jobaer Alam, Bulbul Ahmmed, Farhana Israt Jahan, Mariz Sintaha, Himel Nahreen Khaleque, Majeedul, H., Chowdhury, Farjana Akther Noor, Shahnaz Rahman, Rownak Jahan, Syeda Seraj, 2010. **An Ethnoveterinary Survey of Medicinal Plants Used by Folk Medicinal Practitioners to Treat Cattle Diseases in Randomly Selected Areas of Bagerhat District, Bangladesh.** American-Eurasian Journal of Sustainable Agriculture, 4(3): 386-396.
- Mohsin, A., Shah, A.H., Al-Yahya, M.A., Tariq, M., Tanira, M.O.M., Ageel, A.A., 1989. **Analgesic, antipyretic activity and phytochemical screening of some plants used in traditional Arab system of medicine.** Fitoterapia, 60(2):174-177.



- Moreki, J.C., 2013. **Documentation of ethnoveterinary practices used in family poultry in Botswana.** Veterinary World, 6(1):18-21.
- Mohanta, G.P., Jamal, M., Umadevi, S., 2007. **Formulation and evaluation of poly herbal wound healing cream.** Indian drugs, 44(4):281.
- Mouhajir, F., Hudson, J.B., Rejdali, G.H.N., and Towers, G.H.N., 2001. **Multiple antiviral activities of endemic medicinal plants used by berber people of Morocco.** Pharmaceut. Biol., 39(5): 364-74.
- Muhammad, H.S., Muhammad, S., 2005. **The use of *Lawsonia inermis* Linn. (henna) in the management of burn wound infections.** African Journal of Biotechnology, 4:934-937.
- Muhammad Ghufran Saeed, S., Syed Asad Sayeed, Seema Ashraf, Shahina Naz, Rahmanullah Siddiqi, Rashida Ali, and Ahmed Mesaik, M., 2013. **A new method for the isolation and purification of lawsone from *Lawsonia inermis* and its ROS inhibitory activity.** Pak. J. Bot., 45(4): 1431-1436.
- Mukherjee, P.K., 2002. **Quality control of herbal drugs**, 1<sup>st</sup> ed. New Delhi: Business Horizons pharmaceutical Publishers, 701.
- Mukherjee, P.K., Saritha, G.S., and Suresh, B., 2001. **Antibacterial spectrum of *Hypericum hookerianum*.** Fitoterapia, 72(5): 558-560.
- Mulay, J.R., Vijigiri Dinesh, and Sharma, P. P., 2012. **Study of some ethno-veterinary medicinal plants of Ahmednagar district of Maharashtra, India.** World Journal of Science and Technology, 2(6):15-18.
- Munshi, S.R., Shetye, T.A., Nair, R.K., 1977. **Antifertility activity of three indigenous plant preparations.** Planta Med., 31:73-75.
- Muzafar Sheik, Hilal Ahmad, Enyat-ul-Haq, Bilal Ahmad, Zehra khan, and Roze Rizvi, 2013. **Survey of ethnoveterinary medicine amongst ethnopractitioners of western Uttarpradesh province of India,** Journal of Medicinal plants research, 7(9):509-516.
- Nadkarni, K.M., 2000. **Indian Materia Medica revised and enlarged by Nadkarni, A.K.,** 2<sup>nd</sup> ed. Mumbai: popular prakashan Pvt., 1: 1319.

- Natarajan, M.R., Lalithakumar, D., 1987. **Leaf extracts of *Lawsonia inermis* as antifungal agent.** *Curr Sci.*, 56:1021-1022.
- Natarajan, V., Mahendraraja, S., and Menon, T., 2000. **Anti - dermatophytic activities of *Lawsonia alba*.** *Biomedical*, 20: 243-245.
- Natarajan V, Venegopal PV, Menon T. 2003. **Effect of *Azadiracta indica* (neem) on the growth pattern of dermatophytes.** *Indian J Med Microbiol.*, 21(2):98–101.
- Nath Vijendra and Khatri Pavan Kumar, 2010. **Traditional Knowledge on ethno-medicinal uses prevailing in tribal pockets of chhindwara and Betul districts, Madhyapradesh, India.** *African Journal of Pharmacy and Pharmacology*, 4(9):662-670.
- National Committee for Clinical Laboratory Standards, 2000. **Performance standards for antimicrobial disk susceptibility tests**, 7th ed. Approved standard. M2-A7. NCCLS, Wayne, Pennsylvania.
- Nayak, B.S., Isitor, G., Davis, E.M., Pillai, G.K., 2007. **The evidence based wound healing activity of *Lawsonia inermis* Linn.** *Phytotherapy Research*, 21(9):827-831.
- Neeraj Choudhary and Bhupinder Singh Sekhon, 2011. **An overview of advances in the standardization of herbal drugs.** *J.Pharm Educ Res.*, 2(2), 55-69.
- Neha Shekhawat and Rekha Vijayvergia., 2010. **Investigation of Anti inflammatory, analgesic and Antipyretic properties of *Madhuca logifolia* J.F (GMEL),** *International Journal of Molecular medicine and advance sciences*, 6(2):26-30.
- Nimbekar, T., Bais, Y., Katolkar, P., Wanjari, B., Chaudhari, S., 2012. **Antibacterial activity of the dried inner bark of *Madhuca indica* J.F.GMEL.,** *Bulletin of Environment, Pharmacology and Life sciences*, 1(2):26-29.
- Nopamart Trankranrungsie, 2011. **Plant derived antifungals - trends and potential applications in veterinary medicine: A mini-review.** *Formatex*, 1195-1204.

- Okeke, M.I., Iroegbu, C.U., Eze E.N., Okoli, A.S., Esimone, C.O., 2001. **Evaluation of extracts of the root of *Landolphia owerrience* for antibacterial activity.** J.Ethnopharmacol., 78:119-127.
- Okpekon, T., Yolou, S., Gleye, C., Roblot, F., Loiseau, P., Bories, C., Grellier, P., Frappier, F., Laurens, A., Hocquemiller, R., 2004. **Antiparasitic activities of medicinal plants used in Ivory Coast.** J. Ethanopharmacol., 90(1):91-97.
- Omar, M.A., 2005. **Effects of 2-hydroxy-1, 4-naphthoquinone, a natural dye of henna, on aldehyde oxidase activity in guinea pigs.** J. Med. Sci., 5(3):163-168.
- Onions, A.H.S., Allsoop, D. and Eggins, H.O.W., 1986. **In Smith's Introduction to Industrial mycology.** Edward Arnold publishers Ltd., London. 285-325.
- Otake T., Mori, H., Morimoto, L.T., Hattori, M., Namba, T., 1995. **Screening of Indonesian plant extracts for anti-human immune deficiency virus type-I (HIV-I) activity.** Phytoter. Research, 9:6-10.
- Palani, S., Raja, S., Karthi, S., Selvi Archana, Senthil Kumar, B., 2009. **In vivo analysis of nephro & hepato protective effects and antioxidant activity of *Madhuca longifolia* against acetaminophen – induced toxicity & oxidative stress.** Journal of Pharmacy research, 3(1):9-16.
- Panigrahi, L., T. Jhon, A. Shariff and R.S. Shobanirani, 1997. **Formulation and evaluation of lincomycin HCL gels.** Ind. J. Pharm. Sci., 59: 330-332.
- Panneerselvam, C., Ponarulselvam, S., and Murugan, K., 2011. **Potential Anti-plasmodial Activity of Synthesized Silver Nanoparticle using *Andrographis paniculata* Nees (Acanthaceae).** Archives of Applied Science Research, 3 (6):208-217.
- Papageorgiou, V.P., Assimopoulou, E.A., Couladourous, D., Hepworth, and Nicolaou, K.C., 1999. **The chemistry and biology of alkannin, shikonin and related naphthazarin natural products.** Angewandte chemie Int., 38:270-300.

- Patel, P.K., Narendra K. Prajapat and Dubey, B.K., 2012. ***Madhuca indica*: A review of its medicinal property.** International journal of Pharmaceutical sciences and research, 3(18):5, 1285-1293.
- Pattanayak, S., Nayak, S.S., Panda, D., and Shende, V., 2009. **Hypoglycemic of *Cajanus scarabaeoides* in glucose overloaded and streptozotocin-induced diabetic rats.** Bangladesh J. Pharmacol., 4: 131-135.
- Pavan Kumar, K., Vidhyasagar, G., RamaKrishna, D., Madhusudhana Reddy, I., Gupta Atyam, V.S.S.S., Sarva Raidu, C.H., 2011. **Screening of *Madhuca indica* for antidiabetic activity in Streptozotocin and streptozotocin-nicotinamide induced diabetic rats.** International Journal of Pharma Tech research, 3(2): 1073-1077.
- Pawan Porwal, Amit Sharma and Surya Prakash Gupta, 2011. **Henna based hair cream preparation, characterization and its comparison with marketed hair dyes.** Journal of Herbal medicine and Toxicology, 5(1): 55-61.
- Peris, M., Mico, C., Recatala, L., Sanchez, R., Sanchez, J., 2007. **Heavy metal contents in horticultural crops of a representative area of the European Mediterranean region.** Science of the total environment, 378: 42-48.
- Pooja S. Banerjee, Megha Sharma, Rajesh Kumar Nema, 2009. **Preparation, evaluation and hair growth stimulating activity of herbal hair oil.** Journal of chemical and pharmaceutical research, 1(1): 261-267.
- Poonam Kulyal, Tiwari, U.K., Shukla, A., and Gaur, A.K., 2010. **Chemical constituents isolated from *Andrographis paniculata*.** Indian Journal of Chemistry, 49B:356-359.
- Prakash, D., Suri, S., Upadhyay, G., Singh, B.N., 2007. **Total phenol, antioxidant and free radical scavenging activities of some medicinal plants.** International Journal of Food Sciences and Nutrition, 58:18-28.
- Prasanta Kumar Sarkar and Anand Kumar Chaudhary, 2010. **Ayurvedic Bhasma: the most ancient application of Nanomedicine.** Journal of scientific and Industrial research, 69:901-905.

- Prasant Kumar Singh, Shivam Singh, Vinod Kumar, and Alok Krishna., 2011. **Ethnoveterinary healthcare practices in marihan sub-division of district Mirzapur, Uttar Pradesh, India.** Life science leaflets, 16:561-569.
- Prasirst, J., Leewatthanakorn, T., Piamsawad, U., Dejrudee, A., Panichayupakaranant, P., Teanpaisan, R., and Nittayananta, W., 2004. **Antifungal activity of potassium Lawsone methyl ether mouthwash in comparison with chlorhexidine mouthwash on oral *Candida* isolated from HIV/AIDS.** Phuket Thailand, 6-9.
- Pratibha, G., Korwar, G.R., 1999. **Estimation of lawsone in henna (*Lawsonia inermis*).** Journal of Medicinal and Aromatic Plant Sciences, 21:658-660.
- Priyanka yadav, 2012. **Review *Madhuca lonigfolia* (Sapotaceae): A review of its traditional uses, Phytochemistry and pharmacology.** International Journal of Biomedical research, 3(7):292.
- Pullaiah, T., 2002. **Medicinal plants in India, Regency publications,** NewDelhi. 54-55.
- Puri, A., Saxena, R., Saxena, R.P., Saxena, K.C., Srivastava, V., Tandon, J.S., 1993. **Immunostimulant agents from *Andrographis paniculata*.** J. of Natural Products, 56:995-999.
- Radha, R., Sermakkani, M., and Thangapandian, V., 2011. **Evaluation of phytochemical and antimicrobial activity of *Andrographis paniculata* Nees (Acanthaceae) aerial parts.** International Journal of Pharmacy and Life Sciences, 2(2): 562-567.
- Rahman, N.N.N.A., Furuta, T., Kojima, S., Takane, K., Mohd, M.A., 1999. **Antimalarial activity of extracts of Malaysian Medicinal Plants.** J. Ethnopharmacol., 64:249-254.
- Rajagopal, S., Kumar, R. A., and Devi, D. S., 2003. **Andrographolide, a potential cancer therapeutic agent isolated from *Andrographis paniculata*.** J Exp. Ther Oncol., 3(3):147-158 .

- Rajasekar, P., Priyadharshini, S., Rajarajeshwari, T., and Shivashri, C., 2013. **Bio - inspired synthesis of silver nanoparticles using *Andrographis paniculata* whole plant extract and their anti-microbial activity over pathogenic microbes.** International Journal of Research in Biomedicine and Biotechnology, 3(3): 47-52.
- Rajesh Kumar and Bharathi, 2012. **Folk veterinary medicine in Sitapur District of Uttarpradesh, India.** Indian Journal of natural products and resources, 3(2), 267-277.
- Ramachandra Naik, M., Vaishnavi Venugopalan, Preethi Kumaravelayutham, and Krishnamurthy, Y.L., 2012. **Ethnoveterinary uses of medicinal plants among the Lambani community in Chitradurga district, Karnataka, India.** Asian Pacific Journal of Tropical Biomedicine, 470-476.
- Ramadan, M.F., Sharanabasappa, G., Paramjyothi, S., Seshgiri, M., Moersel, J.T., 2006. **Profile and levels of fatty acids and bioactive constituents in mahua butter from fruit-seed of buttercup tree (*Madhuca Longifolia* (Koenig)).** Eur. Food Res. Technol., 222, 710-18.
- Ramar Perumal Samy, Maung Maung Thwin, Ponnampalam GopalaKrishnakone, Savarimuthu Ignacimuthu, 2008. **Ethnobotanical survey of folk plants for the treatment of snakebites in southern part of Tamilnadu, India.** J.of Ethnopharmacol., 17,115(2):302-12.
- Ranganathan S, Arun Mozhi Balajee S, Thangam Menon., 1997. **Mating patterns of dermatophytes of diverse origin in India.** Mycopathologia, 136: 91–94.
- Raveesha, K.A., Satish, S., Mohana, D.C., Raghavendra, M.P., 2007. **Antifungal activity of some plant extracts against important seed borne pathogens of *Aspergillus* sp.,** J Agr. Technol., 3(1):109-119.
- Rekha, G.S., and John De Britto, A., 2010. **Molecular and Phytochemical characterization of *Andrographis paniculata* Nees in Tirunelveli hills in South India.** Malaysia J. Sci., 29:119-126.

- Renu Parasher, Anubha Upadhyay, Noor Afshan Khan, and Sunil Kumar Dwivedi, 2011. **Biochemical estimation and quantitative determination of medicinally important Andrographolide in *Andrographis paniculata* at different growth stages.** Electronic Journal of Environmental, Agricultural and food chemistry, 10(7): 2479-2486.
- Reyes, B.A., 2006. **Antidiabetic potentials of *Momordica charantia* and *Andrographis paniculata* and their effects on estrous cyclicity of alloxan – induced diabetic rats.** Journal of Ethnopharmacology, 21:1051-1052.
- Riffel, A., Medina, L.F., Stefani, V., Santos, R.C., Bizani, D., and Brandelli, A., 2002. ***In vitro* antimicrobial activity of a new series of 1,4-naphthoquinones.** Braz. J.Med. Biol Res., 35:811-18.
- Saadabi, M.A.A., 2007. **Evaluation of *Lawsonia inermis* L. (Sudanese Henna) Leaf extracts as an antimicrobial agent.** Res J Bio Sci., 2(4):419-423.
- Sabu K.K., Padmesh P., Seeni S., 2000. **Intraspecific variation in active principle content and isozymes of *Andrographis paniculata* Nees (Kalmegh): a traditional hepatoprotective medicinal herb.** J Med Arom Plant Sci., 23:637–647.
- Sai devi,T., Jyothi padmaja.I, Nagendra sastry.Y and Nagamani.A., 2012. **A study on anti dermatophytic potential of selected ethno medicinal plants against *Trichophyton rubrum*, a common etiologic agent in and around Visakhapatnam region (India).** Asian Pacific Journal of Tropical Biomedicine, 1874-1878.
- Samy, R.P., Thwin, M.M., Gopalakrishnakone, P., Ignacimuthu, S., 2008. **Ethno botanical survey of folk plants for the treatment of snake bites in southern part of Tamilnadu, India.** J.Ethnopharmacol., 115:302-312.
- Sandip patel., Sandeep patel., and Veena Patel, 2011. **Investigation into the mechanism of action of *Madhuca longifolia* for its Anti-epileptic activity.** Pharmacognosy communications, 1(2):18-22.
- Saraswat, B., Visen, P.K.S., Patnik, G.K., and Dhawan, B.N., 1995. **Effect of andrographolide against galctosamine induced hepatotoxicity.** Fitoterapia, 66: 415-420.

- Saravanan, B., Maiti, S.K., Singh, G.R., Hoque, M., and Kumar, 2002. **Evaluation of herb, *Cissus quadrangularis* in accelerating healing process of femur fracture in dog.** J.Vet. Med., Series.
- Savitha, S. and Rathnavijaya, C., 2011. **Minimum inhibitory concentration and antioxidant properties of andrographis paniculata using different solvent extracts.** International Journal of Chemical Science and Technology, 1(1):21-28.
- Saxena, S., Jain, D.C., Bhakuni, R.S., and Sharma, R.P., 1998. **Chemistry and pharmacology of *Andrographis* species.** Indian drugs, 35:458-467.
- Sayyad, S.F., Randive, D.S., Jagtap, S.M., Chaudhari, S.R., and Panda, B.P., 2012. **Preparation and evaluation of fermented Ayurvedic formulation: *Arjunarishta*.** Journal of applied pharmaceutical science, 2(5): 122-124.
- Selvaraju, A., Ayyanar, M., Rathinakumar, S.S., and Sekar, T., 2011. **Plants used in ethno-veterinary medicine by malayali tribals in Salem district of Tamil Nadu, India.** Medicinal Plants, 3(3):1-7.
- Shalu Agarwal, Giriraj T. Kulkarni, and Sharma, V.N., 2011. **A Comparative study on the antioxidant activity of methanolic extracts of *Terminalia paniculata* and *Madhuca longifolia*.** Free radicals and antioxidants, 1(4):62-68.
- Sharma, M.C., and Chinmay Joshi, 2004. **Plants used in skin diseases of animals.** Natural product radiance, 3(4): 293-299.
- Sharma, P.V., 1983. **Charka Samhita** Ed. Chankhambhia Orientalia, vol II, Varanasi.
- Sharma, V.K., 1990. **Tuberculostatic activity of henna *Lawsonia inermis* Linn.** Tubercle., 71(4):293-296.
- Sharma, A., Lal, K., and Handa, S.S., 1992. **Standardization of the Indian crude drug Kalmegh by high pressure liquid chromatographic determination of andrographolide.** Phytochemical analysis, 3: 129-131.



- Sharma, V.K., Shanks, G.d., Oloo, A.J., Aleman, G.M., Ohrt, C., Klotz, F.W., Braitman, D., and Horton, J., 1995. **Tuberculostatic activity of henna (*Lawsonia inermis* Linn.)**. *Tubercle.*, 71:293-5.
- Sheeja, K., Kuttan, G., 2007. **Activation of cytotoxic T Lymphocyte responses and attenuation of tumor growth *In vivo* by *Andrographis paniculata* extract and andrographolide**. *Immunopharmacol immunotoxicol.*, 29:81-93.
- Shen, Y.C., Chen, C. F., and Chiou, W. F., 2002. **Andrographolide prevents oxygen radical production by human neutrophils: possible mechanism(s) involved in its anti-inflammatory effect**. *British journal of pharmacology*, 135:399-406.
- Shinkafi, S.A., and Manga, S.B., 2011. **Isolation of dermatophytes and screening of selected medicinal plants used in the treatment of dermatophytosis**. *International Research Journal of Microbiology*, 2(1): 040-048.
- Shirisha, K., and Mastan, M., 2013. ***Andrographis paniculata* and its bioactive phytochemical constituents for oxidative damage: A systematic review**. *Pharmacophore*, 4(6): 212-229.
- Shivanandan Nayak, B., 2007. **The evidence based wound healing activity of *Lawsonia inermis* Linn**. *Phytother Res.*, 627-633
- Siddha pharmacopeia, 2005. Part I, **National Institute of Science Communication & Information Resources**, Dr. K.S. Krishnan marg, New Delhi.
- Simon, J.E., Chadwick, A.F., Craker, L.E., 1984. **The scientific literature on selected herbs and aromatic and medicinal plant of the temperature zone**. Archon books, 770.
- Sindhu, Z.U.D., Iqbal, Z., Khan, M.N., Jonsson, N.N., and Siddique, M., 2010. **Documentation of ethno-veterinary practices used for treatment of different ailments in selected a hilly area of Pakistan**. *Int. J. Agric. Biol.*, 12: 353–358.

- Singh, A., Singh, D.K., 2001. **Molluscicidal activity of *Lawsonia inermis* and its binary and tertiary combinations with other plant derived molluscicides.** Indian J Exp Biol., 39:263-268.
- Singh, G., Khate, K., Bujarbaruah, K.M., Mondal, S.K., Pal, D.T., and Kumar, S., 2001. **Phytomedicines used for animal treatment by tribals in remote area Nagaland.** Indian Vet. Med. J., 25(3): 291-292.
- Singh, S., Shrivastava, N.M., Modi, N.T., Saifi, A.Q., 1982. **Anti-inflammatory activity of *Lawsonia inermis*.** Current Science (Bangalore), 51:470-471.
- Singh, V.K., and Pandey, U.K., 1989. **Fungitoxic studies on bark extract of *Lawsonia inermis* against ringworm fungi.** Hindustan Anti-bio. Bull., 31:32-35.
- Singhal, K., Prajjal, Roy, S., Dey, S., 2003. **Antibacterial activity of *Andrographis paniculata*.** Fitoterapia, 74:692-694.
- Siripong, P., Kongkathip, B., Preechanukool, K., Picha, P., Tunsuwan, K., Taylor, W.C., 1992. **Cytotoxic diterpenoid constituents from *A. paniculata* Nees leaves.** J. Sci. Soc., Thailand, 18: 187-194.
- Smita Sharma, mukesh Chandra Sharma, D.V. Kohli, 2010. **Wound healing activity and formulation of Ether-Benzene-95% ethanol extract of herbal drug *Madhuca longifolia* leaves in Albino rats.** Journal of Optoelectronics and biomedical materials, 1(1): 13-15.
- Soma Roy, Kiranmayee Rao, C.H., Bhuvanewari, Archana Giri, Lakshmi Narasu Mangamoori, 2010. **Phytochemical analysis of *Andrographis paniculata* extract and its antimicrobial activity.** World J. Microbiol Biotechnol., 26:85-91.
- Srivastava, G.N., Hasan, S.A., Bagchi, G.D., and Kumar sushil, 2000. **Indian traditional veterinary medicinal plants** (Central Institute of Medicinal and Aromatic plants, Lucknow).
- Sudhanshu Saxena, Dharma C. Jain, Madan M. Gupta, Rajendra S. Bhakuni, Hari O.Mishra, and Ram P. Sharma, 2000. **High-Performance Thin Layer Chromatographic Analysis of hepatoprotective diterpenoids from *Andrographis paniculata*.** Phytochemical analysis, 11: 34-36.

- Sule, A., Ahmed, Q.U., Samah, O.A., and Omar, M.N., 2010. **Screening for antimicrobial activity of *Andrographis paniculata* used in Malaysian folkloric medicine: A possible alternative for the treatment of skin infections.** *Ethnobotanical leaflets*, 14:445-56.
- Sulekha, M., Satish, Y., Sanita, Y., and Rajesh Kumar, N., 2009. **Antioxidant: A review.** *Journal of chemical and Pharmaceutical research*, 1(1): 102-104.
- Sultana, N., Choudhary, M.I., Khan, A.J., 2009. **Protein glycation inhibitory activities of *Lawsonia inermis* and its active principles.** *Enzyme Inhib Med Chem.*, 24(1):257-61.
- Swarnendu Mondal and Chowdhury Habibur Rahaman, 2012. **Medicinal plants used by the tribal people of Birbhum district of West Bengal and Dumka district of Jharkhand in India.** *Indian Journal of Traditional knowledge*, 1(4): 674-679.
- Syahrin, A., Amrah, S., Chan, K., Lim, B., Hasenan, N., Hasnan, J., and Mohsin, S., 2006. **Effect of spray dried ethanolic extract of *Andrographis paniculata* (Burms F.) Nees on strepto-zotocin induced Diabetic Rats.** *International Journal of Diabetes in Developing Countries*, 26:163-168.
- Syamsudin, I., Winarno, H., 2008. **The effects of Inai (*Lawsonia inermis*) leave extract on blood sugar level: An Experimental Study.** *Res J Pharmacol.*, 2(2):20-23.
- Tabuti, J.R.S., Dhillon, S.S., and Lye, K.A., 2003. **Ethnoveterinary medicines for cattle (*Bos indicus*) in Bulamogi county, Uganda: plant species and mode of use.** *J Ethnopharmacol.*, 88: 279-286.
- Tafara Matekaire, M.S., and Taona, M., Bwakura, M.S., 2004. **Ethnoveterinary medicine: A potential alternative to orthodox animal health delivery in Zimbabwe.** *Inter. J. Appl. Res Vet. Med.*, 2(4): 269-273.
- Tamal Mondal and Sayani Biswas, 2012. **Ethnoveterinary uses of some medicinal plants of Bankura District, West Bengal.** *Life Sciences leaflet*, 5:47-49.

- Tang, W., and Eisenbrand, G., 1992. **Chinese drugs of plant origin**. Springer, 97-103.
- Taplin, D., Zaias, N., Rebell, N., and Blank, H., 1969. **Isolation and recognition of dermatophytes on a new medium (DTM)**, Arch., Dermatol., 99:203.
- Tapsell, L.C., Hemphill, I., Cobiac, L., Patch, C.S., Sullivan, D.R., Fenech, M., Roodenrys, S., Keogh, J.B., Clifton, P.M., Williams, P.G., Faizo, V.A., and Inge, K.E., 2006. **Health benefits of herbs and species: the past, the present, the future**. Medicinal journal of Australia, 4:21-24.
- Taylor, W.I., Achanzar, D., 1972. **Catalase test as an aid to the identification of *Enterobacteriaceae***. Applied microbiology, 24(1): 58-61.
- Thamlikitkul, V., Dechatiwongse, T., and Theerapong, S., 1991. **Efficacy of *Andrographis paniculata*, Nees for pharyngotonsillitis in adults**. J. Med Assoc. Thai., 74(10):437-442.
- Thenmozhi, M., Rajeshwari Sivaraj and Hiranmai Yadav, R., 2010. **A Comparative phytochemical analysis of *Alstonia scholaris*, *Lawsonia inermis*, *Ervatamia divaricata* and *Asparagus racemosus***. International journal of Pharma. research and development, 2(9): 86-91.
- Thirumalai, T., Elumalai, E.K., Viviyana Therasa, S., Senthilkumar, B., and David, E., 2010. **Ethnobotanical survey of folklore plants for the treatment of Jaundice and snakebites in vellore districts of Tamil Nadu, India**. Ethnobotanical leaflets, 14:529-36.
- Thiyagarajan, R., 1992. **Gunapadam Thathu-Seeva vaguppu**, 2<sup>nd</sup>, 3<sup>rd</sup> volume, Indian medicine and Homeopathy department, 4<sup>th</sup> edition, Chennai, 47.
- Trakranrungsie, N., Chatchawanchonteera, A., and Khunkitti, W., 2006. **Antidermatophytic activity of *Piper betel* cream**. Thai Journal of Pharmacol., 28(3), 16-20.
- Trease, G. E. and Evans, W. E., 2005. **Pharmacognosy**, 13<sup>th</sup> edition, Bailliere Tindall, London.
- Tripathi, R.D., Srivastava, H.S., Dixit, S.N., 1978. **A fungi toxic principle from the leaves of *Lawsonia inermis***. Experientia, 34:51-52.

- Trivedi N.P., and Rawal U.M., 2001. **Hepatoprotective and antioxidant property of *Andrographis paniculata* (Nees) in BHC induced liver damage in mice.** Indian J.Exp. Biol., 39(1): 41-46.
- Trivedi, N.P., Rawal, U.M., and Patel, B.P., 2007. **Hepatoprotective effect of andrographolide against hexachlorocyclohexane-induced oxidative injury.** Integr cancer Ther., 6:271-280.
- Tugnaiyat, A.K., Bhargava, M.K., Chandrapuria, V.P., Pandey, S.K., and Quadiri, M.A., 2000. **Efficacy of *Curcuma longa* and *Helianthus annuus* on tissue repair in claves.** Clinical and biochemical studies, Indian J. vet. Surg., 21(2):76-78.
- Uncini Manganelli, R.E., Camangi, F., and Tomei, P.E., 2001. **Curing animals with plants: traditional usage in Tuscany (Italy).** J.Ethnopharmacol., 78, 171.
- Upadhyay, B., Parveen, Dhaker, A.K., Kumar, A., 2010. **Ethnomedicinal and ethnopharmaco-statistical studies of eastern Rajasthan, India.** Journal of Ethnopharmacology, 4:129(1):64-86.
- Van der Merwe, D., Swan, G.E., and Btha, C.J., 2001. **Use of ethnoveterinary medicinal plants in cattle by Setswana-speaking people in the Madikwe area of the North West Province of South Africa.** J. of S.Afr.vet.Ass., 72(4): 189–196.
- Vaijayantimala, J., Rajendra Prasad, N., Pugalendi, K.V., 2001. **Antifungal activity of oils.** Indian J Microbiol., 41:325–328.
- Varier, V.P.S., 2004. **Indian medicinal plants-A compendium of 500 species.** Arya Vaidya sala, Kottakkal.
- Venugopal Pankajalakshmi, V., Venugopal Taralakshmi, V., 1994. **Antidermatophytic activity of neem (*Azadiracta indica*) leaves *in vitro*.** Indian J Pharmacol., 26:141–143.
- Viyoch, J., Kinthong, N., Siripassal, W., 2003. **Development of oil in water emulsion containing tamarind fruit pulp extract-Physical characteristics and stability of emulsion,** Naresuan. Univ. J., 11(3); 29-49.

- Wang, D., Sauriasari, R., Takemura, Y., Tsutsui, K., Masuoka, N., Sano, K., Horita, M., Wang, B.L., Ogino, K., 2007. **Cytotoxicity of lawsone and cytoprotective activity of antioxidants in catalase mutant *Escherichia coli***. *Toxicology*, 235:103-111.
- Wasim Raja, Ovais, M., and Amit Dubey, 2013. **Phytochemical screening and antibacterial activity of *Lawsonia inermis* leaf extracts**. *International journal of microbiology research*, 4(1): 33-36.
- Wendel, W.B., 1946. **The influence of naphthoquinones upon the respiratory and carbohydrate metabolism of malaria parasites**. *Fed Proc.*, 5:406-407.
- Westendarp, H., *Dtsch tierarzil Wochenschr.*, 2006. **Effects of tannins in animal nutrition**. *Dtsch Tierarzil Wochenschr*, 113(7):264.
- WHO monograph on selected medicinal plants**, 1998, Geneva, World Health Organisation, 12-21.
- Wiar, C., Kumar, K., Yusof, M.Y., Hamimah, H., Fauzi, Z.M., Sulaiman, M., 2005. **Antiviral properties of ent-labdene diterpenes of *Andrographis paniculata* Nees, Inhibitors of herpes simplex virus type 1**. *Phytothe. Res.*, 19:1069-1070.
- Wurochekke, A.U., Chechet, G., and Nok, A.J., 2004. ***In vitro* and *In vivo* anti-trypanosomal activity of the leaf of *Lawsonia inermis* against *Trypanosoma brucei* infection in mice**. *J. Medicinal Sci.*, 4:236-239.
- Wyk, B. E. V. and Wink, M. 2004. **Medicinal plants of the world: An illustrated scientific guide to important medicinal plants and their uses** (Times ed.) Singapore: Timber Press.
- Yasmin, M., Hossain, K.S., and Bashar, M.A., 2008. **Effects of some angiospermic plant extracts on *in vitro* vegetative growth of *Fusarium moniliforme***. *Bangladesh j. of Bot.*, 37(1):85-88.
- Yineger, H., Kelbessa, E., Bekele, T., and Lulekal, E., 2007. **Ethnoveterinary medicinal plants at Bale Mountains National Park, Ethiopia**. *J. Ethnopharmacol.*, 112: 55-70.

- Yogisha, S., Samiulla, D.S., Prashanth, D., Padmaja, R., Amit, A., 2002. **Trypsin inhibitory activity of *Lawsonia inermis***. *Fitoterapia*, 73:690-691.
- Yoopan, N., Thisoda, P., Rangkadilok, N., Sahasitiwat, S., Pholphana, N., Ruchirawat, S., Satayavivad, J., 2007. **Cardiovascular effects of 14-deoxy-11, 12-didehydroandrographolide and *Andrographis paniculata* extract**. *Planta Med.*, 73:503-511.
- Yosiokal, I., Inada, A., Kitagawa, I., 1974. **Structures of genuine sapogenol protobasic acid and a prosapogenol of seed kernel of *Madhuca indica***. *Tetrahedron.*, 30, 707-14.
- Yoshikawa, K., Tanka, M., Arihara, S., Pal, B.S., Roy, S.K., 2000. **Matsumura E, Katayama S, New oleanene triterpenoid saponins from *Madhuca indica***. *J.Nat. Prod.*, 63, 1679-81.
- Zaidan, M.R., Noor Rain, A., Bandrula, A.R., Adlin, A., Norazah, A., Zakiah, I., 2005. ***In vitro* screening of five local medicinal plants for antibacterial activity using disc diffusion method**. *Trop Biomed.*, 22:165-170.
- Zia-Ud-Din Sindhu, Zafar Iqbal, Muhammad Nisar Khan, Jonsson, N.N., and Muhammad Siddique., 2010. **Documentation of Ethnoveterinary Practices Used for Treatment of Different Ailments in a Selected Hilly Area of Pakistan**. *International Journal of Agriculture and Biology*, 09-465-3:353-358.
- Zhang, C. Y., and Tan, B. K., 1996. **Hypotensive activity of aqueous extract of *Andrographis paniculata* in rats**. *Clin Exp Pharmacol Physiol.*, 23(8):675-678.
- Zhang, X.F., and Tan, B. K., 2000. **Antihyperglycaemic and anti-oxidant properties of *Andrographis paniculata* in normal and diabetic rats**. *Clinical experimental pharmacology and physiology*, 27: 358-363.
- Zhao, H.Y., and Fang, W.Y., 1991. **Antithrombotic effects of *Andrographis paniculata* Nees. In preventing myocardial infarction**. *Chin Med J.*, 104(9):770-775.

Zhou, J., Zhang, S., Ong, C.N., Shen, H.M., 2006. **Critical role of proapoptotic Bcl-2 family members in andrographolide-induced apoptosis in human cancer cells.** *J. Biochem. Pharmacol.*, 72:132-144.

Zschocke, S., Rabe, T., Taylor, J.L.S., Jager, A.K., and van Staden, J., 2000. **Plant part substitution- a way to conserve endangered medicinal plants.** *J. Ethnopharmacol.*, 71: 281-292.