

References

References :

- Agatonovic-Kustrin, S., Morton, D. W., & Yusof, A. P. M. (2013). The use of Fourier transform infrared (FTIR) spectroscopy and artificial neural networks (ANNs) to assess wine quality. *Modern Chemistry & Applications* 1:110.
- Ahmed, S. (2012). Analgesic and neuropharmacological activities of the ethanolic extract of leaves of *Kalanchoe pinnata* (Lam.) Pers. in Swiss Albino mice. Doctoral dissertation, East West University.
- Ajanal, M., Gundkalle, M. B., & Nayak, S. U. (2012). Estimation of total alkaloid in Chitrakadivati by UV-Spectrophotometer. *Ancient science of life*, 31(4), 198.
- Akbar, S., Hanif, U., Ali, J., & Ishtiaq, S. (2014). Pharmacognostic studies of stem, roots and leaves of *Malva parviflora L.* Asian Pacific journal of tropical biomedicine, 4(5), 410-415.
- Akhir, N. A. M., Chua, L. S., Majid, F. A. A., & Sarmidi, M. R. (2011). Cytotoxicity of aqueous and ethanolic extracts of *Ficus deltoidea* on human ovarian carcinoma cell line. British Journal of Medicine and Medical Research, 1(4), 397.
- Akinmoladun, A. C., Ibukun, E. O., Afor, E., Obuotor, E. M., & Farombi, E. O. (2007). Phytochemical constituent and antioxidant activity of extract from the leaves of *Ocimum gratissimum*. *Scientific Research and Essays*, 2(5), 163-166.
- Akyuz, E., Şahin, H., Islamoglu, F., Kolayli, S., & Sandra, P. (2014). Evaluation of phenolic compounds in *Tilia rubra* sub.sp. *caucasica* by HPLC-UV and HPLC-UV-MS/MS. *International journal of food properties*, 17(2), 331-343.
- Alitonou, G. A., Tchobo, F. P., Sessou, P., Avlessi, F., Menut, C., & Sohouounhloue, D. C. (2013). Chemical composition, antiradical and antiinflammatory activities of four Annonaceae from Benin. *Int J Pharmaceut Chem Biol Sci*, 3, 914-923.
- Almeida, M. M. B., de Sousa, P. H. M., Arriaga, Â. M. C., do Prado, G. M., de Carvalho Magalhães, C. E., Maia, G. A., & de Lemos, T. L. G. (2011).

- Bioactive compounds and antioxidant activity of fresh exotic fruits from northeastern Brazil. *Food Research International*, 44(7), 2155-2159.
- Althaf Faimum, D., Sudaroli, M., & Mohammed Salman, I. (2013). In Vitro anti-inflammatory activity of *Vitex leucoxylon* Linn. leaves by HRBC membrane stabilization. *International Journal Of Pharmacy & Life Sciences*, 4(1).
- Amarowicz, R., Pegg, R. B., Kolodziejczyk, P. P., & Oszmiański, J. (2004). Trihydroxyflavones from *Scutellaria baicalensis*: Separation by a facile MEKC technique and comparison to an analytical HPLC method. *Journal of liquid chromatography & related technologies*, 27(18), 2847-2860.
- American Cancer Society. Phytochemicals. Available at http://www.cancer.org/eprise/main/docroot/ETO/content/ETO_5_3X_Photochemicals, June 2000.
- Amponsah, I. K., Mensah, A. Y., Ampofo, E. K., Bekoe, S. O., Sarpong, F. M., & Jibira, Y. (2016). Pharmacognostic studies of the leaves and seeds of *Cassia occidentalis* (Linn.) (Leguminosae). *Journal of Pharmacognosy and Phytochemistry*, 5(3), 250.
- Angelina, M., Dewijanti, I. D., Banjarnahor, S. D. S., & Yuliani, T. (2012). Acute Toxicity Studies of *Brucea javanica* merril leaves extract on mice. *Journal of Tropical Life Science*, 2(2), 29-31.
- Anosike, C. A., Obidoa, O., & Ezeanyika, L. U. (2012). Membrane stabilization as a mechanism of the anti-inflammatory activity of methanol extract of garden egg (*Solanum aethiopicum*). *DARU Journal of Pharmaceutical Sciences*, 20(1), 76.
- Arceusz, A., Radecka, I., & Wesolowski, M. (2010). Identification of diversity in elements content in medicinal plants belonging to different plant families. *Food chemistry*, 120(1), 52-58.
- Archana, K., Jeyamanikandan, V. (2015). *In vitro* antibacterial, antioxidant and α -amylase inhibition activity of medicinal plants. *J Chem Pharm Res*, 7(4): 1634-1639.

- Arora, D., & Sharma, A. (2012). Pharmacognostic and Phytochemical Studies of *Stellaria media* Linn. *Journal of Pharmaceutical Sciences and Research*, 4(5), 1819.
- Ashokkumar R., & Ramaswamy, M. (2014). Phytochemical screening by FTIR spectroscopic analysis of leaf extracts of selected Indian Medicinal plants. *Journal of Current Microbiology and Applied Sciences*, 3(1), 395-406.
- Asmawi, M. Z., Kankaanranta, H., Moilanen, E., & Vapaatalo, H. (1993). Anti-inflammatory activities of *Emblica officinalis* Gaertn leaf extracts. *Journal of Pharmacy and Pharmacology*, 45(6), 581-584.
- Ayitey-Smith, E., & Addae-Mensah, I. (1977). Phytochemical, nutritional and medical properties of some leafy vegetables consumed by Edo people of Nigeria. *W. Afr. J. Pharmacol. Drug Res*, 4, 7-8.
- Azeem, A. K., Dilip, C., Prasanth, S. S., Shahima, V. J. H., Sajeev, K., & Naseera, C. (2010). Anti-inflammatory activity of the glandular extracts of *Thunnus alalunga*. *Asian Pacific Journal of Tropical Medicine*, 3(10), 794-796.
- Balaji, K., Kilimozhi, D., & Parthasarathy, V. (2014). GC-MS analysis of various extracts of *Clerodendrum phlomidis* leaf. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(1), 226-232.
- Balamurugan, K., Nishanthini, A., & Mohan, V. R. (2012). GC-MS analysis of *Polycarpaea corymbosa* (L.) Lam whole plant. *Asian Pacific Journal of Tropical Biomedicine*, 2(3), S1289-S1292.
- Banerjee, A., & Ganguly, S. (2014). Medicinal importance of *Hemidesmus indicus*: a review on its utilities from ancient Ayurveda to 20th Century. *Advances in Bioreserach*, 5(3), 208-213.
- Banerjee, P., Satapathy, M., Mukhopahayay, A., & Das, P. (2014). Leaf extract mediated green synthesis of silver nanoparticles from widely available Indian plants: synthesis, characterization, antimicrobial property and toxicity analysis. *Bioresources and Bioprocessing*, 1(1), 3.

- Bapodara, M., Nagani, K., & Chanda, S. (2011). Pharmacognostic and physicochemical study of *Punica granatum* L. leaf. *Pharmacognosy Journal*, 3(21), 29-32.
- Benni, J. M., Jayanthi, M. K., & Suresha, R. N. (2011). Evaluation of the anti-inflammatory activity of *Aegle marmelos* (Bilwa) root. *Indian journal of Pharmacology*, 43(4), 393.
- Berridge, M. V., Herst, P. M., & Tan, A. S. (2005). Tetrazolium dyes as tools in cell biology: new insights into their cellular reduction. *Biotechnology annual review*, 11, 127-152.
- Bethu, M. S. (2017). Biofabrication of silver nanoparticles using leaves of *Gloriosa superba* and its anticancer properties. *Asian Journal of Pharmaceutical and Clinical Research*, 65-69.
- Betz, J. M., Gay, M. L., Mossoba, M. M., Adams, S., & Portz, B. S. (1997). Chiral gas chromatographic determination of ephedrine-type alkaloids in dietary supplements containing Má Huáng. *Journal of AOAC International*, 80(2), 303-315.
- Bhatt, D. R., Jethva, K., & Zaveri, M. N. (2016). In-Vitro Cytotoxicity Study of Some Indigenous Medicinal Plants on Vero Cell Line. *International Journal of Pharmaceutical Sciences Review and Research* 37(2):130-133.
- Bhattacharjee, S.K. (2004). *Handbook of Aromatic Plants*.2nd edition. Pointer Publishers, Jaipur 302003, India. 544.
- Bhattacharya, A., Prasad, A. K., & Maity, J. (2003). Himanshu, Poonam, CE Olsen, RA Gross, VS Parmar. *Tetrahedron*, 59, 10269.
- Bibi, Y., Nisa, S., Chaudhary, F. M., & Zia, M. (2011). Antibacterial activity of some selected medicinal plants of Pakistan. *BMC complementary and alternative medicine*, 11(1), 52.
- Botanical Survey of India, (2002). Studies on rare and endangered species. Retrieved from <http://envfor.nic.in/bsi/reseaach.html>.

Bown, D. (1995). Encyclopedia of Herbs and Their Uses. Dorling Kindersley, London 55 – 63.

C Recio, M., Andujar, I., & L Rios, J. (2012). Anti-inflammatory agents from plants: progress and potential. *Current medicinal chemistry*, 19(14), 2088-2103.

Cabrera, C., Gallego, C., Lopez, M. C., Lorenzo, M. L., & Lillo, E. (1994). Determination of levels of lead contamination in food and feed crops. *Journal of AOAC International*, 77(5), 1249-1252.

Calixto, J. B., Campos, M. M., Otuki, M. F., & Santos, A. R. (2004). Anti-inflammatory compounds of plant origin. Part II. Modulation of pro-inflammatory cytokines, chemokines and adhesion molecules. *Planta medica*, 70(02), 93-103.

Cayuela, M. M. (1995). Oxygen Free Radicals and Human Disease, *Biochemie*, 147-161.

Chauhan, R., Ibrahim, M., Narayanan, S., & Abraham, J. (2014). Cytotoxic Effect On Human Osteosarcoma Cell Line Mg-63 and Antimicrobial Activity On Clinical Pathogens By Plant Mediated Silver Nanoparticles, 4(1), 1012-1027.

Chavan, S. S., Shamkuwar, P. B., Damale, M. G., & Pawar, D. P. (2014). A comprehensive review on *Annona reticulata*. *International Journal of Pharmaceutical Sciences and Research*, 5(1), 45.

Chen, S. L., Yu, H., Luo, H. M., Wu, Q., Li, C. F., & Steinmetz, A. (2016). Conservation and sustainable use of medicinal plants: problems, progress, and prospects. *Chinese medicine*, 11(1), 37.

Chithra, K., Shaji, C., & Binu, T. (2016). Evaluation of major phytochemical constituents of two edible fruit yielding species of Annonaceae: *Annona muricata L.* and *Annona reticulata L.* *J Med Plants Stud*, 4(44), 198-202.

Choi, K. Y., Jung, E., Jung, D. H., Pandey, B. P., Yun, H., Park, H. Y., & Kim, B. G. (2012). Cloning, expression and characterization of CYP102D1, a self-sufficient P450 monooxygenase from *Streptomyces avermitilis*. *The FEBS journal*, 279(9), 1650-1662.

- Chowdhury, A., Al Mamun, A., Rahman, S., Azam, S., Shams, K., & Jainul, A. (2013). Human red blood cell membrane stability testing for the estimation of anti-inflammatory activity of methanolic extract of *Millettia pachycarpa* Benth leaves. International Journal of Pharmaceutical Sciences and Research, 4(12), 4587.
- Chowdhury, A., Azam, S., Jainul, M. A., Faruq, K. O., & Islam, A. (2014). Antibacterial activities and in vitro anti-inflammatory (Membrane Stability) properties of methanolic extracts of *Gardenia coronaria* Leaves. International journal of microbiology, 2014.
- Chu, Y. H., Chang, C. L., & Hsu, H. F. (2000). Flavonoid content of several vegetables and their antioxidant activity. Journal of the Science of Food and Agriculture, 80(5), 561-566.
- Chukwuka, K. S., Ikheloa, J. O., Okonko, I. O., Moody, J. O., & Mankinde, T. A. (2011). The antimicrobial activities of some medicinal plants on *Escherichia coli* as an agent of diarrhea in livestock. *Adv. Appl. Sci. Res.*, 2(4), 37-48.
- Chuparina, E. V., & Aisueva, T. S. (2011). Determination of heavy metal levels in medicinal plant *Hemerocallis minor* Miller by X-ray fluorescence spectrometry. Environmental Chemistry Letters, 9(1), 19-23.
- Conserva, L. M., & Jesu Costa Ferreira, J. (2012). *Borreria* and *Spermacoce* species (Rubiaceae): A review of their ethnomedicinal properties, chemical constituents, and biological activities. *Pharmacognosy reviews*, 6(11), 46.
- Correa-Gordillo, J., Ortiz, D., Larrahondo, J. E., Sánchez-Mejía, M., & Pachón, H. (2012). Antioxidant activity in soursop (*Annona muricata* L.): A literature review. BLACPMA, 11(2), 111-26.
- Coussens, L. M., & Werb, Z. (2002). Inflammation and cancer. Nature, 420(6917), 860.
- C Recio, M., Andujar, I., & L Rios, J. (2012). Anti-inflammatory agents from plants: progress and potential. Current medicinal chemistry, 19(14), 2088-2103.

- Croteau, R., Kutchan, T. M., & Lewis, N. G. (2000). Natural products (secondary metabolites). *Biochemistry and molecular biology of plants*, 24, 1250-1319.
- Dambatta, S. H., & Aliyu, B. S. (2011). A survey of major ethno medicinal plants of Kano north, Nigeria, their knowledge and uses by traditional healers. *Bayero Journal of Pure and Applied Sciences*, 4(2), 28-34.
- Das, B. K., Al-Amin, M. M., Russel, S. M., Kabir, S., Bhattacherjee, R., & Hannan, J. M. A. (2014). Phytochemical screening and evaluation of analgesic activity of *Oroxylum indicum*. *Indian journal of pharmaceutical sciences*, 76(6), 571.
- De, P., Sarkar, S., & Mukhopadhyay, M. J. (2017). Study the antioxidant and In vitro Anti-inflammatory activity by membrane stabilization method of *Amaranthus gangeticus* leaf extract. *Journal of Pharmacognosy and Phytochemistry*, 6(4), 103-105.
- Decker, E. A., Warner, K., Richards, M. P., & Shahidi, F. (2005). Measuring antioxidant effectiveness in food. *Journal of agricultural and food chemistry*, 53(10), 4303-4310.
- Denizot, F., & Lang, R. (1986). Rapid colorimetric assay for cell growth and survival: modifications to the tetrazolium dye procedure giving improved sensitivity and reliability. *Journal of immunological methods*, 89(2), 271-277.
- Devi, K. P., Sreepriya, M., Devaki, T., & Balakrishna, K. (2003). Antinociceptive and hypnotic effects of *Premna tomentosa* L.(Verbenaceae) in experimental animals. *Pharmacology Biochemistry and Behavior*, 75(2), 261-264.
- Dewick, P. M., (1996). Tumor inhibition from plants, Trease and Evans, 210-214.
- Dhivya, S. M., & Kalaichelvi, K. (2017). UV-VIS Spectroscopic and FTIR Analysis of *Sarcostemma brevistigma* Wight. and Arn. *Int J Curr Pharm Res*, 9(3), 46-49.

- Diehl, M. S., Atindehou, K. K., Téré, H., & Betschart, B. (2004). Prospect for anthelminthic plants in the Ivory Coast using ethnobotanical criteria. *Journal of Ethnopharmacology*, 95(2-3), 277-284.
- Du, C. T., Wang, P. L., & Francis, F. J. (1975). Anthocyanins of pomegranate, *Punica granatum*. *Journal of Food Science*, 40(2), 417-418.
- Du, G., Li, M., Ma, F., & Liang, D. (2009). Antioxidant capacity and the relationship with polyphenol and vitamin C in Actinidia fruits. *Food Chemistry*, 113(2), 557-562.
- Dunbabin, D. W., Tallis, G. A., Popplewell, P. Y., & Lee, R. A. (1992). Lead poisoning from Indian herbal medicine (Ayurveda). *Medical Journal of Australia*, 157(11), 835-836.
- Ecobichon, D. J. (1997). *The basis of toxicity testing*. CRC press.
- Eddy, N. B., & Leimbach, D. (1953). Synthetic analgesics. II. Dithienylbutenyl-and dithienylbutylamines. *Journal of Pharmacology and Experimental Therapeutics*, 107(3), 385-393.
- Egon Stahl. (1965). *Thin Layer Chromatography*, Springer-verlag, Berlin 1, 873.
- Elisabetsky, E., Amador, T. A., Albuquerque, R. R., Nunes, D. S., & do CT Carvalho, A. (1995). Analgesic activity of *Psychotria colorata* (Willd. ex R. & S.) Muell. Arg. alkaloids. *Journal of Ethnopharmacology*, 48(2), 77-83.
- El-Nemr, S. E., Ismail, I. A., & Ragab, M. (1990). Chemical composition of juice and seeds of pomegranate fruit. *Food/Nahrung*, 34(7), 601-606.
- Ezeonu, C. S., & Ejikeme, C. M. (2016). Qualitative and quantitative determination of phytochemical contents of indigenous Nigerian softwoods. *New Journal of Science*, 9.
- Fadel, Q. J., & Al-Mashhedy, L. A. M. (2017). Biosynthesis of silver nanoparticles using peel extract of *Raphanus sativus* L. *Biotechnol Ind J*, 13(1), 120.
- Finkel, T., & Holbrook, N. J. (2000). Oxidants, oxidative stress and the biology of ageing. *nature*, 408(6809), 239.

- Florence, T. M. (1995). The role of free radicals in disease. Australian and New Zealand Journal of Ophthalmology, 23(1), 3-7.
- Fofana, S., Keita, A., Balde, S., Ziyaev, R., & Aripova, S.F. (2012). Alkaloids from leaves of *Annona muricata*. *Chem Nat Compd*, 48(4).714–714.
- Gacche, R., Shaikh, R., Pund, M., & Deshmukh, R. (2011). Cyclooxygenase inhibitory, cytotoxicity and free radical scavenging activities of selected medicinal plants used in Indian traditional medicine. *Pharmacognosy Journal*, 3(19), 57-64.
- Gajalakshmi, S., Divya, R., Divya, V., Mythili, S., & Sathiavelu, A. (2011). Pharmacological activities of *Annona squamosa*: A review. *International Journal of Pharmaceutical Sciences Review and Research*, 10(2), 24-29.
- Gaur, A., & Adholeya, A. (2004). Prospects of arbuscular mycorrhizal fungi in phytoremediation of heavy metal contaminated soils. *Current Science*, 528-534.
- Gavamukulya, Y., Wamunyokoli, F., & El-Shemy, H. A. (2017). *Annona muricata*: Is the natural therapy to most disease conditions including cancer growing in our backyard? A systematic review of its research history and future prospects. *Asian Pacific journal of tropical medicine*, 10(9), 835-848.
- Gavamukulya, Y., Abou-Elella, F., Wamunyokoli, F., & El-Shemy, H. (2014). Phytochemical screening, anti-oxidant activity and in vitro anticancer potential of ethanolic and water leaves extracts of *Annona muricata* (Graviola). *Asian Pacific journal of tropical medicine*, 7, S355-S363.
- Gbaguidi, B. A., Adjou, E. S., Koutchiko, A., Dahouenon-Ahoussi, E., Sezan, A., & Dominique, S. (2017). Phytochemical and acute toxicity of ethanolic extract from leaves of *Annona muricata* (L.) from Benin in experimental albino rats. *IJCS*, 5(6), 39-41.
- Gelfand, M. et al. (1985). The traditional medical practitioner in Zimbabwe. Gweru: Mambo Press.

- George, V. C., Kumar, D. R., Rajkumar, V., Suresh, P. K., & Kumar, R. A. (2012). Quantitative assessment of the relative antineoplastic potential of the n-butanolic leaf extract of *Annona muricata* Linn. in normal and immortalized human cell lines. *Asian Pacific Journal of Cancer Prevention*, 13(2), 699-704.
- Gil, M. I., Tomás-Barberán, F. A., Hess-Pierce, B., Holcroft, D. M., & Kader, A. A. (2000). Antioxidant activity of pomegranate juice and its relationship with phenolic composition and processing. *Journal of Agricultural and Food chemistry*, 48(10), 4581-4589.
- Gomathi, D., Kalaiselvi, M., Ravikumar, G., Sophia, D., Gopalakrishnan, V. K., & Uma, C. (2012). Secondary metabolite credentials of *Evolvulus alsinoides* by high performance thin layer chromatography (HPTLC). *Journal of biomedical research*, 26(4), 295-302.
- Gonzalez, C. E., Venzon, D., Lee, S., Mueller, B. U., Pizzo, P. A., & Walsh, T. J. (1996). Risk factors for fungemia in children infected with human immunodeficiency virus: a case-control study. *Clinical infectious diseases*, 23(3), 515-521.
- Graybill, J. R. (1988). Systemic fungal infections: diagnosis and treatment. I. Therapeutic agents. *Infectious disease clinics of North America*, 2(4), 805-825.
- Grbović, F., Stanković, M., Ćurčić, M., Đorđević, N., Šeklić, D., Topuzović, M., & Marković, S. (2013). In vitro cytotoxic activity of *Origanum vulgare* L. on HCT-116 and MDA-MB-231 cell lines. *Plants*, 2(3), 371-378.
- Greenwell, M., & Rahman, P. K. S. M. (2015). Medicinal plants: their use in anticancer treatment. *International journal of pharmaceutical sciences and research*, 6(10), 4103.
- Grover, N., & Patni, V. (2013). Phytochemical characterization using various solvent extracts and GC-MS analysis of methanolic extract of *Woodfordia fruticosa* (L) Kurz. Leaves. *International Journal of Pharmacy and Pharmaceutical Sciences*, 5(4), 291-295.

- Gul, M. Z., Ahmad, F., Kondapi, A. K., Qureshi, I. A., & Ghazi, I. A. (2013). Antioxidant and antiproliferative activities of Abrus precatorius leaf extracts-an in vitro study. BMC Complementary and Alternative Medicine, 13(1), 53.
- Gul, R., Jan, S. U., Faridullah, S., Sherani, S., & Jahan, N. (2017). Preliminary phytochemical screening, quantitative analysis of alkaloids, and antioxidant activity of crude plant extracts from *Ephedra intermedia* indigenous to Balochistan. The Scientific World Journal, 2017, 7 pages.
- Gupta, J., & Gupta, A. (2015). Isolation and extraction of flavonoid from the leaves of *Rauwolfia serpentina* and evaluation of DPPH-scavenging antioxidant potential. Oriental Journal of Chemistry, 31(Special Issue 1 (2015)), 231-235.
- Hafiza, R. E. (2000). Peptides antibiotics. Lancet, 349, 418-422.
- Hajhashemi, V., Ghannadi, A., & Sharif, B. (2003). Anti-inflammatory and analgesic properties of the leaf extracts and essential oil of *Lavandula angustifolia* Mill. Journal of ethnopharmacology, 89(1), 67-71.
- Hallett, M., Albanese, A., Dressler, D., Segal, K. R., Simpson, D. M., Truong, D., & Jankovic, J. (2013). Evidence-based review and assessment of botulinum neurotoxin for the treatment of movement disorders. Toxicon, 67, 94-114.
- Hammond, J. A., Fielding, D., & Bishop, S. C. (1997). Prospects for plant anthelmintics in tropical veterinary medicine. Veterinary research communications, 21(3), 213-228.
- Harborne, A. J. (1998). Phytochemical methods a guide to modern techniques of plant analysis.springer science & business media.
- Hartwell, J. L. (1982). Plants used against cancer (A survey). Quarter man Publications. Inc. Lawrence, Massachusetts, 408.
- Hasrat, J. A., Pieters, L., De Backer, J. P., Vauquelin, G., & Vlietinck, A. J. (1997). Screening of medicinal plants from Suriname for 5-HT1A ligands:

- Bioactive isoquinoline alkaloids from the fruit of *Annona muricata*. *Phytomedicine*, 4(2), 133-140.
- Hassanpouraghdam, M.B., G.R. Gohari, S.J.Tabatabaei and D.M. Reza. (2010). Sastav etarskog ulja cvasti i listova bosiljka gajenog hidroponično. *J Serb Chem Soc* 75: 1361-1368.
- Hazra, K. M., Roy, R. N., Sen, S. K., & Laskar, S. (2007). Isolation of antibacterial pentahydroxy flavones from the seeds of *Mimusops elengi* Linn. *African journal of Biotechnology*, 6(12)1446-1449.
- Hema, R., Kumaravel, S., Gomathi, S., & Sivasubramaniam, C. (2010). Gas chromatography-Mass Spectroscopic analysis of *Lawsonia inermis* leaves. *Life Science Journal-Acta Zhengzhou University Overseas Edition*, 7(4), 48-50.
- Herrmann, M., Lorenz, H. M., Voll, R., Grunke, M., Woith, W.,&Kalden, J. R. (1994). A rapid and simple method for the isolation of apoptotic DNA fragments. *Nucleic Acids Res*, 22:5506-7.
- Horst, M. A., & Lajolo, F. M. (2012). Biodisponibilidade de compostos bioativos de alimentos. 2011.
- Huerta, C., Castellsague, J., Varas-Lorenzo, C., & Rodríguez, L. A. G. (2005). Nonsteroidal anti-inflammatory drugs and risk of ARF in the general population. *American Journal of Kidney Diseases*, 45(3), 531-539.
- Hukkeri, V. I., Nagathan, C. V., Karadi, R. V., & Patil, B. S. (2006). Antipyretic and wound healing activities of *Moringa oleifera* Lam. in rats. *Indian journal of pharmaceutical sciences*, 68(1), 124.
- Iqbal, A. A. M., Khan, F. A. K., & Khan, M. (2013). Ethno-Phyto-Pharmacological Overview on *Rauwolfia tetraphylla* L. *Int. J. Pharm. Phytopharmacol. Res*, 2(4), 247-251.
- Ishola, I. O., Awodele, O., Olusayero, A. M., &Ochieng, C. O. (2014). Mechanisms of analgesic and anti-inflammatory properties of *Annona muricata*

- Linn.(Annonaceae) fruit extract in rodents. *Journal of medicinal food*, 17(12), 1375-1382.
- Itelima, J. U., Agina, S. E., & Pandukur, S. G. (2017). Antimicrobial activity of selected plant species and antibiotic drugs against *Escherichia coli* O157:H7, African Journal of Microbiology Research Vol. 11(20), pp. 792-803.
- Ito, N., Hirose, M., Fukushima, S., Tsuda, H., Shirai, T., & Tatematsu, M. (1986). Studies on antioxidants: their carcinogenic and modifying effects on chemical carcinogenesis. *Food and Chemical Toxicology*, 24(10-11), 1071-1082.
- Jacques, A. C., Pertuzatti, P. B., Barcia, M. T., & Zambiazi, R. C. (2009). Nota científica: compostos bioativos em pequenas frutas cultivadas na região sul do Estado do Rio Grande do Sul. *Braz. J. Food Technol*, 12(2), 123-127.
- Jadon, R., & Dixit, S. (2014). Phytochemical extraction and antimicrobial activity of some medicinal plants on different microbial strains. *Journal of Medicinal Plants Studies*, 2(3), 58-63.
- Jagathes Kumar, S., Ashok Kumar, R., Uma, G., Subbaiyan, B., Aravindhan, V., & Balasubramaniam, V. (2015). Survey and documentation of commercially sold medicinal plants in local markets of Velliangiri hills (Poondi), Coimbatore District, Tamil Nadu, India. *International Journal of Recent Advances in Multidisciplinary Research*, 2(12), 1047-1055.
- Javid, T., Adnan, M., Tariq, A., Akhtar, B., Ullah, R., & El Salam, N. A. (2015). Antimicrobial activity of three medicinal plants (*Artemisia indica*, *Medicago falcate* and *Tecoma stans*). *African Journal of Traditional, Complementary and Alternative Medicines*, 12(3), 91-96.
- Jayanthi, A., Deepak, M., & Remashree, A. B. (2013). Pharmacognostic characterization and comparison of fruits of *Tribulus terrestris* L. and *Pedalium murex* L. *International Journal of Herbal Medicine* 1(4), 29-34.

- Jayapriya, G., & Shoba, F. G. (2015). GC-MS analysis of bio-active compounds in methanolic leaf extracts of *Justicia adhatoda* (Linn.). *Journal of Pharmacognosy and Phytochemistry*, 4(1).
- Jha, O. P., Ghosh, P. K., & Singh, B. P. (1984). Chemical Investigation of *Mollugo pentaphylla*. *Journal Of The Indian Chemical Society*, 61(1), 93-94.
- Joseph, L., & George, M. (2011). Pharmacognostical profiling of *Geranium ocellatum* leaves. *Int J Aromat Med Plants*, 3, 351-4.
- Joshi, K., Chavan, P., Warude, D., & Patwardhan, B. (2004). Molecular markers in herbal drug technology. *Current science*, 159-165.
- Jossang, A., Jacquemin, H., Pousset, J. L., & Cave, A. (1981). Alkaloids of *Borreria capitata*. *Planta Med*, 43:301-4.
- Jossang, A., Jacquemin, H., Pousset, J. L., Cave, A., Damak, M., & Riche, C. (1977). Structure of Borrelidine, New indole alkaloid. *Tetrahedron Letters*, (14), 1219-1220.
- Kala, C. P., Dhyani, P. P., & Sajwan, B. S. (2006). Developing the medicinal plants sector in northern India: challenges and opportunities. N *Journal of Ethnobiology and Ethnomedicine*, 2(1), 32.
- Karayil, S., Bhavani, C., & Vivek, C. (2014). Heavy Metal Analysis from Traditionally used Herb *Ceropogia juncea* (Roxb.). OSR Journal of Pharmacy.(Online), 4(12), 7-11.
- Karthika, C., Yogeshwari, G., Muruganantham, K., & Manivannan, S. (2016). Phytochemical Analysis Of *Ruellia Patula* Using Gas Chromatography-Mass Spectrometry. *Phytochemical Analysis*, 9(2).
- Karthikeyani, T. P., & Janardhanan, K. (2003). Indigenous Medicine for snake, scorpion and insect bites/stings in Siruvani hills Western Ghats, South India. *Asian Journal of Microbiology biotechnology and environmental sciences*, 5(4), 467-470.

- Kaur, A. (2018). Pharmacobotanical and pharmacological evaluation of ayurvedic crude drug: *Rauwolfia serpentina* (Apocynaceae). International Journal of Green Pharmacy (IJGP), 11(04).
- Keat, N. B., Umar, R. U., Lajis, N. H., Chen, T. Y., Li, T. Y., Rahmani, M., & Sukari, M. A. (2010). Chemical Constituents From Two Weed Species Of Spermacoce (RUBIACEAE). *Malaysian Journal of Analytical Sciences*, 14(1), 6-11.
- Kedarnath, N. K., Surekha, R. S., Mahantesh, S. P., & Patil, C. S. (2012). Phytochemical screening and antimicrobial activity of Aloe vera. World Res. J. Med. Aromat. Plants, 1(1), 11-13.
- Khan, M. A., Ahmad, I., & Rahman, I. U. (2007). Effect of environmental pollution on heavy metals content of *Withania somnifera*. Journal of the Chinese Chemical Society, 54(2), 339-343.
- Khan, S. A., Khan, L., Hussain, I., Marwat, K. B., & Akhtar, N. (2008). Profile of heavy metals in selected medicinal plants. Pakistan Journal of Weed Science Research, 14(1-2), 101-110.
- Khandelwal, K. R. (2003) Practical pharmacognosy: techniques and experiments. 10th ed. Pune: Niraliprakashan, 149-161.
- Kifayatullah, M., Mustafa, M. S., Sengupta, P., Sarker, M. M. R., Das, A., & Das, S. K. (2015). Evaluation of the acute and sub-acute toxicity of the ethanolic extract of *Pericampylus glaucus* (Lam.) Merr. in BALB/c mice. Journal of Acute Disease, 4(4), 309-315.
- Kingston, D. (1992). Taxol and other anticancer agents from plants. IBC Technical Services Ltd., London New Drugs from Natural Sources, 101-119.
- Klaassen, C. D., & Amdur, M. O. (Eds.). (2013). Casarett and Doull's toxicology: the basic science of poisons New York: McGraw-Hill. (Vol. 1236). p. 13
- Kokate, C. K. (2005). A Textbook for Practical Pharmacognosy. 5th Ed edn.
- Kokate, C. K., Purohit, A. P., & Gokhale, S. B. (1998). Phasrmacognosy, D.K. Furia, Nirali.

- Kokate, C. K., Purohit, A. P., & Gokhale, S. B. (2010). *Pharmacognosy* Nirali Prakashan Pune. Forty Fifth Edition June, 1-142.
- Kokate, C.K., Purohit, A.P., &Gokhale. S.B. (2006). *Pharmacognosy*.34th Edn.Nirali Prakashan, Pune, India.
- Korfali, S. I., Hawi, T., & Mroueh, M. (2013).Evaluation of heavy metals content in dietary supplements in Lebanon.*Chemistry Central Journal*, 7(1), 10.
- Kubmarawa, D., Ajoku, G. A., Enwerem, N. M., & Okorie, D. A. (2007). Preliminary phytochemical and antimicrobial screening of 50 medicinal plants from Nigeria. *African Journal of Biotechnology*, 6(14).
- Kumar, C. D. (2007). Pharmacognosy can help minimize accidental misuse of herbal medicine. *Current Science*, 93(10), 1356-1358.
- Kumar, D., Kumar, S., Kohli, S., Arya, R., & Gupta, J. (2011).Antidiabetic activity of methanolic bark extract of *Albiziaodor atissima* Benth. inalloxan induced diabetic albino mice. *Asian Pacific journal of tropical medicine*, 4(11), 900-903.
- Kumar, J. A., Rekha, T., Devi, S. S., Kannan, M., Jaswanth, A., & Gopal, V. (2010). Insecticidal activity of ethanolic extract of leaves of *Annona squamosa*. *Journal of chemical and pharmaceutical Research*, 2(5), 177-180.
- Kumar, S., & Venkatarathanamma, V. (2015).Antipyretic Activity of *Annona* Plants Leaves on BREWERâ€™ S Yeast Induced Febrile Rats. *Asian Journal of Pharmaceutical and clinical research*, 210-212.
- Kumar, S., Kumar, V., & Prakash, O. M. (2011). Pharmacognostic study and anti-inflammatory activity of *Callistemon lanceolatus* leaf. *Asian pacific journal of tropical biomedicine*, 1(3), 177-181.
- Kumari, K., & Gupta, S. (2013). Phytopotential of *Catharanthus roseus* L.(G.) Don. var.“Rosea” and “Alba” against various pathogenic microbes in vitro.*Int J Res Pure ApplMicrobiol*, 3(3), 77-82.
- Kumawat, R. K., Kumar, S., & Sharma, S. (2012). Evaluation of analgesic activity of various extracts of *Sida tiagii* Bhandari. *Acta Pol Pharm*, 69, 1103-1109.

- Kundu, S., Roy, S., & Lyndem, L. M. (2014). Broad spectrum anthelmintic potential of Cassia plants. *Asian Pacific journal of tropical biomedicine*, 4, S436-S441.
- Kusuma, I. W., Arung, E. T., & Kim, Y. U. (2014). Antimicrobial and antioxidant properties of medicinal plants used by the Bentian tribe from Indonesia. *Food Science and Human Wellness*, 3(3-4), 191-196.
- Lannuzel, A., Michel, P. P., Caparros-Lefebvre, D., Abaul, J., Hocquemiller, R., & Ruberg, M. (2002). Toxicity of Annonaceae for dopaminergic neurons: potential role in atypical parkinsonism in Guadeloupe. *Movement Disorders*, 17(1), 84-90.
- Lansdown, R., & Yule, W. (1986). Lead toxicity: History and environmental impact. Johns Hopkins University Press.
- Lansky, E.; Shubert, S.; Neeman, I. (1998). Pharmacological and therapeutical properties of pomegranate. In Proceedings 1st International Symposium on Pomegranate; Megarejo, P.; Martínez, J. J.; Martínez, J., Eds.; CIHEAM, Orihuela, Spain, Pr-07.
- Lasat, M. M. (1999). Phytoextraction of metals from contaminated soil: a review of plant/soil/metal interaction and assessment of pertinent agronomic issues. *Journal of Hazardous Substance Research*, 2(1), 5.
- Leboeuf, M., Legueut, C., Cavé, A., Desconclois, J., Forgacs, P., & Jacquemin, H. (1981). Alcaloïdes des Annonacées XXIX: Alcaloïdes del' *Annona muricata*L. *Planta Med*, 42(5): 37-44.
- Liang, J., Wang, Q., & Huang, B. (2004). Concentrations of hazardous heavy metals in environmental samples collected in Xiamen, China, as determined by vapor generation non-dispersive atomic fluorescence spectrometry. *Analytical sciences*, 20(1), 85-88.
- Lim, T. K. (2013). Edible Medicinal Plants and Non-medicinal Plants. 841–859.

- Lin, C. C., Ng, L. T., & Yang, J. J. (2004). Antioxidant activity of extracts of Peh-Hue-Juwa-Chi-Cao in a cell free system. *The American journal of Chinese medicine*, 32(03), 339-349.
- Lizhong, Z., & Cullen, W. R. (1995). Effects of some heavy metals on cell suspension cultures of *Catharanthus roseus*. *Journal of Environmental Sciences*, 7(1), 60-65.
- Luo, C., He, M. L., & Bohlin, L. (2005). Is COX-2 a perpetrator or a protector? Selective COX-2 inhibitors remain controversial. *Acta Pharmacologica Sinica*, 26(8), 92.
- Luo, Y., Xu, Q. L., Dong, L. M., Zhou, Z. Y., Chen, Y. C., Zhang, W. M., & Tan, J. W. (2015). A new ursane and a new oleanane triterpene acids from the whole plant of *Spermacoce latifolia*. *Phytochemistry Letters*, 11, 127-131.
- Machana, S., Weerapreeyakul, N., Barusrux, S., Nonpunya, A., Sripanidkulchai, B., & Thitimetharoch, T. (2011). Cytotoxic and apoptotic effects of six herbal plants against the human hepatocarcinoma (HepG2) cell line. *Chinese medicine*, 6(1), 39.
- Mahalakshmi, K., Natesan, S. K., Ganesan Parthiban, K., & Sekar, G. (2013). Anti-inflammatory and antipyretic activity of *Fioria vitifolia*. *International Current Pharmaceutical Journal*, 2(7), 119-121.
- Mahato, S. B., & Sen, S. (1997). Advances in triterpenoid research, 1990–1994. *Phytochemistry*, 44(7), 1185-1236.
- Manigandan, S., Shanmugapackiam, S., & Ramamoorthy, R. (2015). Preliminary phytochemical screening and FTIR studies of soursop (*Annona muricata* L.) bark. *Global Journal for Research Analysis*, 4(5), 300-302.
- Mărghitaş, L., Dezmirean, D., Chirilă, F., Fiț, N., & Bobiș, O. (2011). Antibacterial activity of different plant extracts and phenolic phytochemicals tested on *Paenibacillus* larvae bacteria. *Scientific Papers Animal Science and Biotechnologies*, 44(2), 94-99.

- Martinez, M. J., Betancourt, J., Alonso-Gonzalez, N., & Jauregui, A. (1996). Screening of some Cuban medicinal plants for antimicrobial activity. *Journal of ethnopharmacology*, 52(3), 171-174.
- Matsushige, A., Kotake, Y., & Matsunami, K. (2012). Annonamine, a new aporphine alkaloid from the leaves of *Annona muricata*. *Chem Pharm Bull*, 60(2): 257-259.
- Matthews, K. H. (1983). The flora of Tamil Nadu and Karnatic. Diocesan Press, Madras, 2, 897-900.
- Mayer, W., Görner, A., & Andrä, K. (1977). Punicalagin und Punicalin, zwei Gerbstoffe aus den Schalen der Granatäpfel. *Justus Liebigs Annalen der Chemie*, 1977(11-12), 1976-1986.
- Meena, A. K., Bansal, P., Kumar, S., Rao, M. M., & Garg, V. K. (2010). Estimation of heavy metals in commonly used medicinal plants: a market basket survey. *Environmental monitoring and assessment*, 170(1-4), 657-660.
- Mensah, J. K., Okoli, R. I., Ohaju-Obodo, J. O., & Eifediyi, K. (2008). Phytochemical, nutritional and medical properties of some leafy vegetables consumed by Edo people of Nigeria. *African journal of Biotechnology*, 7(14).
- Minakshi, B., Jharna, D., Chanbi Devi, E., Nayan, T., Partha, P. K., Kundal, N., & Manash, P. S. (2016). Phytochemical Analysis of Traditional Medicinal Plants and their Antimicrobial Activity: An Experience from North East India. *Journal of Pharmacy Research*, 1(1): 1-7
- Moghadamtousi, S. Z., Fadaeinab, M., Nikzad, S., Mohan, G., Ali, H. M., & Kadir, H. A. (2015). *Annona muricata* (Annonaceae): a review of its traditional uses, isolated acetogenins and biological activities. *International journal of molecular sciences*, 16(7), 15625-15658.
- Monisha, M., Sowmiya, M., Ragunathan, R., & Johny, J. (2017). Extraction of Bio Active Compounds from *Cassia Auriculata* Pods and Leaves and its Medicinal Uses. *International Journal of Current Microbiology and Applied Sciences* 6(8), 425-434.

- Moreira, V.F., Oliveira, R. R., Mathias, L., Braz-Filho, R., & Vieira, I. J. (2010). New chemical constituents from *Borreria verticillata* (Rubiaceae) *Helv ChimActa*, 93:1751–7.
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *Journal of immunological methods*, 65(1-2), 55-63.
- Moure, A., Cruz, J. M., Franco, D., Domínguez, J. M., Sineiro, J., Domínguez, H., ... & Parajó, J. C. (2001). Natural antioxidants from residual sources. *Food chemistry*, 72(2), 145-171.
- Mradu, G., Dailya, B., & Arup, M. (2013). Studies Of Anti Inflammatory, Antipyretic And Analgesic Effects Of Aqueous Extract Of Traditional Herbal Drug Of Rodents. *International research journal of pharmacy*, 4(3), 113-120.
- Muiruri, M. D., & Mwangi, W. (2016). Phytochemical and antimicrobial activity of (*Crassula ovata*) Jade plant on different strains of bacteria. *European Journal of Medicinal Plants*, 11(1), 1-12.
- Mukherjee, K. S., Manna, T. K., Laha, S., & Chakravorty, C. K. (1993). Phytochemical investigation of *Spermacoce articularris*. *Journal of Indian Chemical Society*, 70, 609-610.
- Nahata, A., Saxena, A., Suri, N., Saxena, A. K., & Dixit, V. K. (2013). *Sphaeranthus indicus* induces apoptosis through mitochondrial-dependent pathway in HL-60 cells and exerts cytotoxic potential on several human cancer cell lines. *Integrative cancer therapies*, 12(3), 236-247.
- Naik, A. A. (2010). Pharmacognostic Studies and Anti-bacterial Activity of *Fagonia schweinfurthii* Hadidi. *International Journal of Pharmaceutical & Biological Archives* 7 (7): 17-22.
- Nair, V.D., Panneerselvam, R., &Gopi, R. (2012).Studies on methanolic extract of *Rauvolfia* species from Southern Western Ghats of India – *In vitro* antioxidant properties, characterisation of nutrients and phytochemicals. *Ind Crops Prod*, 39: 17-25.

- Nandedkar Pushpa H and Khandare Sopan A. (2018) Synthesis of silver nanoparticles from wheatgrass extract and its biological applications; International Journal of Chemical Studies, 6(3), pp 113-116.
- Nandhini, V. S., Bai, V. G. (2014b). Secondary metabolites screening from in-vitro cultured *Rauvolfia tetraphylla* by HPTLC-MS: A special emphasises on their antimicrobial applications. *International Journal of Advances in Pharmaceutical Analysis*, 4(2): 81-87.
- National Research Council. Custard Apples (Annona species). In Lost Crops of Africa: Volume III: Crops. Washington, D.C.: National Academies Press 2008, 244-246.
- Nawwar, M., Ayoub, N., Hussein, S., Hashim, A., El-Sharawy, R., Wende, K.,& Lindequist, U. (2012). Flavonol triglycoside and investigation of the antioxidant and cell stimulating activities of *Annona muricata* Linn. *Archives of pharmacal research*, 35(5), 761-767.
- Nedamani, E. R., Mahoonak, A. S., Ghorbani, M., & Kashaninejad, M. (2015). Evaluation of antioxidant interactions in combined extracts of green tea (*Camellia sinensis*), rosemary (*Rosmarinus officinalis*) and oak fruit (*Quercus branti*). *Journal of food science and technology*, 52(7), 4565-4571.
- Nene, Y. L., Thapliyal, P. N., & Kumar, K. R. I. S. H. N. A. (1968). Screening of some plant extracts for antifungal properties. *Lab Dev J Sci Tech B*, 6(4), 226-228.
- Newman, D. J., Cragg, G. M., & Snader, K. M. (2000). The influence of natural products upon drug discovery. *Natural product reports*, 17(3), 215-234.
- Nisa, H., Kamili, A. N., Bandh, S. A., Lone, B. A., & Paray, J. A. (2013). Phytochemical screening, antimicrobial and antioxidant efficacy of different extracts of *Rumex dentatus* L.- a locally used medicinal herb of Kashmir Himalaya. *Asian Pacific journal of tropical disease*, 3(6), 434-440.

Nordqvist, C. (2015). Inflammation: Causes, Symptoms and Treatment. Medical News Today.

Ogbuehi, I. H., Ebong, O. O., & Obianime, A. W. (2015). Oral acute toxicity (LD50) study of different solvent extracts of *Abrus precatorius* Linn leaves in wistar rats. *Eur. J. Exp. Biol.*, 5, 18-25.

O'hara, M., Kiefer, D., Farrell, K., & Kemper, K. (1998). A review of 12 commonly used medicinal herbs. *Archives of Family Medicine*, 7(6), 523-536.

Ojewole, J. A. (2005). Antinociceptive, anti-inflammatory and antidiabetic effects of *Bryophyllum pinnatum* (Crassulaceae) leaf aqueous extract. *Journal of Ethnopharmacology*, 99(1), 13-19.

Okwu, D. E., & Josiah, C. (2006). Evaluation of the chemical composition of two Nigerian medicinal plants. *African Journal of Biotechnology*, 5(4), 357-361.

Olson, J. A., & Kobayashi, S. (1992). Antioxidants in health and disease: overview. *Proceedings of the Society for Experimental Biology and Medicine*, 200(2), 245-247.

Owoyele, V. B., Oloriegbe, Y. Y., Balogun, E. A., & Soladoye, A. O. (2005). Analgesic and anti-inflammatory properties of *Nelsonia canescens* leaf extract. *Journal of ethnopharmacology*, 99(1), 153-156.

Oyedapo, O. O., Akinpelu, B. A., Akinwunmi, K. F., Adeyinka, M. O., & Sipeolu, F. O. (2010). Red blood cell membrane stabilizing potentials of extracts of *Lantana camara* and its fractions. *International Journal of Plant Physiology and Biochemistry*, 2(4), 46-51.

Pacific Island Ecosystems at Risk (PIER) (2008-01-05) "Result set for: Annonaceae *Annona muricata*". PIER species lists. United States Geological Survey & United States Forest Service. Archived from the original on 12 May 2008. Retrieved 2008-04-18. Stone., Benjamin, C. (1970) *The flora of Guam. Micronesica* 6:1–659.

- Palladino, M. A., Bahjat, F. R., Theodorakis, E. A., & Moldawer, L. L. (2003). Anti-TNF- α therapies: the next generation. *Nature reviews Drug discovery*, 2(9), 736.
- Paralikar, P. (2014). Biogenic Synthesis of Silver Nanoparticles Using Leaves Extract of *Epiphyllum Oxypetalum* and its Antibacterial Activity. *Austin J BiotechnolBioeng*, 1(7): 5.
- Parameshwar, H., Mohan, G. K., Kumar, B. R., & Reddy, Y. N. (2010). Hepatoprotective effect of the methanolic extract of whole plant of *Borreria articularris* on Carbon Tetrachloride induced Hepatotoxicity in Albino Rats. *Asian Journal of Pharmaceutical Research and Health Care*, 2(4), 285-292.
- Parasuraman, S., & Maithili, K. S. (2014). Antioxidant and drug metabolism. Free Radicals and Antioxidants, 4(1), 1.
- Patel, J. (2017). Gas Chromatography and Mass Spectroscopy analysis of bioactive components on the leaf extract of *Terminalia coriacea*: A potential folklore medicinal plant. *International Journal of Green Pharmacy (IJGP)*, 11(01).
- Patel, M. S., & Patel, J. K. (2016). A review on a miracle fruits of *Annona muricata*. *Journal of Pharmacognosy and Phytochemistry*, 5(1), 137.
- Patel, U. D., Patel, H. B., Javaid, B. B. (2013). Antimicrobial potency of *Rauvolfia tetraphylla* and *Jatropha curcas*. *Wayamba Journal of Animal Science*, 5: 723-728.
- Pehlivan, E., Özkan, A. M., Dinç, S., & Parlayici, Ş. (2009). Adsorption of Cu²⁺ and Pb²⁺ ion on dolomite powder. *Journal of Hazardous Materials*, 167(1-3), 1044-1049.
- Pellegrini, N., Simonetti, P., Gardana, C., Brenna, O., Brighenti, F., & Pietta, P. (2000). Polyphenol content and total antioxidant activity of *Vini novelli* (young red wines). *Journal of agricultural and food chemistry*, 48(3), 732-735.

- Petrovska, B. B. (2012). ‘Historical review of medicinal plants’ usage. *Pharmacognosy reviews*, 6(11), 1.
- Pezzuto, J. M. (1997). Plant-derived anticancer agents. *Biochemical pharmacology*, 53(2), 121-133.
- Phillipson, J. D., & Wright, C. W., (1996). Plants With Antiprotozoal Activity: Trease and Evans, Pharmacognosy, WB Saunders Company, London, 14:612.
- Phondani, P. C., Maikhuri, R. K., & Saxena, K. G. (2014). The efficacy of herbal system of medicine in the context of allopathic system in Indian Central Himalaya. *Journal of herbal Medicine*, 4(3), 147-158.
- Pichtel, J., & Salt, C. A. (1998). Vegetative growth and trace metal accumulation on metalliferous wastes. *Journal of Environmental Quality*, 27(3), 618-624.
- Pietta, P. G., Simonetti, P., Gardana, C., & Mauri, P. L. (2000). Trolox equivalent antioxidant capacity (TEAC) of *Ginkgo biloba* flavonol and *Camelia sinensis* catechin metabolites. *Journal of Pharmaceutical and Biomedical Analysis*, 23(1), 223–226.
- Pilotto, A., Sancarlo, D., Addante, F., Scarcelli, C., & Franceschi, M. (2010). Non-steroidal anti-inflammatory drug use in the elderly. *Surgical Oncology*, 19(3), 167-172.
- Poonam, K., & Singh, G. S. (2009). Ethnobotanical study of medicinal plants used by the Taungya community in Terai Arc Landscape, India. *Journal of ethnopharmacology*, 123(1), 167-176.
- Posadas, I., Bucci, M., Roviezzo, F., Rossi, A., Parente, L., Sautebin, L., & Cirino, G. (2004). Carrageenan-induced mouse paw oedema is biphasic, age-weight dependent and displays differential nitric oxide cyclooxygenase-2 expression. *British journal of pharmacology*, 142(2), 331-338.
- Prakash, S., Gautam, S., & Jain, A. (2011). Phytochemical screening of selected medicinal plants used in skin diseases. *International Journal of Pharmaceutical Sciences*, 3(2): 1402-1406.

- Prasanna, R., Harish, C. C., Pichai, R., Sakthisekaran, D., & Gunasekaran, P. (2009). Anti-cancer effect of *Cassia auriculata* leaf extract in vitro through cell cycle arrest and induction of apoptosis in human breast and larynx cancer cell lines. *Cell Biology International*, 33(2), 127-134.
- Radhika, B. (2017). Pharmacognostic Evaluation of the Leaves of *Plumeria pudica*. *J Nat Prod Plant Res*, 7, 40-45.
- Radji, M., Kurniati, M., & Kiranasari, A. (2015). Comparative antimycobacterial activity of some Indonesian medicinal plants against multi-drug resistant *Mycobacterium tuberculosis*. *Journal of Applied Pharmaceutical Science*, 5(1), 019-022.
- Rajakannu, S., Shankar, S., Perumal, S., Subramanian, S., & Dhakshinamoorthy, G. P. (2015). Biosynthesis of silver nanoparticles using *Garcinia mangostana* fruit extract and their antibacterial, antioxidant activity. *Int. J. Curr. Microbiol. Appl. Sci*, 4, 944-952.
- Rajakaruna, N., Harris, C. S., & Towers, G. H. N. (2002). Antimicrobial activity of plants collected from serpentine outcrops in Sri Lanka. *Pharmaceutical Biology*, 40(3), 235-244.
- Rajurkar, N. S., & Damame, M. M. (1997). Elemental analysis of some herbal plants used in the treatment of cardiovascular diseases by NAA and AAS. *Journal of radioanalytical and nuclear chemistry*, 219(1), 77-80.
- Ramachandran & Ramesh Chand, K. K. (1986). The useful plants of India, Kamala, Publications and Information Directorate, CSIR, New Delhi.
- Ramya, N., Priyadarshini, P. R., & Dhivya, R. (2017). Anti cancer activity of *Trachyspermum ammi* against MCF-7 cell lines mediates by p53 and Bcl-2 mRNA levels. *J Phytopharmacol*, 6, 78-83.
- Rani, N., Sharma, S., & Sharma, M. (2016). Phytochemical analysis of *Meizotropis pellita* by FTIR and UV-VIS spectrophotometer. *Indian Journal of Science and Technology*, 9(31), 1-4.

- Rao, K. S., Semwal, R. L., Maikhuri, R. K., Nautiyal, S., Sen, K. K., Singh, K., & Saxena, K. G. (2003). Indigenous ecological knowledge, biodiversity and sustainable development in the central Himalayas. *Tropical Ecology*, 44(1): 93-111.
- Rathor, G., Chopra, N., & Adhikari, T. (2014). Nickel as a pollutant and its management. *Int. Res. J. Environ. Sci*, 3, 94-98.
- Reid, R., & Hayes, J. (2003). Mechanisms and control of nutrient uptake in plants. *International review of cytology*, 229, 73-115.
- Renisheya, J. J. M. T., Johnson, M., Mary, U. M., & Arthy, A. (2011). Antibacterial activity of ethanolic extracts of selected medicinal plants against human pathogens. *Asian Pacific Journal of Tropical Biomedicine*, 1(1), S76-S78.
- Renuka, B., Sanjeev, B., & Ranganathan, D. (2016). Evaluation of phytoconstituents of *Caralluma nilagiriana* by FTIR and UV-VIS spectroscopic analysis. *Journal of Pharmacognosy and Phytochemistry*, 5(2), 105.
- Rezaee-Asl, M., Sabour, M., Nikoui, V., Ostadhadi, S., & Bakhtiarian, A. (2014). The study of analgesic effects of *Leonurus cardiaca* L. in mice by formalin, tail flick and hot plate tests. *International scholarly research notices*, 2014.
- Rosselli, W., Keller, C., & Boschi, K. (2003). Phytoextraction capacity of trees growing on a metal contaminated soil. *Plant and soil*, 256(2), 265-272.
- Roy, S., Labelle, S., Mehta, P., Mihoc, A., Fortin, N., Masson, C., ... & Olsen, C. (2005). Phytoremediation of heavy metal and PAH-contaminated brownfield sites. *Plant and soil*, 272(1/2), 277-290.
- Ruch, R. J., Cheng, S. J., & Klaunig, J. E. (1989). Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea. *Carcinogenesis*, 10(6), 1003-1008.
- Sahu, N., & Saxena, J. (2013). Phytochemical analysis of *Bougainvillea glabra* Choisy by FTIR and UV-VIS spectroscopic analysis. *Int. J. Pharm. Sci. Rev. Res*, 21(1), 196-198.

- Sainty, D., Bailleul, F., Delaveau, P., & Jacquemin, H. (1981). Iridoides du *Borreria verticillata*. *Plantamedica*, 42(07), 260-264.
- Saleem, T. M., Azeem, A. K., Dilip, C., Sankar, C., Prasanth, N. V., & Duraisami, R. (2011). Anti-inflammatory activity of the leaf extacts of *Gendarussa vulgaris* Nees. *Asian pacific journal of tropical biomedicine*, 1(2), 147-149.
- Saper, C. B., & Breder, C. D. (1994). The neurologic basis of fever. *New England journal of medicine*, 330(26), 1880-1886.
- Sass JE. (1998). Elements of botanicals of micro technique. New York: McGraw Hill and co.
- Sawhney, S. K., & Singh, R. (Eds.). (2000). Introductory practical biochemistry. Alpha Science Int'l Ltd.
- Saxena, M., & Saxena, J. (2012). Evalution of phytoconstituents of *Acorus calamus* by FTIR and UV-VIS spectroscopic analysis. *IJPBR*, 3, 498-501.
- Schöneich, C. (1999). Reactive oxygen species and biological aging: a mechanistic approach. *Experimental gerontology*, 34(1), 19-34.
- Schubert, S. Y., Lansky, E. P., & Neeman, I. (1999). Antioxidant and eicosanoid enzyme inhibition properties of pomegranate seed oil and fermented juice flavonoids. *Journal of ethnopharmacology*, 66(1), 11-17.
- Shah, U., Shah, R., Acharya, S., & Acharya, N. (2013). Novel anticancer agents from plant sources. *Chinese journal of natural medicines*, 11(1), 16-23.
- Shahzad, A., & Saeed, T. (2013). *In vitro* conservation protocols for some rare medicinal plant species. In Recent Trends in Biotechnology and Therapeutic Applications of Medicinal Plants. Springer, Dordrecht, 263-291.
- Sharma, A. B. (2004). Global medicinal plants demand may touch \$5 trillion by 2050. Indian Express, 29.

- Sharmila, M., Rajeswari, M., & Jayashree, I. (2017). GC-MS Analysis of Bioactive Compounds in the Whole Plant of Ethanolic Extract of *Ludwigia perennis* L. *Int J Pharm Sci Rev Res*, 46(1), 124-128.
- Shimada, K., Fujikawa, K., Yahara, K., & Nakamura, T. (1992). Antioxidative properties of xanthan on the autoxidation of soybean oil in cyclodextrin emulsion. *Journal of agricultural and food chemistry*, 40(6), 945-948.
- Shoeb, M. (2006). Anti-cancer agents from medicinal plants. *Bangladesh journal of pharmacology*, 1(2), 35-41.
- Shtangeeva, I., Laiho, J. V. P., Kahelin, H., & Gobran, G. R. (2004). Phytoremediation of metal-contaminated soils. symposia papers presented before the division of environmental chemistry. In American Chemical Society, Anaheim, Calif, USA, Retrieved from <http://ersdprojects.science.doe.gov/workshop%20pdfs/California,202004,50>.
- Shyama, T. B., Shree, D. C. L., Prasad, D. A. G., Gopal, S., & Kumar, K. J. (2013). Preliminary phytochemical screening and bioactivity of selected Indian medicinal plants. *Int J Phytomedicine*, 5: 1-6.
- Sieradzki, K., Wu, S. W., & Tomasz, A. (1999). Inactivation of the methicillin resistance gene *mecA* in vancomycin-resistant *Staphylococcus aureus*. *Microbial drug resistance*, 5(4), 253-257.
- Sies, H. (1993). Strategies of antioxidant defense. *European journal of biochemistry*, 215(2), 213-219.
- Singh, B. N., Singh, B. R., Singh, R. L., Prakash, D., Dhakarey, R., Upadhyay, G., & Singh, H. B. (2009). Oxidative DNA damage protective activity, antioxidant and anti-quorum sensing potentials of *Moringa oleifera*. *Food and Chemical Toxicology*, 47(6), 1109-1116.
- Sivaelango, G., Kumaran, P. S., Kumaravel, P., Revathi, P., & Jaswant, A. (2012). Antihyperlipidaemic activity of *Spermacoce hispida* ethanolic extract in Triton WR-1339 induced hyperlipidaemic rats. *Journal of Applied Pharmaceutical Science*, 2(2), 95.

- Slik, J. W. F., Poulsen, A. D., Ashton, P. S., Cannon, C. H., Eichhorn, K. A. O., Kartawinata, K., & Payne, J. (2003). A floristic analysis of the lowland dipterocarp forests of Borneo. *Journal of Biogeography*, 30(10), 1517-1531.
- Smita, S., & Sharma, M. C. (2010). Studies of antibacterial activity ethnolic plant extract of *Mollugo pentaphylla* Linn. Archives of Applied Science Research, 2(1), 242-246.
- Sofowora, A. (1993). Medicinal plants and traditional medicine in Africa Spectrum books Ltd, Ibadan Nigeria.
- Soosairaj, S., Kala, A., Raja, P., & Vijaya, K. (2013). Phytochemical screening and GC-MS analysis on *Spermacoce articulatis* L.f. (Rubiaceae). International Journal of ChemTech Research, 5(6), 3070-3074.
- Sreejith, G., Latha, P. G., Shine, V. J., Anuja, G. I., Suja, S. R., Sini, S., & Rajasekharan, S. (2010). Anti-allergic, anti-inflammatory and anti-lipidperoxidant effects of *Cassia occidentalis* Linn.
- Srinivasan, P. A., Arokiaraj, A., & Vijayarajan, D. (2011). Isolation, Spectral, and Optical Analysis of Fistulic Acid-A Phytochemical Constituent of *Cassia Fistula* Linn. Indian J Sci Technol, 4, 422-4.
- Stockert, J. C., Blázquez-Castro, A., Cañete, M., Horobin, R. W., & Villanueva, Á. (2012). MTT assay for cell viability: Intracellular localization of the formazan product is in lipid droplets. *Actahisto chemica*, 114(8), 785-796.
- Strober, W. (1997). Trypan blue exclusion test of cell viability. Current protocols in immunology, 21(1), A-3B.
- Suffness, M., Douros, J. D. (1979): Drugs of plant origin. *MethCancer Res* 16: 73-126.
- Sukari, M. A., Utami, R., Neoh, B. K., Ee, G. C. L., Jusoh, S., Nor, S. M. M., & Rahmani, M. (2013). Antileukemic Properties of *Spermacoce* Species. *Asian Journal of Chemistry*, 25(8), 4595-4598.

- Sultana, R., Rahman, M. S., Bhuiyan, M. N. I., Begum, J., & Anwar, M. N. (2008). In vitro antibacterial and antifungal activity of *Borreria articularis*. *Bangladesh Journal of Microbiology*, 25(2), 95-98.
- Swati, P., Sah, A. N., Harsahay, M., Pandey, H. K., & Aarti, M. (2012). Physico-chemical, phyto-chemical and elemental analysis of stem bark and roots of *Berberis asiatica*. *Advances in Applied Science Research*, 3(6), 3624-3628.
- Świeboda, R., Jóźwiak, A., Jóźwiak, G., & Waksmundzka-Hajnos, M. (2014). Thin layer chromatography and chemometric studies of selected *Potentilla* species. *American Journal of Analytical Chemistry*, 5(16), 1109.
- Tanaka, T., Nonaka, G. I., & Nishioka, I. (1986). Tannins and Related Compounds. XLI.: Isolation and Characterization of Novel Ellagitannins, Punicacorteins A, B, C, and D, and Punigluconin from the Bark of *Punica granatum* L. *Chemical and pharmaceutical bulletin*, 34(2), 656-663.
- Tangjitman, K., Wongsawad, C., Kamwong, K., Sukkho, T., & Trisonthi, C. (2015). Ethnomedicinal plants used for digestive system disorders by the Karen of northern Thailand. *Journal of ethnobiology and ethnomedicine*, 11(1), 27.
- Thanwar, M., Dwivedi, D., & Gharia, A. K. (2017). GC-MS study of methanolic extract of leaves of *Catharanthus roseus*. *Int J Chem Studies*, 5(2), 517-518.
- Thatoi, H. N., & Dutta, S. K. (2009). Antibacterial activity and phytochemical screening of leaf and bark extracts of *Vitex negundo* l. from simlipal biosphere reserve, Orissa. *Journal of medicinal plants research*, 3(4), 294-300.
- The Ayurvedic Pharmacopoeia of India. (1996). New Delhi: Indian ministry of health and family welfare, 53-55.
- Tilley, L., Coffman, T. M., & Koller, B. H. (2001). Mixed messages: modulation of inflammation and immune responses by prostaglandins and thromboxanes. *Journal of Clinical Investigation*, 108, 15-24.

- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., &Kaur, H. (2011). Phytochemical screening and extraction: a review. *International pharmaceutica sciencia*, 1(1), 98-106.
- Traore, M. S., Baldé, M. A., Diallo, M. S. T., Baldé, E. S., Diané, S., Camara, A., & Oularé, K. (2013). Ethnobotanical survey on medicinal plants used by Guinean traditional healers in the treatment of malaria. *Journal of ethnopharmacology*, 150(3), 1145-1153.
- Trease GE, Evans WC (1989). *Pharmacognosy*, 11th edn., Bailliere Tindall, London pp. 45-50.
- Vábková, J., & Neugebauerova, J. (2013). Determination of total phenolic content, total flavonoid content and frap in culinary herbs in relation to harvest time. *Acta Universitatis Agriculturae Et Silviculturae Mendelianae Brunensis*, 60(1), 167-172.
- Vadivelan, S., Sinha, B. N., Betanabhatla, K. S., Christina, A. J., &Pillai, R. N. (2007). Anti-inflammatory activity of *Spermacoce articularris* Linn on carrageenan induced paw edema in Wistar male rats. *Pharmacologyonline*, 3, 478-84.
- Vadivu, R., & Lakshmi, K. S. (2008). In vitro and in vivo anti-inflammatory activity of leaves of *Symplocos cochinchinensis* (Lour) Moore ssp Laurina. *Bangladesh Journal of Pharmacology*, 3(2), 121-124.
- Varadharajan, R., Rajalingam, D., & Palani, S. (2016). GCMS/MS analysis and cardioprotective potential of *Cucumis callosus* on doxorubicin induced cardiotoxicity in rats. *Int J Pharm Pharm Sci*, 8, 239-45.
- Vasundra, D. P. A., &Divya, P. S. (2013). Antipyretic activity of ethanol and aqueous extract of root of *Asparagus racemosus* in yeast induced pyrexia. *Asian Journal of Pharmaceutical and clinical research*, 6(3), 190-193.
- Vederas, J. C. (2011). Drug discovery and natural products: end of era or an endless frontier?. *Biomeditsinskaya khimiya*, 57(2), 148-160.

- Verma, P., George, K. V., Singh, H. V., & Singh, R. N. (2007). Modeling cadmium accumulation in radish, carrot, spinach and cabbage. *Applied Mathematical Modelling*, 31(8), 1652-1661.
- Veugelers, P. J., Kaldor, J. M., Strathdee, S. A., Page-Shafer, K. A., Schechter, M. T., Coutinho, R. A., & Van Griensven, G. J. (1997). Incidence and prognostic significance of symptomatic primary human immunodeficiency virus type 1 infection in homosexual men. *Journal of Infectious Diseases*, 176(1), 112-117.
- Vieira, I.J., Mathias, L., Braz-Filho, R., & Schripsema, J. (1999) Iridoids from *Borreria verticillata*.*Org Lett*, 1:1169–71.
- Vijayarekha, P., & Sengottaiyan, N. (2015). Phytochemical evaluation, antibacterial activity and bioactive determination. *Indian Journal of Science and Technology*, 9(5), 1-6.
- VinayakMeti, Chandrashekhar. K And Shishir Mishra. (2013). Analgesic Activity of Aqueous Extract of *Spermacoce hispida* in Mice. *International Journal of Pharma and Biosciences*, 4(2), 745-749.
- Vishnu, R., Nisha, R., Jamuna, S., & Paulsamy, S. (2013). Quantification of total phenolics and flavonoids and evaluation of in vitro antioxidant properties of methanolic leaf extract of *Tarennia asiatica*- an endemic medicinal plant species of Maruthamali hills, Western Ghats, Tamil Nadu. 2(2), *Journal of Research in Plant Sciences*, 196-204.
- Vongtau, H. O., Abbah, J., Mosugu, O., Chindo, B. A., Ngazal, I. E., Salawu, A. O., & Gamaniel, K. S. (2004). Antinociceptive profile of the methanolic extract of *Neorautanenia mitis* root in rats and mice. *Journal of ethnopharmacology*, 92(2-3), 317-324.
- Wadkar, G. H., & Sayyad, F. J. (2017). Pharmacognostic, Physicochemical and Phytochemical Investigation of Root Bark of *Caesalpinia bonduc*. *International Journal of Pharmacognosy and Phytochemical Research*, 9 (1): 26-30.

- Wadood, A., Ghufran, M., Jamal, S. B., Naeem, M., Khan, A., & Ghaffar, R. (2013). Phytochemical analysis of medicinal plants occurring in local area of Mardan. *Biochemistry and Analytical Biochemistry*, 2(4), 1-4.
- Wagner, H., & Bladt, S. (1996). Plant drug analysis: a thin layer chromatography atlas. Springer Science & Business Media.
- WHO Guidelines: Quality Control Methods for Medicinal Plants; WHO / PHARM / 92 / 559, (1992).
- Winter, C. A., Risley, E. A., & Nuss, G. W. (1962). Carrageenin-induced edema in hind paw of the rat as an assay for anti-inflammatory drugs. *Proceedings of the society for experimental biology and medicine*, 111(3), 544-547.
- Yahaya, G. (2014). Phytochemical composition, Anti-oxidant and *In vitro* cytotoxic properties of extracts of leaves of *Annona muricata* (Graviola). Nairobi, Kenya: Pan African University Institute for basic sciences, Technology and Innovation(Repository).
- Yamaguchi, F., Yoshimura, Y., Nakazawa, H., & Ariga, T. (1999). Free radical scavenging activity of grape seed extract and antioxidants by electron spin resonance spectrometry in an H₂O₂/NaOH/DMSO system. *Journal of Agricultural and Food Chemistry*, 47(7), 2544-2548.
- Yu, D. Q. (1999). Recent works on anti-tumor constituent from Annonaceae plants in China. *Pure and applied chemistry*, 71(6), 1119-1122.
- Zaman, K. (2013). Pharmacognostical and Phytochemical Studies on the Leaf and Stem Bark of *Annona reticulata* Linn. *Journal of Pharmacognosy and Phytochemistry*, 1(5).
- Zayed, M. Z., & Samling, B. (2016). Phytochemical constituents of the leaves of *Leucaena leucocephala* from Malaysia. *Int J Pharm Pharm Sci*, 8(12), 174-179.
- Zulfiker, A. H. M., Rahman, M. M., Hossain, M. K., Hamid, K., Mazumder, M. E. H., & Rana, M. S. (2010). *In vivo* analgesic activity of ethanolic extracts of two medicinal plants-*Scoparia dulcis* L. and *Ficus racemosa* Linn. *Biol Med*, 2(2), 42-8.