



REFERENCES

REFERENCES

- Adesanya, S. A. and Rene, N. (1999). Stilbene derivatives from *Cissus quadrangularis*. *Journal of Natural Products*, **62**: 1694 – 1695.
- Ahluwalia, V. K., Aggarwal, R. (2006). Organic Synthesis, Special Techniques, Narosa Publishing House, New Delhi. **p-195**.
- Ahmed Taha and Hashim Alsayed (2000) Brine shrimp Bioassay of Ethanol extracts of Sesuvium verrucosum, Salsola baryosma and Zygophyllum quatarense medicinal plants from Bahrain. *Phyto therapy research* 14:48-50.
- Alagesaboopathi, C. (2012). Ethnobotanical studies on useful plants of Sirumalai hills of Eastern Ghats, Dindigul district of Tamil Nadu, Southern India. *International Journal of Biosciences*, **2(2)**: 77 – 84.
- Alagesaboopathi,C. (2014). Medicinal Plants Used by Tribal and Non - Tribal People of Dharmapuri District,Tamilnadu, India.*Int. J. Curr. Res. Biosci. Plant Biol.* 2014, **1(2)**: 64 - 73
- Ali, N.A.A., Julich, W.D., Kusnick, C., & Lindequist, U. (2002). ‘Screening of Yemeni medicinal plants for antibacterial and cytotoxic activities’, *J Ethnopharmacol*, **Vol. 74, no. 2, pp. 173-179**.
- Alzoreky, N.S., Nakahara, K. (2003). Antibacterial activity of extracts from some edible plants commonly consumed in Asia. *Int. J. Food Microbiol.* **80(3)**: 223-230.
- Anisuzzaman, A.S.M., Sugimoto, N., Sadik, G., Gufor, M. A. (2001) Sub-acute toxicity study of 5-hydroxy-2(hydroxy-methyl) 4H-pyran-4- One, isolated from Aspergillus fumigatus. *Pakistan Journal of Biological Sciences* **4: 1012-1015**.
- Anitha, J.R., Akila, S., Velliur, K.G., Sudarsanam, D. (2010). Antimicrobial profile of *Cissus quadrangularis*. *J Herbal Med Toxicol.* **4:177-80**.
- Anitha Rajasekaran, Pramiya Nataraj, Manimozhi Ranganathan, Priyom Bose (2015). Green synthesis of silver nanoparticle with plumbago capensis l. Aqueous root extract and its antifungal activity., **vol 2(4) 296-304**.
- Anjaria, J., Parabia, M. H., and Dwivedi, S. (2002). Ethnoveterinary Heritage – Indian Ethnoveterinary Medicine: An overview.1st Edition, Pathik Enterprise, Ahmedabad.
- Anonymous (1992). Indian Medicinal Plants. India: Orient Longman Ltd **p. 112**.

- Anoop Austin., Jegadeesan,M., and Gowrishankar,R. (2004). Helicobactericidal Activity of *Cissus quadrangularis* L. Variant I. *Natural Sciences.* 10(5): 217-219.
- Apparanantham, T., and Chelladurai, V. (1986). Glimpse of folk medicine of Dharmapuri Forest Division, Tamil Nadu. *Ancient Science of life*, **5(3): 182 – 185.**
- Asolkar, L.V., Kakkar, K.K., Chakre, O.J., (1992). Glossary of Indian Medicinal Plants with Active Principles. **vol. 1. p. 206.**
- Assob, J.C, Kamga, H.L., Nsagha, D.S, Njunda, A.L, Nde, P.F., Asongalem, E.A., Njouendou, A.J., Sandjon, B., Penlap, V.B. (2011). Antimicrobial and toxicological activities of five medicinal plant species from Cameroon Traditional Medicine. *BMC Complement. Altern. Med.*,**11: 70.**
- Aswar, U.M., Bhaskaran, S., Mohan, V., Bodhankar, S.L. (2010). Estrogenic activity of friedelin rich fraction (IND-HE) separated from *Cissus quadrangularis* and its effect on female sexual function. *Pharmacogn Res* **2:138-45.**
- Austin, A., Jegadeesan, M., and Gowrishankar, R. (2003). *In vitro* screening of *Cissus quadrangularis* L. Variant ii. *Ancient Science Life*, **23: 55 – 60.**
- Ayyanar, M. and Ignacimuthu, S. (2005). Medicinal plant used by the tribals of Tirunelveli hills, Tamil Nadu to treat poisonous bites and skin disease. *Indian Journal of Traditional Knowledge*, **4(3): 229 – 236.**
- Bagul RM. (2013). Traditional Medicines and Healthcare Systems of Tribal's of Satpuda forest region of east Khandesh. *World J Pharma Res* **1(1):06-09.**
- Bah, S. (2007). Antiplasmodial and GABA (A) - benzodiazepine receptor binding activities of five plants used in traditional medicine in Mali, West Africa. *Journal of Ethnopharmacology*, **110: 451 – 457.**
- Balakrishnan, V., Prema, P., Ravindran, K. C. and Philip Robinson, J. (2009). Ethnobotanical studies among villagers from Dharapuram Taluk, Tamil Nadu, India. *Global Journal of Pharmacology*, **3(1): 08 – 14.**
- Balamurugan, S. (2014). Ethnomedicinal and Ethnopharmacological-Statistical studies on Paliyar tribes of Grizzled Squirrel Sanctuary in Virudhunagar district of Tamil Nadu, Southern India. M. Phil., Thesis. Thiagarajar College (Autonomous), Madurai, Tamil Nadu. India.
- Balasubramanian, P. and Narendraprasad. (1996). Medicinal plants among the Irulars of Attappady and Boluvampatti forest in the Nilgiri Biosphere Reserve. *Journal of Economic and Taxonomic Botany*, **12: 23 – 259.**

- Balasubramaniana, P., Jayalakshmib, K., Vidhyab, V., Prasada, R., Khaleefathullah, SA., Kathiravana, G., (2010). Antiviral activity of ancient system of ayurvedic medicinal plant *Cissus quadrangularis* L. *J Basic Clin Pharm.* **1:37-40.**
- Basker, S. and Mohammed, Y. P. K. (2013). Antibacterial efficacy of *Cissus quadrangularis* from different provinces. *Research in Pharmacy*, **3(6): 22 – 25.**
- Bedi, S. J. (1969). *Flora of Ratanmahal hills in Panchmahals*. Ph.D. Thesis, M.S. University of Baroda, **Vol. I & II.**
- Bhalla, N P., Sahu, T. R., Mishra, G. P. and Dakwale, R. N(1982) Traditional plant medicines of Sagar distt. Madhya Pradesh India, *j Econ Tax Bot*, **3:23.**
- Bhatt, D.C., Mitalia K.D. & Mehta S.K., (2004). Observation on Ethnoveterinary herbal practices in Gujarat, *J Ethnobiol*, **13:91.**
- Bhatt, D. C. and Mitaliya, K. D. (1999). *Ethnomedicinal Plants of Victoria Park (Reserve forest) near Bhavnagar*, **Vol. II.** Bishen Singh Mahendra Pal Singh, Uttaranchal.
- Bhatt, M. P. (1987). *A contribution to the flora of Navsari area with reference to Ethnobotany*. Ph.D. Thesis, South Gujarat University, Surat.
- Bhatt, R. G. (1975). *Contribution to the floristics and phytosociology of Panchmahals district in Gujarat State*. Ph.D. Thesis, S.P. University, Vallabh Vidyanagar.
- Bhatt, R. R. and Sabnis, S. D. (1987). Contribution to the ethnobotany of Khedbrahma region of North Gujarat. *Journal of Economic and Taxonomic Botany*, **9:139 – 145.**
- Bhattarai, S., Chaudhary, R. P. and Taylor, R. S. L. (2006). Ethnomedicinal plants used by the people of Manang District, central Nepal. *Journal of Ethnobiology and Ethnomedicine*,
- Bhujade, A. M. (2012). Evaluation of *Cissus quadrangularis* extracts as an inhibitor of COX, 5- LOX, and proinflammatory mediators. *Journal of Ethnopharmacology*, **141: 989 – 996.**
- Bhutani, K. K., Kapoor, R. and Atal, C. K. (1984). Two unsymmetric tetracyclic triterpenoids from *Cissus quadrangularis*. *Phytochemistry*, **23: 407 – 410.**
- Binu, S., Nayar, T. S. and Pushpangadan, P. (1992). An outline of ethnobotanical research in India. *Journal of Economic and Taxonomic Botany* (Additional Series), **10: 405 – 412.**

- Blois, M.S (1958): Antioxidant determinations by the use of a stable free radical. *Nature*, **181: 1199- 1200.**
- Burkill, H.M (2000). The useful plants of West Tropical Africa. NHBS, UK Royal Botanical Gardens.
- Chakravarthy, B. K. and Gode, K. D. (1985). Isolation of epicatechin from *Pterocarpus marsupium* and its pharmacological action. *Planta Medica*, **1: 56 – 59.**
- Chaudhuri Rai, H. N., Pal, D. C and Tarafder, C. R (1975) Less known uses of some plants from the tribal areas of Orissa, Bull Bot Surv India, **17:132.**
- Chavan, A. R., Bedi, S. J. and Sabnis, S. D. (1963). On useful plants of Devgadh Baria hills, Gujarat State. *Bulletin of Social and Collective Sciences*, **6: 8 – 12.**
- Chavda, G. K. (2006). *Floristic and Ethnobotanical study of angiosperms of Keshod, Mendarda and Vanthly talukas of Junagadh district, Gujarat.* Ph.D. Thesis, Bhavnagar University, Bhavnagar.
- Chendurpandy, P., Mohan, V. R., and Kalidass, C. (2010). An ethnobotanical survey of medicinal plants used by the Kanikkar tribe of Kanyakumari district of Western Ghats, Tamil Nadu for the treatment of skin diseases. *Journal of Herbal Medicine and Toxicology*, **4(1): 179 – 190.**
- Chidambaram, J., Carani Venkatraman, A. (2010). *Cissus quadrangularis* stem alleviates insulin resistance, oxidative injury and fatty liver disease in rats fed high fat plus fructose diet. *Food Chem Toxicol* **48:2021-9.**
- Chohan, J. G. and Shah, G. L. (1969). Some more plants from Pavagadh hill, near Baroda. *Ibid.* **66(2): 405 – 409.**
- Chopra, R. N., Chopra, I. C., Handa, K. L. and Kapoor, L. D. (1993). *Indigenous drugs of India.* U.N. Dhar Private Limited, Calcutta. **pp. 4.**
- Dalziel, J.M. (1958). Flora of West Tropical Africa. A Crown Agent for Oversea Publication . **PP 280 -281.**
- Deepak, P. and Gopal, G. V. (2014). Ethnomedicinal studies on Kurumba community for the treatment of gastro-intestinal disorders, Nilgiri District, Tamil Nadu, India. *Medicinal Plant Research*, **4(2): 6 – 17.**
- Deka, D. K., Lahon, L. C., Saikia, J. and Mukit, A. (1994). Effect of *Cissus quadrangularis* in accelerating healing process of experimentally fractured
-

- Radius-Ulna of dog: A preliminary study. *Indian Journal of Pharmacology*, **26: 44 – 48.**
- Delapureta, R., Martinez, D.E. and Ruiz, G. V. (2000). Effect of minor components of virgin olive oil on topical anti-inflammatory assays. *Zetschrift Fur Naturforschong*, **55: 814 – 819.**
- Dinis T. C. P., Madeira V. M. C., and Almeida L. M., (1994). “Action of phenolic derivatives (acetaminophen, salicylate, and 5- aminosalicylate) as inhibitors of membrane lipid peroxidation and as peroxy radical scavengers,” *Archives of Biochemistry and Biophysics*, **vol. 315, no. 1, pp. 161–169.**
- Djeridane, A., Yousfi, M., Nadjemi, B., Boutassouna, D., Stocker, P. and Vidal, N. (2006). Antioxidant activity of some Algerian medicinal plant extracts containing phenolic compounds. *Food Chemistry*, **97(4): 654 – 660.**
- Draughon, F.A. (2004). Use of botanicals as biopreservatives in foods. *Food Technology*,
- Dwarakan, P. and Ansari, A. A. (1992). Ethnobotanical notes of Valikadupatti and surrounding of Kollimalai of Salem District, Tamilnadu. *Journal of Economic and Taxonomic Botany*, **10: 495 – 499.**
- Dwarakan, P. and Ansari, A. A. (1996). Less known uses of plants of Kollimalai. *Journal of Economic and Taxonomic Botany*, **12: 284 – 286.**
- Ebi, G. C. and Ofoefule, S. I. (2000). Antimicrobial activity of *Pterocarpus osun* stems. *Fitoterapia*, **71: 433 – 435.**
- Edeoga, H. O. and Eriata, D. O. (2001). Alkaloid, tannin and saponin contents of some Nigerian medicinal plants. *Journal of Medicinal and Aromatic Plant Science*, **23: 344 – 349.**
- Elavarasi, S. and Saravanan, K. (2012). Ethnobotanical study of plants used to treat diabetes by tribal people of Kolli hills, Namakkal district, Tamil Nadu, Southern India. *International Journal of Pharmaceutical Technology and Research*, **4: 404 – 411.**
- Eluvakkal T. (1991). Ethnobotanical studies of Paliyans of Sirumalai Hills, Sathuragiri Hills and Kumily Hills. M.Phil., Dissertation. Thiagarajar College (Autonomous), Madurai, Tamil Nadu India.

- Enechi, O.C., Igbonekwu C. N. and Ugwu, O. P. C. (2013). Effects of ethanol extract of *Cissus quadrangularis* on induced gastric ulcer in rats. *African Journal of Biotechnology*, **12(43): 6197 – 6202.**
- Ezekial, C. D. (1991). *An ethnobotanical study of Irulas in Chengalpattu district and its neighbourhood*. M. Phil., Thesis. Madras Christian College, Tambaram, Chennai, Tamil Nadu. India.
- Fernandes, G. & Banu, J., (2012). ‘Medicinal properties of plants from the genus *Cissus*: A review’, *Journal of Medicinal Plants Research*, **Vol. 6, no. 16, pp. 3080-3086.**
- Fiel, J. A. and Lettinga, G. (1992). Toxicity of tannic compounds to microorganisms. Plants Polyphenols: Synthesis, Properties, Significance. *Basic Life Sciences*, **59: 673 – 692.**
- Francisca, G. B. and Rajendran, A. (2012). Ethnobotany of Irular tribes in Red hills, Tamil Nadu, India. *Asian Pacific Journal of Tropical Disease*, **874 – S877.**
- Gamble, J. S. and Fischer, C. E. C. (1957). *The Flora of the Presidency of Madras*. Rep. ed. **Vols. I – III**. Botanical survey of India. Calcutta. India.
- Ganesan, S. (2008). Traditional oral care medicinal plants survey of Tamil Nadu. *Natural Product Radiance*, **7(2): 166 – 172.**
- Ganesan, S., Suresh, N. and Kesaven, L. (2004). Ethnobotanical survey of lower Palni hills of Tamil Nadu. *Indian Journal of Traditional Knowledge*, **3(3): 299 – 304**
- Gazzaneo, L. R. S., Lucena, R. F. P. and Albuquerque, U. P. (2005). Knowledge and use of medicinal plants by local specialists in a region of Atlantic forest in the state of Pernambuco (Northeastern Brazil). *Journal of Ethnobiology and Ethnomedicine*, **4: 1 – 9.**
- Geng, P., Yang, Y., Gao, Z., Yu, Y., Shi, Q. and Bai, G. (2007). Combined effect of total alkaloids from *Feculae bombycis* and natural flavonoids on diabetes. *Journal of Pharmacy and Pharmacology*, **59(8): 1145 – 1150.**
- Gilani SA, Fujii Y, Shinwari ZK. Adnan M, Kikuchi A, Watanabe KN. (2010). Phytotoxic studies of medicinal plant species of Pakistan. *Pak. J. Bot.*, **42 (2), 987 - 996.**
- Goel,A.K. and Rajendran,A. (2003). Cross-cultural ethnobotanical studies of santhal pargana (Eastern India) and Western ghats (Southern India). Ethnobotany and medicinal plants of Indian sub continent. Maheswari J.K.(Ed.), Published by.

- Pawankumar, Scientific publishers (India) 5-A, New Pali Road,P.O Box No 91 Jodhpur -**342001**.
- Gopal, G. V. (1983). *Ethnobotanical studies in the forest areas of some parts of Gujarat.* Ph.D. Thesis, S.P.University, Vallabh Vidyanagar.
- Gopal, G. V. and Shah, G. L. (1989). *Ethnobotanical – Lore of Gujarat State.* In: Proceedings of All India Symposium on the Biology and Utility of Wild Plants. Prof.G.L. Shah Commemoration Volume. **pp. 89 – 96.**
- Greenway, F.L., Bray, G.A. (2010). Combination drugs for treating obesity. *Curr Diabet Rep* **10:108-15.**
- Guhabakshi, D.N, Pal D.C., Sersuma P. (2001). A Lexicon of Medicinal Plants in India. India: Naya Prokash **p. 443-5.**
- Gupta, D.R, Garg, S.K. (1991). A chemical examination of *Euphorbia hiffa* Linn. Bulletin. *Chem. Society. Japan*, **39(11): 2532-2534.**
- Gupta, R.B., Ahuja, A., Sharma, N., and Kabra, M.P. (2013). Indigenous Herbal Plants used by tribes of Rajasthan; Improving Sexual Performance and Problem of Sexuality. *International Journal of Drug Development & Research Vol. 5: 2 - 0975-9344.*
- Gupta, M. M. and Verma, R. K. (1991). Lipid constituents of *Cissus quadrangularis.* *Phytochemistry*, **30: 875 – 878.**
- Hamir, A. M. (2001). *Ethnobotanical studies of angiosperms of Arawally hills, Dist – Banaskantha, Gujarat.* Ph. D. Thesis, North Gujarat University, Patan.
- Hasani-Ranjbar S, Nayebi N, Larijani B, Abdollahi M. (2009). A systematic review of the efficacy and safety of herbal medicines used in the treatment of obesity. *World J Gastroenterol* **15:3073-85.**
- Haslam, E. (1989). *Plant Polyphenols: Vegetable Tannins Revisited.* Cambridge University Press, Cambridge, UK.
- Haslam, E. (1996). Natural polyphenols (vegetable tannins) as drugs: possible mode of action. *Journal of Natural Products*, **59: 205 – 215.**

- Hatazawa, R., Tanigami, M., Izumi, N., Kamei, K., Tanaka, A., Takeuchi, K. (2007). Prostaglandin E2 stimulates VEGF expression in primary rat gastric fibroblasts through EP4 receptors. *Inflammopharmacology* **15:214-7007;110:264-70.**
- Hebbel, R. P., Eaton, J. W., Balasingam, M. and Steinberg, M. H. (1982). Spontaneous oxygen radical generation by sickle cell erythrocytes. *Journal of Clinical Investigation*, **70(6): 1253 – 1259.**
- Hill, A. F. (1952). *Economic Botany. A textbook of useful plants and plant products*. 2nd edn. McGraw-Hill Book Company Inc, New York.
- Hosagoudar, V. B. and Henry, A. N. (1996). Ethnobotany of Kadars, Malasars and Muthuvans of Anamalais in Coimbatore district, Tamil Nadu, India. *Journal of Economic and Taxonomic Botany*, **12: 260 – 267.**
- Huang, J., Liu, Y. and Wang, X. (2008). Selective adsorption of tannin from flavonoids by organically attapulgite clay. *Journal of Hazardous Materials*, **160: 382 – 387.**
- Ibeh, B. O., Maxwell, E. and Bitrus. H. J. (2013). Phytochemical Compositions and *In vitro* Antioxidant capacity of methanolic leaf extract of *Axonopus compressus* P. Beauv. *European Journal of Medicinal Plants*, **3(2): 254 – 265.**
- Ignacimuthu, S., Ayyanar, M. and Sankarasivaraman, K. (2006). Ethnobotanical investigations among tribes in Madurai District of Tamil Nadu (India). *Journal of Ethnobiology and Ethnomedicine*. **2: 25 – 30.**
- Ignacimuthu, S., Ayyanar, M. and Sankarasivaraman, K. (2008). Ethnobotanical study of medicinal plants used by Paliyar tribals in Theni district of Tamil Nadu, India. *Fitoterapia*, **79: 562 – 568.**
- Inamdar, J. A. (1968). A preliminary survey of the flora of Dharampur forests in Gujarat. *Bulletin of Botanical Survey of India*, **10: 126 – 132.**
- Irvine, F.R. (1961). Woody plants of Ghana Oxford University Press. **PP 300-301.**
- Ismail Master. (2000). Pachchham Betni Vanasptiyo (in Gujart), Shahjeevan, Bhuj. *J. Ethnopharmacol*, **93: 43-49.**
- Jadeja, B. A. (1999). Plants used by the tribe Rabari in Barda Hills of Gujarat. *Ethnobotany, J. Phytother Res.* **14(7):534.**
- Jadeja, B. A. (2006b). *Ethnobotanical Study of Angiosperms of Barda Hills, Gujarat, India*. Ph. D. Thesis, Bhavanagar University, Bhavanagar.
-

- Jadeja, B. A., Odedra, N. K., Solanki, K. M. and Baraiya, N.M. (2006a). Indigenous animal healthcare practices in district Porbandar, Gujarat. *Indian Journal of Traditional Knowledge*, **5(2)**: 523 – 258.
- Jadeja, B. A., Odedra, N.K. and Thanki, B. G. (2007). Fodder resources during famines in Gujarat. *Plant Archives*, **7(2)**: 669 – 672.
- Jadhav RB. Unnati M. Shah, Patel SM, Patel PH, Hingorani L, (2010). Development and Validation of a Simple Isocratic HPLC Method for Simultaneous Estimation of Phytosterols in *Cissus quadrangularis*. *Indian J Pharm Sci*, **72(6)**: 753–758.
- Jain, S.K. (2001). Ethnobotany in modern India, Phytomorphology Golden Jubilee issue, *Trends in Plant Sciences*. **(1)** 39-54.
- Jain, S. K. (1963)a. The origin and utility of some vernacular plant names. *Proceedings of the National Academy of Sciences, India* (Sec. B.), **33**: 525 – 530.
- Jain, S. K. (1963)b. Magico-religious beliefs about plants among the adivasis of Bastar. *Quarterly Journal of the Mythic Society*, **4**: 73 – 94.
- Jain, S. K. (1963)c. Observations on ethnobotany of tribals of Madhya Pradesh. *Vanyajati*,**11(4)**:177-183.
- Jain, S. K. (1963)d. Studies on Indian Ethnobotany – Less known uses of 50 common plants from tribal areas of Madhya Pradesh. *Bulletin of Botanical Survey on India*, **5**: 223 – 226.
- Jain, S. K. (1991). Dictionary of Indian Folk medicine and Ethnobotany. Deep Publ., New Delhi.
- Jain , S. K. , (1964). The role of a botanist in Folklore research. *Folklore* **5** ; 145 - 150.
- Jain, S. K. and Mitra, R. (1997). Ethnobotany in India – Retrospect and Prospect. In: Jain, S. K. (Ed.), *Contribution to Indian Ethnobotany*. pp. 1 – 15.
- Jain, S. K.,Banerjee, D.K., Pal, D.C (1973) Medicinal plants among certain Adivasis in India, *Bull Bot Surv India*,**15**:85.
- Jain, S.K. and Rao, R.R. (1970). Hand book of Field and Herbarium methods. New Delhi.
- Jain, S.K. and Saklani, A. (1984). Cross-cultural Ethnobotanical studies in Northeast India: *Ethnobotany*. **4**: 25 – 38.
- Jainu, M, Devi, C.S. (2005). *Invitro* and *In vivo* evaluation of free radical scavenging potential of *Cissus quadrangularis*. *Afr J Biomed Res*. **8**:95-9.

- Jainu, M, Vijaimohan, K, Kannan, K. (2010). *Cissus quadrangularis* L. Extract attenuates chronic ulcer by possible involvement of polyamines and proliferating cell nuclear antigen. *Pharmacogn Mag.* **6**:225-33.
- Jainu, M., Vijai Mohan, K. and Shyamala Devi, C. S. (2006). Gastroprotective effect of *Cissus quadrangularis* extract in rat. *Indian Journal of Medicines*, **123(6)**:799 – 806.
- Jaiswal, S., Singh, S. V., Singh, B. and Singh, H. N. (2004). Plants used for tissue healing of animals. *Natural Products Radiance*, **3**: 284 – 292.
- Jamine, R., Daisy, P. and Selvekumar, B. N. (2007). *In vitro* efficacy of flavonoids from *Eugenia jambolana* seeds against ESL-producing multidrug-resistant enteric bacteria. *Research Journal of Microbiology*, **2(4)**: 369–374.
- Jamuna, S., Paulsamy, and K.Karthika (2012). Screening of invitro antioxidant activity of methanolic leaf and root extracts of *Hypochaeris radicata* L. (Asteraceae) *journal of applied pharmaceutical science* **02(07)**: 149-154.
- Jenisha, S. R., Jeeva, S. (2014). Traditional Remedies Used by the Inhabitants of Keezhakrishnanputhoor - A Coastal Village of Kanyakumari District, Tamilnadu, India. *Med Aromat Plants* **3**: 175.
- Jigna, P. (2008). ‘Antibacterial Activity of Aqueous and Alcoholic Extracts of 34 Indian Medicinal Plants against Some *Staphylococcus* Species’, *Turk J Biol*, **Vol. 32**, pp. 63-71.
- Johnsy, G., Beena, S. and Kaviyarasan, V. (2013). Ethnobotanical survey of medicinal plants used for the treatment of diarrhoea and dysentery. *International Journal of Medicine and Medical Sciences*, **3(1)**: 332 – 338.
- Joshi, M. C. (1988). Pharmaceutically important medicinal plants of Gujarat Forests. *Bulletin of Medico-Ethno Botanical Research*, **10(4)**: 372 – 373.
- Joshi, M. C. and Audichya, (1981). Medicinal Plants of the Rajpipla Forest, Gujarat. *Bulletin of Medico-Ethno Botanical Research*, **2**: 150 – 192.
- Joshi, M. C., Patel, M. B. and Mehta, P. J. (1980). Some folk medicines of Dangs, Gujarat. *Bulletin of Medico-Ethno Botanical Research*, **1**: 8 – 24.
- Kadhirvel, K., Ramya, S., Sathya Sudha, T. P., Veera Ravi, A., Rajasekaran, C., Vanitha Selvi, R. and Jayakumararaj, R. (2010). Ethnomedicinal survey on plants used by tribals in Chitteri hills. *International journal of Science and Technology*, **5**: 35 – 46.

- Kahkonen, M. P., Hopia, A. I., Vuorela, H. J., Rauha, J. P., Pihlaja, K. and Kujala, T. S. (1999). Antioxidant activity of plant extracts containing phenolic compounds. *Journal of Agricultural and Food Chemistry*, **47**: 3954 – 3962.
- Kala, (2005). Ethnomedicinal botany of the Apatani in the Eastern Himalayan region of India. *Journal of ethnobiology and Ethnomedicine*.**1:11**.
- Kalpana, P., Kumaresan, V., Veeramohan, R., Shrivastava, P., Deepika, R., Suganya, M., Vennila, S., Datchayani, A. (2013). Fungal Endophytes of Some Green Leafy Vegetables. *World Journal of Agricultural Sciences*. **9: 415- 420**.
- Kandasamy Sowdhararajan and Sun Chul Kang (2013). Free radical scavenging activity from different extracts of leaves of *Bauhinia vahlii* Wight & Arn. *Saudi journal of biological science* **20(4) : 319-325**.
- Karatela, Y. Y. (1974). *A contribution to the floristics and phytosociology of the Chhotauddepur forest divisions in Gujarat State*. Ph.D. Thesis, S. P. University, Vallabh Vidyanagar.
- Kardong, D., Purkayastha., B., Upadhyay., S. and Chetia, J.(2014). Antioxidant, Antibacterial and hepatoprotective activities of *Cissus rependa* Vahl. on carbon tetrachloride (ccl4) induced liver damage in bird columba livia *Asian J Pharm Clin Res*, **Vol 7, Issue 2, 48-52**.
- Karuppasamy, S., (2007). Medicinal plant used by Paliyan tribes of Sirumalai hills of Southern India. *Natural Product Radiance*, **6(5): 436 – 442**.
- Kashikar, N.D, George, I. (2006). ‘Antibacterial activity of *Cissus quadrangularis* Linn’, *Indian J. Pharm Sci*, **Vol. 68, pp.245-247**.
- Kathiriya, S.V., Durgga Rani, V. and Vyas, H. U. (2012). Ethnoveterinary practices associated with animal healthcare in Dang district of South Gujarat, India. *International Journal of Applied Biology and Pharmaceutical Technology*, **3(1): 92 – 95**.
- Kavitha Sama. (2012). Pharmacognostical and phytochemical screening of fruit and leaves of cissus arnottiana Asian Journal of Pharmaceutical & Clinical Research, **p64**.
- Kensa Mary, K. (1971). Floristic study in a Vembanur wetland, Kanyakumari District, Tamil Nadu, South India. *Plant sciences feed*, **1(11): 194 – 199**.
- Khalil, N.M, Pepato, M.T, Brunetti, I.L. (2008). Free radical scavenging profile and myeloperoxidase inhibition of extracts from antidiabetic plants: *Bauhinia forficata* and *Cissus sicyoides*. *Biol. Res.*, **41(2): 165-171**.
-

- Kim, D. O., Chun, O. K., Kim ,Y. J., Moon, H. Y. and Lee, C. Y. (2003). Quantification of polyphenolics and their antioxidant capacity in fresh plums. *Journal of Agricultural and Food Chemistry*, **51**: 6509 – 6515.
- Kirtikar KR, Basu BD. Indian Medicinal Plants. 2nd ed. (1996). USA: International Book Distributors; **p. 604-6**.
- Kokate, C. K. (1994): Practical Pharmacognosy. 4thedn. New Delhi: Valla PB Prakshan; **pp.179-181**.
- Kone, W.M, Kamanzi, A.K, Terreaux, C., Hostettmann, K., Traore, D. and Dosso M (2004). Traditional medicine in cote-d-ivore: screening of 50 medicinal plants for antimicrobial activity. *J.Ethanopharmacol*,**93(1):43-9**.
- Kottaimuthu, R. (2008). Ethnobotany of the Valaiyans of Karandamalai, Dindigul district, Tamil Nadu, India. *Ethnobotanical Leaflets*, **12: 195 – 203**.
- Kumar, M., Rawat, P., Dixit, P., Mishra, D., Gautam, A.K., Pandey, R., (2010). Anti-osteoporotic constituents from Indian medicinal plants. *Phytomed* **17:993-9**.
- Kumar, A. and Pandey, R. (2015). Tribals and the utility of the medicinal plants in their day-today lives in Santal Pargana, Bihar, India. *Ecol. Environ & Cons.* **4(1-2): 65**.
- Kumar, S. T., Anandan, A. and Jegadeesan, M. (2012). Identification of chemical compounds in *Cissus quadrangularis* L. variant I of different samples using GC-MS analysis. *Archives of Applied Science Research*, **4(4): 1782 – 1787**.
- Kumari Subitha, T. Ayyanar, M., Udayakumar, M. and T. Sekar (2011). Ethnomedicinal plants used by Kani tribals in Pechiparai forests of Southern western Ghats, TamilNadu, India. *International Research Journal of Plant Science*. **Vol. 2(12) pp. 349-354**.
- Kumbhojkar MS, Kulkarni DK, Upadhye AS. (1991). Ethnobotany of *Cissus quadrangularis* L. from India. *Ethnobot* **3:21-5**.
- Lachure, R., Wang, X., Marsch, S., and Hunziker, P., (2012). Intelligent nanomaterials for medicine: carrier platforms and targeting strategies in the context of clinical application. *Nanomedicine: Nanotechnology, Biology and Medicine*, **9(6): 742-757**.
- Lalramnghinglova, H. and Jha, L. K. (1999). Ethnobotany: A review. *Journal of Economic and Taxonomic Botany*, **23(1): 1 – 27**.

- Lans, C.A. (2006). Ethnomedicines used in Trinidad and Tobago for urinary problems and diabetes mellitus. *J. Ethnobiol. ethnomed.*, **2**: 45.
- Lassak, E.V., McCarthy, T. (1997). Australian Medicinal Plants. Reed Books, Victoria, Australia, Dalziel. *J Flora of West Tropical Africa*, A Crown Agent for Oversea Publishing. p 230.
- Line-Edwige, M., Raymond, F.G., Francois, E., Edouard, N.E., (2009). Antiproliferative effect of alcoholic extracts of some Gabonese medicinal plants on human colonic cancer cells. *Afr. J. Tradit. Complement Altern. Med.*, **6(2)**: 112-117.
- Liu, X., Kim, J. K., Li, Y., Li, J., Liu, F. and Chen, X. (2005). Tannic acid stimulates glucose transport and inhibits adipocyte differentiation in 3T3-L1 Cells. *Journal of Nutrition*, **135**: 165 – 171.
- Luseba, D., Elgorashi, E.E., Ntloedibe, D.T., Staden, J.V., (2007). Antibacterial, anti-inflammatory and mutagenic effects of some medicinal plants used in South Africa for the treatment of wounds and retained placenta in livestock. *South Afr J Bot.* **73**:378-83.
- Luseba, D., Van der Merwe, D., (2006). Ethnoveterinary medicine practices among Tsonga speaking people of South Africa. *Onderst J Vet Res* **73**:115-22.
- Maheswari J K, Singh K K & Saba S, (1981)The Ethnobotany of the Tharus of Kheri district, Uttar Pradesh, (National Botanical Research Lucknow).
- Malik CP, Kaur B and Wadhwani C (2014). Development and standardization of herbal medicines: an overview and current status. In Herbal Cures: Traditional approach Aavishkar publisher, Jaipur; **41-73**.
- Mallika J, Shyamala Devi CS. (2005). *In vitro* and *in vivo* evaluation of free radical scavenging potential of *Cissus quadrangularis*. *Afr J Biomed Res* **8**:95-9.
- Mallika, J. and Shyamala Devi, C. S. (2005). *In vitro* and *In vivo* evaluation of free radical scavenging potential of *Cissus quadrangularis*. *African Journal of Biomedical Research*, **8**: 95 – 99.
- Manikandan, V. G. and Muhammad Ilyas, M. H. (2013). A study on antioxidant, proximate analysis, antimicrobial activity and phytochemical analysis of *Cissus quadrangularis* by GC-MS. *International Journal of Biology, Pharmacy and Allied Sciences*, **2(12)**: 2230 – 2236.

- Maru, R. N. and Patel, R. S. (2012). Ethno-medicinal plants used to cure different diseases by tribals of Jhalod taluk of Dhahod District, Gujarat, India. *International Journal of Scientific and Research Publications*, **2(9)**: 1 – 4.
- Matthew, K. M. (1983). *Flora of Tamil Nadu Carnatic*. Rapinat Herbarium, St. Joseph's College, Tiruchirapalli, Tamil Nadu, India.
- Matthew, K. M. (1991). *An Excursion Flora of Central Tamil Nadu*. Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi, India.
- Mayilsamy, M. and Rajendran, A. (2013). Ethnomedicinal plants used by Paliyar tribals in Dindigul district of Tamil Nadu, India. *International Journal of Science Innovations and Discoveries*, **3(1)**: 146 – 152.
- Meagher E, Thomson C. (1999). Vitamin and Mineral Therapy. In Medical Nutrition and Disease, 2nd ed., G Morrison and L Hark, Malden, Massachusetts: *Blackwell Science Inc.* 33-58.
- Medzhitov, R. (2010). Inflammation: New adventures of an old flame. *Cell*, **140**: 771–776.
- Mehta, M., Kaur, N. and Bhutani, K. K. (2001). Determination of marker constituents from *Cissus quadrangularis* L. *Phytochemistry Annals*, **12(2)**: 91 – 95.
- Merinal S, Viji SB. (2012). *In vitro* screening of antimicrobial potentials of *Cissus quadrangularis* L. *Asian J Plant Sci Res.* **2:58-2**.
- Mia, Md. Manzur-ul-Kadir; Kadir, Mohammad Fahim; Hossan, Md. Shahadat; Rahmatullah, Mohammed. (2009). "Medicinal plants of the Garo tribe inhabiting the Madhupur forest region of Bangladesh". *American-Eurasian Journal of Sustainable Agriculture*; **3 (2)**: 165–171.
- Mishra G, Srivastava S, Nagori BP. (2010). Pharmacological and therapeutic activity of *Cissus quadrangularis* : An overview *Int J Pharm Tech Res*; **2:1298-1310**.
- Mitaliya, K. D. (1998). Ethnomedicinal study of angiosperms of Bhavnagar. Ph.D. Thesis, Bhavnagar University, Bhavnagar.
- Moghadam MS, Maleki S, Darabpour E, Motamedi H, Mansour S, Nejad S (2010). Antimicrobial activity of eight Iranian plant extracts against methicillin and cefixime resistant staphylococcus aureus strains. *Asian Pacific J. Trop. Med.* **3:262-265**.

- Mohan, V. R., Rajesh, A., Athiperumalsami, T. and Sutha, S., (2008). Ethnomedicinal plants of the Tirunelveli District, Tamil Nadu, India. *Ethnobotanical Leaflets*, **12: 79 – 95.**
- Mohanamba, E., Shobana, K., Sree, S. M., Kusuma, M. G., Satish, K. & Vijayakumar, B. (2012), ‘Isolation of Alcoholic Extract of *Cissus quadrangularis* and Evaluation of In-Vitro Anthelmintic Activity’, *Internationl Journal Of Novel Trends In Pharmaceutical Scicences*, **Vol. 1, (6)**.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Journal of Science and Technology*, **26(2): 211 – 219.**
- More, P. G. (1972). *A contribution to the flora of Parnera hills, Pardi and Udwada areas in South Gujarat*. Ph.D. Thesis, S. P. University, Vallabh Vidyanagar.
- Mpiana, P. T., Mudogo, V., Nyamangombe, L., Kakule, M. K., Ngbolua, K. N., Atibu, E. K., Mbongo, A. K., Mbala, M. B. and Ntumba, J. K. (2009). Antisickling activity and photodegradation effect of anthocyanins extracts from *Alchornea cordifolia* and *Crotalaria retusa*. *Annales Africaines de Medecine*, **2(4): 239 – 244.**
- Muanda, F., Kone, D., Dicko, A., Soulimani, R. and Younos, C. (2011). Phytochemical composition and antioxidant capacity of three Malian medicinal plant parts. *Evidence-Based Complementary and Alternative Medicine*, **4: 1 – 8.**
- Mudgal, V. (1987). Recent ethnobotanical works on different States/Tribes of India – A synoptic treatment. In: Jain, S. K. (Ed.), *A Manual of Ethnobotany*. Deep publications, New Delhi. **pp. 58 – 68.**
- Mukherjee PK, (2006). Integrated approaches towards drug development from ayurveda and other systems of medicine. *Journal of Ethnopharmacology*, **103: 25-35.**
- Mundla, K. K. and Sitaram, B. (2013). Comparative study of phytochemical, antimicrobial, cytotoxic and antioxidant activities in *Blepharis* genus plant seeds. *International Journal of Science Inventions Today*, **2(1): 07 – 20.**
- Muralidharan, R. and Narasimhan, D. (2012). Ethnomedicinal plants used against gastrointestinal problem in Gingee hills of Villupuram district, Tamil Nadu. *Journal of Applied Pharmaceutical Science*, **2(10): 123 – 125.**
- Murthy, K. N., Vanitha, A., Mahadeva Swamy, M. and Ravishankar, G. A. (2003). Antioxidant and antimicrobial activity of *Cissus quadrangularis* L. *Journal of Medicinal Foods*, **6(2): 99 – 105.**
-

- Murthy, M. H. S. (1957). The vegetation of Bhavnagar and its biological spectrum. *Bulletin of Gujarat University*, **1**: **42 – 46**.
- Muthukumarasamy, S., Mohan, V. R., Kumaresan, S. and Chelladurai, V. (2003). Herbal medicinal plants used by Paliyars to obtain relief from gastro-intestinal complaints. *Journal of Economic and Taxonomic Botany*, **27**: **711 – 714**.
- Nagar, P. S. (2000). *Biodiversity of the Barda Hills*. Ph.D. Thesis, Saurashtra University, Rajkot.
- Nagendra Prasad,P., and Abraham, Z (1984) Ethnobotany of Nayadis of North Kerala, *J Econ Tax Bot*,**5**:**1**.
- Nair NC and Hendry AN, (1983) *Flora of Tamil Nadu, India, Series I, I: Botanical survey of India*, Southern circle Coimbatore.
- Nalini G, Vinoth PV, Chidambaranathan N, Jeyasundari K. (2011). Evaluation of Anti-tumour activity of *Cissus quadrangularis* L. against Dalton's ascitic lymphoma and Erlich ascetic induced carcinoma in mice. *Int J Pharm Sci Rev Res* **8**:**75-9**.
- Natarajan, A., Leelavinodh, K. S., Jayavelu, A., Devi, K. and Senthil Kumar, B. (2013). A study on ethnomedicinal plants of Kalavai, Vellore District, Tamil Nadu, India. *Journal of Applied Pharmaceutical Science*, **3(1)**: **99 – 102**.
- Natarajan, V. and Udhayakumar, A. (2013). Studies on the medicinal plants used by the Malayali tribes of Kolli hill in Tamil Nadu. *International Journal of Basic and Life Sciences*, **1(1)**: **16 – 29**.
- Naveen Prasad, R., Viswanathan, S., Renuka Devi, J., Vijayashree, N., Swetha, V. C., Archana, R., Parathasarathy, N. and Johanna, R. (2008). Preliminary phytochemical screening and antimicrobial activity of *Samanea saman*. *Journal of Medicinal Plants Research*, **2(10)**: **268 – 270**.
- Ncube, N. S., Afolayan, A. J. and Okoh, A. (2008). Assessment techniques of antimicrobial properties of natural compounds of plant origin: current methods and future trends. *African Journal of Biotechnology*, **7(12)**: **1797 – 1806**.
- Ndhlala, A. R., Kasiyamhuru, A., Mupure, C., Chitindingu, K., Benhura, M. A. and Muchuweti, M. (2007). Phenolic composition of *Flacourtie indica*, *Opuntia megacantha* and *Sclerocarya birrea*. *Food Chemistry*, **103**: **82 – 87**.
- Netaji T Nitire , Digvijay G Kendre , Santosh B Kendre , Nitin B Ghiware (2015). Antioxidant, Antiinflammatory and Antiasthmatic Activity of *Cissus quadrangularis* Linn. *Ijppr.Human*, **Vol. 3 (3)**: **264-281**.

- Nirmal kumar J.I., Rita N kumar., Narendra patil and Hiren soni. (2007). Studies on plant species used by tribal communities of saputara and purna forests. Dang district Gujarat., *Indian Journal of Traditional Knowledge, Vol 6(2): Pp-368-374.*
- Nurani, M. A. (1997). *Epidermal, phytosociological and ethnobotanical study of some angiosperms of Barda Hills, Gujarat.* Ph. D. Thesis, Bhavnagar University, Bhavnagar.
- Oben J, Kuate D, Agbor G, Momo C, Talla X. (2006). The use of a *Cissus quadrangularis* formulation in the management of weight loss and metabolic syndrome. *Lipids Health Dis 5:24.*
- Oben JE, Ngondi JL, Momo CN, Agbor GA, Sobgui CS. (2008). The use of a *Cissus quadrangularis/Irvingia gabonensis* combination in the management of weight loss: A double-blind placebo-controlled study. *Lipids Health Dis 7:12.*
- Okwu, D. E. (2001). Evaluation of the chemical composition of indigenous spices and flavouring agents. *Global Journal of Pure and Applied Science, 7(3): 455 – 459.*
- Oleski A, Lindequist U, Mothana RA, Melzig MF (2006). Screening of selected Arabian medicinal plant extracts for inhibitory activity against peptidases. *Pharmazie, 61(4): 359-361.*
- Onyechi UA, Judd PA, Ellis PR (1998). African plant foods rich in non-starch polysaccharides reduce postprandial blood glucose and insulin concentrations in healthy human subjects. *Br. J. Nutr., 80(5): 419-428.*
- Opoku AR, Geheeb-keller M, Lin J, (2000). Preliminary screening of some traditional zulu medicinal plants for antineoplastic activities versus the HepG2 cell line. *Phytother res. 14(7):534-7.*
- Osawa, T. (1994). *Novel natural antioxidants for utilization in food and biological systems.* In: Uritani, I., Garcia, V. V. and Mendoza, E. M. (Eds.). Post harvest biochemistry of plant food materials in the tropics. Japan Scientific Societies Press, Japan. **pp. 241 – 251.**
- Osibote E, Noah N, Sadik O, McGee D, Ogunlesi M (2011). Electrochemical sensors, MTT and immunofluorescence assays for monitoring the proliferation effects of cissus populnea extracts on Sertoli cells. *Reprod. Biol. Endocrinol., 9: 65.*
- Otshudi AL, Foriers A, Vercruyse A, Van Zeebroeck A, Lauwers S (2000). *In vitro* antimicrobial activity of six medicinal plants traditionally used for the treatment

- of dysentery and diarrhoea in Democratic Republic of Congo (DRC). *Phytomedicine*, **7(2): 167-172.**
- Oyedepo, O. O., Famurewa, A. J. (1995). Antiprotease and membrane stabilizing activities of extracts of Fagara. Zanthoxy loides, Olax subscorpioidea and Tetra pleura tetraptera. *Int J Pharmacogn* **33:65-69.**
- Oza, G. M. (1961). *Flora of Pavagadh*. Ph.D. Thesis, The M.S. University, Baroda.
- Oza, J. D. (1991). *Taxonomical and Ecological Studies of the flora of and around Bhavnagar*. Ph.D. Thesis, S. P. Uiversity, Vallabh Vidyanagar.
- Padte, S. N. (1973). *Studies on the flora and vegetation of Savli Taluka*. Ph.D. Thesis, The M.S. University, Baroda.
- Palaniappan, P., Pandian, M., Natarajan, S. and Pitchairamu, C. (2012). Ethnomedicinal wisdom of Alagar hills in Eastern Ghats, Tamil Nadu, India. *International Journal of Applied Bioresearch*, **6: 28 – 34.**
- Pandey, C. N., Raval, B. R., Mali, S. and Salvi, H. (2005). *Medicinal plants of Gujarat*. Gujarat Ecological Education and Research (GEER) Foundation, Gandhinagar.
- Pandiarajan, G., Govindaraj, R. and Makeshkumar, B. (2011). Some common plant used by the people of Kovilpatti, Tamil Nadu, India to treat rheumatism. *International Journal of Pharmaceutical Sciences and Research*, **2(7): 1659 – 1661.**
- Parekh, J. Chanda, S.V. (2008). ‘Antibacterial Activity of Aqueous and Alcoholic Extracts of 34 Indian Medicinal Plants against Some *Staphylococcus* Species’, *Turk J Biol*, **Vol. 32, pp. 63- 71.**
- Parthipan, M., Aravindan, V. and Rajendran, A. (2011). Medico – botanical study of Yercaud hills in the Eastern Ghats of Tamil Nadu, India. *Ancient Science of Life*, **30(4): 104 – 109.**
- Patel, H. R. and Patel, R. S. (2013). Ethnobotanical plants used by the tribes of R.D.F. Poshina Forest Range of Sabarkantha district, North Gujarat, India. *International Journal of Scientific and Research Publications*, **3(2): 1 – 8.**
- Patel, K. C. (2002). *Floristic and Ethnobotanical studies on Danta forest of North Gujarat*. Ph.D. Thesis, Sardar Patel University, Vallabh Vidyanagar.
- Patel, N. K. (2001). *Study of angiospermic plants with relation to phytosociological and ethnobotanical study of Danta taluka, district Banaskantha*. Ph.D. Thesis, North Gujarat University, Patan.
-

- Patel, R. M. (1971). *The flora of Bulsar and its environs*. Ph.D. Thesis, Sardar Patel University, Vallabh Vidyanagar, Part I & II.
- Paulsen BS, Sekou B, Drissa D, Anna JK, Adsersen A. (2007). Antiplasmodial and GABA benzodiazepine receptor binding activities of five plants used in traditional medicine in Mali, West Africa. *J Ethnopharmacol.* **110:451-7.**
- Poongodi, A., Thilagavathi, S., Aravindhan, V., Rajendran, A., (2011). Observations on some ethnomedicinal plants in Sathyamangalam forests of Erode district, Tamilnadu, India. *J. Med. Plant. Res.* **5(19), 4709-4714.**
- Potu BK, Bhat KM, Rao MS, Nampurath GK, Chamallamudi MR, Nayak SR, (2009). Petroleum ether extract of *Cissus quadrangularis* (Linn.) enhances bone marrow mesenchymal stem cell proliferation and facilitates osteoblastogenesis. *Clinics (Sao Paulo)*; **64:993-8.**
- Potu BK, Nampurath GK, Rao MS, Bhat KM. (2011). Effect of *Cissus quadrangularis* Linn on the development of osteopenia induced by ovariectomy in rats. *Clin Ter* **162:307-12.**
- Potu BK, Rao MS, Nampurath GK, Chamallamudi MR, Prasad K, Nayak SR, (2009). Evidence-based assessment of antiosteoporotic activity of petroleum-ether extract of *Cissus quadrangularis* Linn. on ovariectomy-induced osteoporosis. *Ups J Med Sci* **114:140-8.**
- Pradheeps, M. and Poyyamoli, G. (2013). Ethnobotany and utilization of plant resources in Irula villages (Sigur plateau, Nilgiri Biosphere Reserve, India). *Journal of Medicinal Plants Research*, **7(6): 267 – 276.**
- Prajapati, M. M. (2002). *Study of plant community and study of ethnobotanical aspects of Shamlaji forests, hills and hillocks*. Ph.D. Thesis, North Gujarat University, Patan.
- Prema R, Sekar DS, Sekhar KB, Jeevanandham S. (2012). *In vitro* cytotoxicity study on combined plants extracts (*Cissus quadrangularis* and *Aegle marmelos*). *Euro J Exp Bio* **2:882-8.**
- Prusti, A., Mishra, S. R., Sahoo, S. and Mishra, S. K. (2008). Antibacterial activity of some Indian medicinal plants. *Ethnobotanical Leaflets*, **12: 227 – 230.**
- Punjani, B. L. (1997). *An ethnobotanical study of tribal areas of district Sabarkantha (North Gujarat)*. Ph.D. Thesis, North Gujarat University, Patan.

- Pushpangadan P, Atal CK. (1984). Ethno-medico-botanical investigation in Kerala I, Some primitive tribal of Western ghats and their herbal medicine. *Journal of Ethnopharmacology*. **11**, **59-77**.
- Ragupathy, S. and Newmaster, S. G. (2009). Valorizing the 'Irulas' traditional knowledge of medicinal plants in the Kodiakkarai Reserve Forest, India. *Journal of Ethnobiology and Ethnomedicine*. **14**: **5 – 10**.
- Ragupathy, S., Newmaster, S. G., Maruthakkutti, M., Velusamy, B. and Ul-Huda, M. M. (2008). Consensus of the 'Malasars' traditional aboriginal knowledge of medicinal plants in the Velliangiri holy hills, India. *Journal of Ethnobiology and Ethnomedicine*, **4**: **8 – 15**.
- Raj and Baby joseph (2011). A comparative study on various properties of five medicinally important plant. *International J. of Pharmacol*, **7:40-45**.
- Rajendran, A., Rama Rao, N., Ravikumar, K. and Henry, A. N. (1997). Some Medicinal orchids of south India. *Ancient Science of Life*, **17(1)**: **10 – 14**.
- Rajendran, A., Rama Rao, N., Ravikumar, K. and Henry, A.N., (1999). Some Medicinal and Aromatic Labiates from the Peninsular India. *Journal of Non-Timber Forest Products*, **6(1-2)**: **26 – 30**.
- Rajendran, K., Balaji, P. and Jothibasu, M. (2008). Medicinal plants and their utilization by villagers in Southern districts of Tamil Nadu. *Indian Journal of Traditional Knowledge*, **7(3)**: **417 – 420**.
- Rajpal V. Standardization of Botanicals. USA (2005). Eastern Publishers. **p. 77-1**.
- Ramachandran, V. S. and Manian, S. (1991). Ethnobotanical studies on the Irulas, the Koravas and the Puliyas of Coimbatore district, Tamil Nadu. *Indian Botanical Reports*, **8**: **85 – 91**.
- Ramachandran, V. S. and Nair, V. J. (1981)a. Ethnobotanical studies in Cannanore district, Kerala, India. *Journal of Economic and Taxonomic Botany*, **2**: **65 – 75**.
- Ramachandran, V. S. and Nair, V. J. (1981)b. Ethnobotanical observation on Irulars of Tamil Nadu. India. *Journal of Economic and Taxonomic Botany*, **2**: **183 – 190**.
- Ramachandran, V. S., Shijo Joseph and Aruna, R. (2009). Ethnobotanical studies from Amaravathy range of Indira Gandhi Wildlife Sanctuary, Western Ghats, Coimbatore district, Southern India. *Ethnobotanical Leaflets*, **13**: **1069 – 1087**.

- Ramesh kumar, S., Yokesh Babu, M., Ramakritinan, C. M. and Eswaran, K. (2013). Ethnomedicinal studies of coastal medicinal plants in around Mandapam coastal regions, Gulf of Mannar, Tamil Nadu. *International Journal of Biology, Pharmacy and Applied Sciences*, **2(1)**: 90 – 101.
- Ranganathan, R. (2012). Ethnomedicinal plants and their utilization by villagers in jawadhu hills of Thiruvannamalai district of Tamil Nadu. *International Journal of Pharmaceutical Research and Development*, **4(4)**: 174 – 183.
- Ranganathan, R., Vijayalakshmi, R. and Parameswari, P. (2012). Ethnomedicinal survey of Jawadhu hills in Tamil Nadu. *Asian Journal of Pharmaceutical and Clinical Research*, pp 45.
- Rao, R. S. (1970). Studies on the flora of Kutch, Gujarat State (India) and their utility in the economic development of the semi-arid region. *Annals of Arid Zone*, **9(2)**: 125 – 142.
- Rastogi RP, Mehrota BN. (1993). Compendium of Indian Medicinal Plants. **Vol III**, CSIR. p. 173-74.
- Re R., Pellegrini N., Proteggente A., Pannala A., Yang M., and Rice-Evans C, (1999). “Antioxidant activity applying an improved ABTS radical cation decolorization assay,” *Free Radical Biology and Medicine*, vol. 26, no. 9-10, pp. 1231–1237.
- Rekha, D., Tamil Selvi, S., Bharathidasan, R., Panneerselvam, A., Ilakkia, R. and Jayapal, R. (2013). Study of medicinal plants used from Koothanoallur and Marakkadai, Thiruvarur district of Tamil Nadu, India. *Journal for Drugs and Medicines*, **5(1)**: 164 – 170.
- Revathi, P. and Parimelazhagan, T. (2010). Traditional knowledge on medicinal plants used by the Irula tribe of Hasanur hills, Erode district, Tamil Nadu, India. *Ethnobotanical Leaflets*, **14**: 136 – 60.
- Rizwan, K., Zubair, M., Rasool, N., Riaz, M., Zia-Ul-Haq, M. and Vincenzo, de Feo. (2012). Phytochemical and biological studies of *Agave attenuata*. *International Journal of Molecular Science*, **13**: 6440 – 6450.
- Salai Senthilkumar, M. S., Vaidyanathan, D., Sivakumar, D., and Ghose Basha, M., (2014). Diversity of ethnomedicinal plants used by Malayali tribals in Yelagiri hills of Eastern Ghats, Tamil Nadu, India. *Asian Journal of Plant Science and Research*, **4(1)**: 69 – 80.

- Sanchez-Fidalgo S, Martin-Lacave I, Illanes M, Motilva V. (2004). Angiogenesis, cell proliferation and apoptosis in gastric ulcer healing. Effect of a selective COX-2 inhibitor. *Eur J Pharm.* **505:187-94.**
- Sandhya, B., Thomas, S., Isabel, W., Shenbagarathai, R., (2006). Ethnomedicinal plants used by the Valaiyan community of Piramalai Hills, Tamil Nadu, India – A pilot study. *African Journal of Traditional, Complementary and Alternative Medicines* **3(1), 101-114.**
- Sankaranarayanan, S., Bama, P., Ramachandran, J., Kalaichelvan P. T., Deccaraman, M., Vijayalakshimi, M., Dhamotharan, R., Dananjeyan, B. and Sathy Bama, S., (2010). Ethnobotanical study of medicinal plants used by traditional users in Villupuram district of Tamil Nadu, India. *Journal of Medicinal Plants Research,* **4(12): 1089 – 1101.**
- Sankarasivaraman, K. (2000). *Ethnobotanical Wealth of Paliyar Tribe in Tamil Nadu.* Ph.D. Thesis, Manomanium Sundaranar University, Tirunelveli, Tamil Nadu, India.
- Sanyal A, Ahmad A, Sastry M. (2005). Calcite growth in *Cissus quadrangularis* plant extract. *Curr Sci.* **89:1742-5.**
- Sathiyaraj, K., Sivaraj, A., Thirumalai, T. and Senthilkumar, B. (2012). Ethnobotanical study of antifertility medicinal plants used by the local people in Kathiyavadi village, Vellore district, Tamilnadu, India. *Asian Pacific Journal of Tropical Biomedicine,* **1285 – 1288.**
- Scalbert, A. (1991). Antimicrobial properties of tannins. *Phytochemistry,* **30: 3875 – 3883.**
- Seema (2015). A review on phytochemical and pharmacological properties of *Michelia champaca* Linn. family: Magnoliaceae Taprial, *IJP, Vol. 2(9): 430-436.*
- Sen MK, Faruquee HM, Mamun-or-Rashid ANM. (2012). Antibacterial Activity of *Cissus quadrangularis* Stem- A Preliminary *In vitro* Effort to Develop Antibiotic. *Saarbrucken (Germany): Lap-Lambert Academic Publishing.* p. **24-7.**
- Sen SP. (1966). Studies on the active constituents of *Cissus quadrangularis*. *Current Sci;* **35:317.**
- Sen, P. (1993). Therapeutic potentials of Tulsi from experience to facts. *Drugs News and Views,* **1(2): 15 – 21.**
-

- Sen, S.P. (1964). "Study of the Active Constituents (Ketosteroids) of *Cissus quadrangularis*, Wall." *The Indian Journal of Pharmacy*, **26** p. **247**.
- Shah N C and Joshi M C.,(1971). An ethnobotanical study of Kumaon region of India, *Econ Bot*, **25** : **414**
- Shah, B. K. (2006). *Status of Ethnomedicine and Grandma's prescription in Valsad district (Gujarat)*. Ph.D. Thesis, Veer Narmad South Gujarat University, Surat.
- Shah, G. L. (1978). *Flora of Gujarat State*. Sardar Patel University, Vallabh Vidyanagar.
- Shah, G. L. and Gopal, G. V. (1982). An ethnobotanical profile of the Dangies. *Journal of Economic and Taxonomic Botany*, **3**: **355 – 364**.
- Shah, G. L. and Vyas, K. J. (1973). Some interesting plants of Gujarat State. *Journal of Bombay Natural History Society*, **69**: **684 – 686**.
- Shah, G. L. and Yadav, S. S. (1979). A contribution to the flora of Dangs forest in Gujarat. Floristic composition, Floristic elements and Biological Spectrum. *Indian Journal of Forestry*, **2(1)**: **13 – 19**.
- Shah, G. L., Menon, A. R. and Gopal, G. V. (1981). An account of the ethnobotany of Saurashtra, Gujarat. *Journal of Economic and Taxonomic Botany*, **2**:**173 – 182**.
- Shah, N. C and Joshi, M. C (1971) An ethnobotanical study of Kumaon region of India, *Econ Bot*, **25**: **414**.
- Shah, U. (2011). 'Cissus quadrangularis l.: phytochemicals, traditional Uses and pharmacological activities - a review', *International Journal of Pharmacy and Pharmaceutical Sciences*, **Vol. 3, no. 4**, pp. **41-44**.
- Shah, G. L. and Gopal, G. V. (1985). Ethnomedical notes from the tribal inhabitants of the North Gujarat. *Journal of Economic and Taxonomic Botany*, **6**:**193 – 201**.
- Shaikh, J. U., Darren, G. I. and Tiralongo, E. (2011). Cytotoxic Effects of Bangladeshi medicinal plant extracts. *Bangladesh journal of Plant Taxonomy*, **40(4)**: **756 – 764**.
- Shanmugam, S., Annadurai, M. and Rajendran, K. (2011)a. Ethnomedicinal plants used to cure diarrhoea and dysentery in Pachalur hills of Dindigul district in Tamil Nadu, Southern India. *Journal of Applied Pharmaceutical Science*, **01(08)**: **94 – 97**.

- Shanmugam, S., Kalaiselvan, M., Selvakumar, P., Suresh, K. and Rajendran, K. (2011)b. Ethnomedicinal plants used to cure diarrhoea and dysentery in Sivagangai district of Tamil Nadu, India. *International Journal of Research in Ayurveda and Pharmacy*, **2(5)**: **991 – 994**.
- Shanmugam, S., Rajagopal, V. and Rajendran, K. (2007). Multipurpose usable plants in Thalaiyanai hills of Tirunelveli Forest Division in Southern part of Western Ghats. *Journal of Non-Timber Forest Products*, **14(4)**: **297 – 306**.
- Shanmugam, S., Rajendran, K. and Suresh, K. (2012). Traditional uses of medicinal plants among the rural people in Sivagangai district of Tamil Nadu, Southern India. *Asian Pacific Journal of Tropical Biomedicine*, **S429 – S434**.
- Shanmugam, S., Ramar, S., Ragavendhar, K., Ramanathan, R. and Rajendran, K. (2008). Plants used as medicine by Paliyar tribes of Shenbagathope in Virudhunagar district of Tamil Nadu. *Journal of Economic and Taxonomic Botany*, **32(4)**: **922 – 929**.
- Sharma PC, Yelne MB, Dennis TJ, (2003). Database on medicinal plants used in Ayurvedic Central Council for Research in Ayurveda and Siddha; **Vol 1** pp **43-49**.
- Sharma, P. and Sharma, J. D. (2001). *In vitro* hemolysis of human erythrocytes by plant extracts with antiplasmodial activity. *Journal of Ethnopharmacology*, **74**: **239 – 243**.
- Shinwari ZK, Khan AA, Nakaike T. (2003). Medicinal and other useful plants of district Swat-Pakistan. WWF-Pakistan.
- Shirwaikar A, Khan S, Malini S. (2003). Antiosteoporotic effect of ethanol extract of *Cissus quadrangularis* Linn. on ovariectomized rat. *J Ethnopharmacol* **89:245-50**.
- Shon, M. Y., Kim, T. H. and Sung, N. J. (2003). Antioxidants and free radical scavenging activity of *Phellinus baumii* (Phellinus of Hymenochaetaceae) extracts. *Food Chemistry*, **82: 593 – 597**.
- Siddhuraju, P. and Becker K, (2003). “Studies on antioxidant activities of *Mucuna* seed (*Mucuna pruriens* var *utilis*) extract and various non-protein amino/imino acids through *in vitro* models,” *Journal of the Science of Food and Agriculture*, **vol. 83, no. 14**, pp. **1517–1524**.
- Silori, C. S. and Rana, A. (2000). Indigenous knowledge on medicinal plants and their use in Narayan Sarovar Sanctuary, Kutch. *Ethnobotany*, **12: 1 – 7**.

- Singh A, Malhotra S, Subban R. (2008). Lichens-role in traditional medicine and drug discovery. *Int J Integ Biol* **3:58**.
- Singh K.K and Maheswari J.K, (1983). Traditional phyto therapy amongst the tribals of Varanasi district, Uttar Pradesh, *J Econ Tax Bot*, **4 : 829**.
- Singh L. M. and Udupa, K. N. (2007). “Studies on “*Cissus quadrangularis*” in fracture by using phosphorus 32. III,” *Indian Journal of Medical Sciences*. **(16): 926–931**.
- Singh V and Pandey R P,(1998) *Ethnobotany of Rajasthan*, India, (Scientific Publishers, Jodhpur).
- Singh, G., Rawat, P. and Maurya, R. (2007). Constituents of *Cissus quadrangularis*. *Natural Product*, **21(6): 522 – 528**.
- Singh,V. and Pandey, R.P, (1980) Medicinal plantlore of the tribals of eastern Rajasthan, *J Econ Tax Bot*, **1: 137-147**.
- Sisubalan, N., Velmurugan, S., Malayaman, V., Thirupathy, S., Ghose Basha, M. H. and Ravi Kumar, R. (2014). Ethnomedicinal studies on villages of Thenpuranadu, Tamil Nadu, India. *Spatula DD*, **4(1): 41 – 47**.
- Sivasankari, B., Anandharaj, M. and Gunasekaran, P. (2014). An ethnobotanical study of indigenous knowledge on medicinal plants used by the village peoples of Thoppampatti, Dindigul district, Tamil Nadu, India. *Journal of Ethnopharmacology*, **153(2): 408 – 423**.
- Sobia, M. Zubair, M., Rasool, N., Mansha, A., Anjum, F., Iqbal, M., Mushtaq, M. and Shahid, M. (2013). Antioxidant, antibacterial, antifungal activities and phytochemical analysis of dagger (*Yucca aloifolia*) leaves extracts. *Journal of Medicinal Plants Research*, **7(6): 243 – 249**.
- Sofowara, E. A. (1993). *Medicinal plants and Traditional medicine in Africa*. Spectrum Books Ltd, Ibadan, Nigeria. **p. 289**.
- Soldato ML, Wallace PD. (2002). Divergent effects of new cyclo-oxygenase inhibitors on gastric ulcer healing: Shifting the angiogenic balance. *Proc Nat Acad Sci* **99:13243-7**.
- Spiegelman BM, Flier JS. (2001). Obesity and the regulation of energy balance. *Cell*. **104:531-43**.

- Srisook, K. (2011). Anti-inflammatory effect of ethyl acetate extract from *Cissus quadrangularis* L. may be involved with induction of heme oxygenase-1 and suppression of NF-κB activation. *Journal of Ethnopharmacology*, **133**: 1008-1014.
- Srivastava, A. K., Priyanka, S., Behera, B. R. and Srivastava, A. K. (2011). Pharmacognostical & phyto-chemical investigation of *Cissus quadrangularis* L. stem. *International Journal of Pharma Research and Development*, **1(3)**: 207 – 215.
- Subitha, T. Ayyanar M., Udayakumar M. and T. (2011). Ethnomedicinal plants used by Kani tribals in Pechiparai forests of Southern western Ghats, Tamil Nadu, India. International Research Journal of Plant Science .Vol. 2(12) pp. 349-354.
- Subramani, S. P. (2000). Ethnobotanical studies among Paliyar tribals Grizzled Squirrel Sanctuary, Southern Western Ghats, Tamil Nadu. *Journal of Non-Timber Forest Products*, **7(3-4)**: 156 – 160.
- Subramanyam Ragupathy, Newmaster G Steven, Murugesan Maruthakkutti, Balasubramaniam Velusamy and Muneer M Ul-Huda1 (2008). Consensus of the 'Malasars' traditional aboriginal knowledge of medicinal plants in the Velliangiri holy hills, India *Journal of Ethnobiology and Ethnomedicine*, **4:8 -4:8**
- Suresh, K., Kottaimuthu, R., Selvin Jebaraj Norman, T., Kumthakalavalli, R. and Simon, S. M. (2011). Ethnobotanical study of medicinal plants used by malayali tribals in Kolli hills of Tamil Nadu, India. *International Journal of Research in Ayurveda and Pharmacy*.
- Suresh, K., Viji Senthilmurugan, G., Pandiselvam, P. and Karuppuraja, S. (2012). Ethnomedicinal plants used by the rural people in Thiruppachethi village of Sivagangai district, Tamil Nadu, India. *Journal of Biological Science and Research*, **3(1)**: 47 – 51.
- Suryanarayana, B. (1968). *A contribution to the flora of dang forest, Gujarat*. Ph.D. Thesis, Sardar Patel University, Vallabh Vidyanagar.
- Tadera, K., Minami, Y., Takamastu, K. and Matsuoka, T. (2006). Inhibition of α-Glucosidase and α-Amylase by flavonoids. *Journal of Nutritional Science and Vitaminology*, **52**: 149 – 153.
- Thamacin Arulappan, M. and John Britto, S. (2014). Some important medicinal plants used in Gingee Taluk of Villupuram district of Tamil Nadu, India. *Journal of Natural Products and Plant Resources*, **4(3)**: 13 – 19.

- Thirumalai, T., Beverly C., Sathiyaraj, K., Senthilkumar, B. and David, E. (2012). Ethnobotanical study of anti-diabetic medicinal plants used by the local people in Javadhu hills Tamil Nadu, India. *Asian Pacific Journal of Tropical Biomedicine*, **S910 – S913**.
- Thisayakorn, K. (2007), ‘Preliminary Anti inflammatory of *Cissus quadrangularis* Linn. in rats’, *Journals of Ethnopharmacology*, **Vol. 113, pp. 54-61.**
- Trease, G. E. and Evans, W. C. (1996). *Pharmacognosy*. In: Soundera, W. B. (Ed.). 4th ed., New York Scientific Press, USA. **pp. 243 – 283.**
- Udupa, K. N., Chaturvedi, G. N., Tripathi, S.N. (1970). Advances in research in Indian medicine. India: Varnasi, *Banaras Hindu University*; **vol. 12.p. 165-96.**
- Udupa, K. N., Prasad, G.C., (1964)b. Further Studies on the Effect of *Cissus quadrangularis* in Accelerating Fracture Healing. *Indian J. Med. Res.*, **52: 26-35.**
- Usha devi, Pankaj Sharma and Rana J.C. (2014) Assessment of Ethnomedicinal plants in Shivalik Hills of Northwest Hiamalaya, India. *American Journal of ethno medicine*, **Vol:1 (4),186-205.**
- Umadevi, A. J. (1988). *Identification and status survey of medicinal plants of Gujarat*. Ph.D. Thesis, South Gujarat University, Surat.
- Usman, H. and Osuji, J. C. (2007). Phytochemical and *in vitro* antimicrobial assay of the leaf extract of *Newbouldia laevis*. *African Journal Traditional, Complementary and Alternative Medicine*, **4(4): 476 – 480.**
- Vasu,(2012).‘About *Cissus quadrangularis* (BontonCapsule)’,*Published Report summary,India,Viewdata,*
www.vasuhealthcare.com/pdf/aboutcissusquadrangularis.pdf
- Venkataswamy , R., Mohamad Mubarack, H. ,Doss , A., Ravi, T.K., Sukumar, M., 2010.Ethnobotanical study of medicinal plants used by Malasar tribals in Coimbatore district of Tamilnadu (South India). *Asian J. Exp. Biol. Sci.* **1 , 387 - 392.**
- Venkata subbu V. S. (1970). ‘Pharmacological and Toxicological evaluation of an active principle obtained from the plant *Vitis quadrangularis*’, *Isnd. J. Pharmac*, **Vol. 2, no. 3, pp. 91-97.**

- Vijay and Vijayvergia (2010). Analgesic , anti-inflammatory and antipyretic activity of *Cissus quadrangularis*. *Journal of Pharmaceutical Science and Research*, **2(1)**: **64-71**
- Vijay P, Vijayvergia R. (2010). Analgesic, anti-inflammatory and antipyretic activity of *Cissus quadrangularis*. *J Pharm Sci Technol* **2:111-118**.
- Vijayakumari, P., Shanthi, K., Bharathi, K., Kayalvizhi, J., Muruganantham, G., Sethuraman, M. and Thirumurugan, V. (2012). Studies on the physico-phytochemical and anti-diabetic properties of *Cissus quadrangularis* L. and *Solanum torvum* Swartz. *International Journal of Drug Discovery and Herbal Research*, **2(1)**: **323 – 328**.
- Vijayalakshmi, N., Anbazhagan, M. and Arumugam, K. (2014). Studies on Ethno-medicinal plants used by the Irulas tribe of Thirumurthi hill of Western Ghats, Tamil Nadu, India. *International Journal of Research in Plant Sciences*, **4(1)**: **8 – 12.**
- Vijayalakshmi, R. and Ranganathan, R. (2011). Ethnobotanical studies on some traditional medicinal plants in Cuddalore district. *Drug Invention Today*, **3(7)**: **160 – 164.**
- Viswanatha Swamy AHM, Manjula DV, Thippeswamy AHM, Mahendra Kumar CB (2006). Some neuropharmacological effects of the methanolic root extract of *Cissus quadrangularis* in mice. *Afr. J. Biomed. Res.*, **9**: **69- 75.**
- Viswanatha, S. A, Kulkarni RV, Thippeswamy AH, Koti BC, Gore A. (2010). Evaluation of hepatoprotective activity of *Cissus quadrangularis* stem extract against isoniazid-induced liver damage in rats. *Indian J Pharmacol* **42:397-400**.
- Wallace, G. and Fry, S. C. (1994). Phenolic components of the plant cell wall. *International Review of Cytology*, **151**: **229 – 267.**
- Waterman, P. G. and Mole, S. (1994). *Analysis of phenolic plant metabolites*. In: Methods in Ecology. Blackwell Scientific Publications, Oxford, UK. *West India Med J*, **57(4):37**.
- Watson, A. M., Zorb, C. and John, A. (2012). High phenotypic plasticity of *Suaeda maritima* observed under hypoxic conditions in relation to its physiological basis. *Annals of Botany*, **4**: **1 – 10.**
- Williams,C.A. (2000). Advances in flavonoid research since 1992. *Phytochemistry*. **55**: **481-504.**
-

- Williams. L.A.D., Connar.A.O., Latore.L., Dennis. O., Ringer. S., Whittaer. J.A.,Conard.J., (2008). In the early stages of the drug discovery process:West India Med J, **57(4):37.**
- World Health Organization (WHO). (2004). Available from http://www.who.int/ediascentre/fact_sheets/fs094/en/index.html.
- Yang LC, Wang F, Liu M (1998). A study of an endothelin antagonist from a Chinese anti-snake venom medicinal herb. *J. Cardiovasc. Pharmacol.*, **31 (Suppl 1): S249-250.**
- Yogamoorthi, A. and Sathya Priya, E. (2004). Anti-inflammatory and analgesic property of methanolic extract of *Spinifex littoreus* (Burm.f.) Merr. *Journal of Environmental Biology*, **27(2): 271 – 273.**
- Zeng, H., Deng, L. and Zhang, C. (2006). Cloning of salt tolerance-related cDNAs from the Mangrove plant *Sesuvium portulacastrum* L. *Journal of Integrative Plant Biology*,
- Zhishen J., Mengcheng T., and Jianming W., (1999). “The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals,” *Food Chemistry*, **vol. 64, no. 4, pp. 555– 559.**
- Zubair, M., Bibi, Z., Rizwan, K., Rasool, N., Zahoor, A. F. and Riaz, M. (2013). *In vitro* antimicrobial and haemolytic studies of *Bambusa arundinaceae* leaves. *Journal of Applied Pharmaceutical Science*, **3(4): 111 – 115.**

WWW.cancer.org., June, 2000